Date	12 November 2022
Team ID	PNT2022TMID46648
	Real time Communication Powered by Al for specially abled
Maximum Marks	8 Marks

```
{
"nbformat": 4,
"nbformat_minor":
0, "metadata": {
 "colab": {
  "provenance": []
 },
 "kernelspec": { "name":
  "python3",
  "display_name": "Python 3"
 },
 "language_info"
  : { "name":
  "python"
 }
},
"cells": [
  "cell_type":
"code",
```

```
"execution_count"
: 2, "metadata": {
   "id": "yhrkzc9ZpmOU"
},
"outputs": [],
```

```
"source": [
    "from keras.preprocessing.image import ImageDataGenerator\n",
 "train_datagen=ImageDataGenerator(rescale=1./255,shear_range=0.2,zoom_range=0.2
 , horizontal_flip= True)\n",
    "test_datagen=ImageDataGenerator(rescale=1./255)"
   ]
  },
   "cell type":
   "code", "source":
   [
    "x train
train_datagen.flow_from_directory('/content/Dataset/training_set',target_size=(64,64),bat
c h_size=300, class_mode='categorical',color_mode=\"grayscale\")"
   ],
   "metadata": {
    "id":
    "911jlfgkNnqq",
    "colab": {
     "base_uri": "https://localhost:8080/"
    },
    "outputId": "44f120a6-86ad-47c5-c78a-b8329539d64c"
   },
   "execution_count"
   : 3, "outputs": [
"outp
```

```
ut_typ
e":

"stream", "name":

"stdout",
```

```
"text": [
     "Found 15750 images belonging to 9 classes.\n"
    ]
   }
  ]
 },
  "cell_type":
  "code", "source":
  [
   "x_test
test_datagen.flow_from_directory('/content/Dataset/test_set',target_size=(64,64),batch_s
i ze=300,class
_mode='categorical',color_mode=\"grayscale\")"
  ],
  "metadata": {
   "colab": {
    "base_uri": "https://localhost:8080/"
   },
   "id": "0jQeqRgJQ_k3",
   "outputId": "d87d023d-a162-431d-e065-6886122187a2"
  },
  "execution_count"
  : 4, "outputs": [
    "output_type":
```

```
"stream", "name":
"stdout",
```

"text": [

```
"Found 2250 images belonging to 9 classes.\n"
  ]
 }
]
},
{
"cell_type":
"code", "source":
                           import
  "from
          keras.models
  Sequential\n",
                            "from
  keras.layers import Dense\n",
  "from
              keras.layers
                                 import
  Convolution2D\n", "from keras.layers
            MaxPooling2D\n",
  import
                                  "from
 keras.layers import Dropout\n",
  "from keras.layers import Flatten"
],
"metadata": {
 "id": "hENrq9luV5CV"
},
"execution_count"
: 5, "outputs": []
},
```

"cell_type":

```
"code", "source":
[
    "model = Sequential()"
```

```
],
 "metadata": {
  "id": "_Xog4wM-WHQL"
},
 "execution_count"
 : 6, "outputs": []
},
{
 "cell_type":
 "code", "source":
  "model.add(Convolution2D(32,(3,3),input_shape=(64,64,1),
  activation='relu'))\n", "#no. of feature detectors, size of feature detector, image
  size, activation function"
],
 "metadata": {
  "id": "IxBznrvkXOiQ"
},
 "execution_count"
 : 7, "outputs": []
},
 "cell_type":
 "code", "source":
  "model.add(MaxPooling2D(pool_size=(2,2)))"
```

```
],
"metadata": {
```

```
"id": "m9i6nyiiYAzH"
},
 "execution_count"
: 8, "outputs": []
},
{
 "cell_type": "code",
 "source": [
 "model.add(Flatten())"
],
 "metadata": {
  "id": "YrEJW7pAYFA4"
},
 "execution_count"
 : 9, "outputs": []
},
 "cell_type":
 "code", "source":
[
  "model.add(Dense(units=512, activation = 'relu'))"
],
 "metadata": {
  "id": "qlvMupXlYg8d"
 },
 "execution_count": 10,
```

```
"outputs": []
},
{
"cell_type":
"code", "source":
[
  "model.add(Dense(units=9, activation = 'softmax'))"
],
"metadata": {
 "id": "BSaehFfcY4iz"
"execution_count":
11, "outputs": []
},
{
"cell_type":
"code", "source":
  "model.compile(loss='categorical_crossentropy', optimizer = 'adam', metrics =
  ['accuracy'])"
],
"metadata": {
 "id": "Dq7W6q62Y9RC"
},
"execution_count":
12, "outputs": []
```

},

{

```
"cell_type":
  "code", "source":
  [
   "model.fit_generator(x_train,steps_per_epoch=24,epochs=10,validation_data
x_test, validation_steps= 40)\n",
    "#steps_per_epoch = no. of train images//batch size"
  ],
  "metadata": {
    "colab": {
    "base uri": "https://localhost:8080/"
   },
    "id": "T530ZkC6ZSOk",
    "outputId": "0adc68b9-1573-482b-87bd-fa1d56cb730f"
  },
  "execution count":
  13, "outputs": [
   {
    "output type":
    "stream", "name":
    "stderr",
    "text": [
      "/usr/local/lib/python3.7/dist-packages/ipykernel_launcher.py:1:
UserWarning: `Model.fit_generator` is deprecated and will be removed in a future
version. Please use `Model.fit`, which supports generators.\n",
     "\"\"Entry point for launching an IPython kernel.\n"
    ]
```

```
},
{
    "output_type": "stream",
```

```
"name":
  "stdout", "text":
  "Epoch 1/10\n",
   0.6219"
  ]
  },
   "output_type":
  "stream", "name":
  "stderr",
  "text": [
   "WARNING:tensorflow:Your input ran out of data; interrupting training. Make sure
that your dataset or generator can generate at least `steps_per_epoch * epochs`
batches (in this case, 40 batches). You may need to use the repeat() function when
building your dataset.\n"
  1
  },
   "output type":
  "stream", "name":
  "stdout",
  "text": [
val_loss: 0.4031 - val_accuracy: 0.8982\n",
```

"Epoch 2/10\n",

"24/24 [=========] accuracy: 0.9211\n",	-	33s	1s/step	-	loss:	0.2827	-
"Epoch 3/10\n",							
"24/24 [=========] accuracy: 0.9615\n",	-	34s	1s/step	-	loss:	0.1448	-

```
"Epoch 4/10\n",
accuracy: 0.9746\n",
"Epoch 5/10\n",
accuracy: 0.9826\n",
"Epoch 6/10\n",
accuracy: 0.9909\n",
"Epoch 7/10\n",
accuracy: 0.9908\n",
"Epoch 8/10\n",
accuracy: 0.9915\n",
"Epoch 9/10\n",
accuracy: 0.9940\n",
"Epoch 10/10\n",
accuracy: 0.9972\n"
]
"output_type":
"execute_result", "data": {
"text/plain": [
"<keras.callbacks.History at 0x7fe3bd2e8c90>"
```

},

```
]
},
"metadata": {},
"execution_count":
13
```

```
}
]
},
{
"cell_type": "code",
"source": [
"model.save('aslpng1.
h5')"
],
"metadata": {
 "id": "tbD4YC8VZIIB"
},
"execution_count":
14, "outputs": []
},
"cell_type":
"code", "source":
  "from keras.models import load_model\n",
  "import numpy as
 np\n",
 "import cv2"
],
"metadata": {
 "id": "wBCEfO5qd0Gj"
```

},

"execution_count": 17,

```
"outputs": []
},
{
"cell_type":
"code", "source":
[
  "model=load_model('aslpng1.h5')"
],
"metadata": {
 "id": "sZYDfTiuZmUU"
"execution_count":
18, "outputs": []
},
{
"cell_type":
"code", "source":
[
  "from skimage.transform import
 resize\n", "def detect(frame):\n",
  " img = resize(frame,(64,64,1))\n",
                img
  np.expand_dims(img,axis=0)\n",
  " if(np.max(img)>1):\n",
  " img = img/255.0\n",
  " prediction =
```

```
" print(prediction)"
],
"metadata": {
 "id": "05vEcPg2bJfW"
"execution_count":
25, "outputs": []
},
"cell_type":
"code", "source":
  "frame=cv2.imread('/content/Dataset/test_set/G/1.p
  ng')\n", "data = detect(frame)"
],
"metadata": {
  "colab": {
  "base_uri": "https://localhost:8080/"
 },
  "id": "bdi1cEHebj35",
 "outputId": "147bc04d-4759-43cd-90ab-fd53ee38317e"
},
"execution_count":
26, "outputs": [
  {
   "output_type": "stream",
```

```
"name":
  "stdout", "text":
  [
   "1/1 [======] - 0s 25ms/step\n",
   "[[2.9662006e-09 3.0511607e-09 5.7518361e-07 2.6636766e-09
   7.6029876e-09\n", " 1.4324395e-08 9.9982303e-01 1.7639149e-04
   1.6517550e-09]]\n",
   "[6]\n"
  ]
 }
]
},
{
"cell_type": "code",
"source":
[],
"metadata"
: {
 "id": "LQ1_aUY3b1qJ"
},
"execution_count":
null, "outputs": []
```

}

]

}