Project Development Phase

Date	12 November 2022
Team ID	PNT2022TMID46648
Project Name	Real-Time Communication System Powered by AI
	for Specially Abled
Marks	8 marks

IMPORTING NECESSARY LIBRARIES

import os import cv2 import numpy as np import matplotlib.pyplot as plt from keras.preprocessing.image import ImageDataGenerator

RENAMING DATA FILES

```
def rename_imgs(file_name):
    folder_path = r'test_dataset/'+file_name

num = 0    for file in
os.listdir(folder_path):
    # if num%10 == 0:
    # print(f'Renamed {num} files...')
    # os.rename(folder_path+'\\'+file, folder_path+'\\'+file_name+'_'+str(num)+'.jpeg')
num += 1

fn = 'Space' rename_imgs(fn)


file_names = '0123456789'+'ABCDEFGHIJKLMNOPQRSTUVWXYZ' for fn in file_names:
rename_imgs(fn)
```

DISPLAYING SAMPLE IMAGES FROM DATASET


```
train_data_path = 'train_dataset/' test_data_path = 'test_dataset/'
def display(img,sign=None):
    img = cv2.cvtColor(img,cv2.COLOR_BGR2RGB)
    fig = plt.figure(figsize=(7,7))
ax = fig.add_subplot(111)
plt.title(sign)
    ax.imshow(img)
```

Training Data Images


```
sign\_img = cv2.imread(train\_data\_path+'O/O\_234.jpeg') \ display(sign\_img, 'a')
```




 $sign_img = cv2.imread(train_data_path+'A/A_204.jpeg') \ display(sign_img,'A')$




 $sign_img = cv2.imread(train_data_path+'3/3_340.jpeg') \ display(sign_img,'3')$



sign_img = cv2.imread(train_data_path+'M/M_100.jpeg') display(sign_img,'M')




 $sign_img = cv2.imread(train_data_path + 'S/S_10.jpeg') \ display(sign_img, 'Space')$




Test Data Images


 $sign_img = cv2.imread(test_data_path+'S/S_15.jpeg') \ display(sign_img,'S')$



 $sign_img = cv2.imread(test_data_path+'Z/Z_1.jpeg') \\ display(sign_img,'Z')$



 $sign_img = cv2.imread(test_data_path+'7/7_8.jpeg') \ display(sign_img,'7')$



AUGMENTATION AND PREPROCESSING THE DATASET


Creating ImageDataGenerator

image_gen = ImageDataGenerator(rotation_range=30,

width_shift_range=0.1, height_shift_range=0.1, shear_range=0.2, zoom_range=0.2, rescale=1/255, horizontal_flip=True, fill_mode='nearest', validation_split=0.25)


Original Image

sign_img = cv2.imread(train_data_path+'3/3_100.jpeg') display(sign_img,'3')




Augmented Images

 $display(image_gen.random_transform(sign_img))$



 $display(image_gen.random_transform(sign_img))$



SPLITING INTO TRAIN AND VALIDATION DATASET

Train Data Generator

train_data_gen = image_gen.flow_from_directory(train_data_path,

target_size=(250,250), batch_size=16, shuffle=True,

class_mode='binary',

subset='training') Found 41625 images belonging to 37

classes.

Validation Data Generator

```
validation_data_gen = image_gen.flow_from_directory(train_data_path,
                           target_size=(250,250),
                                           shuffle=True,
batch_size=16,
class_mode='binary',
subset='validation')
Found 13875 images belonging to 37 classes.
Test Data Generator
                                                 test_data_gen = image_gen.flow_from_directory(test_data_path,
                           target_size=(250,250),
batch_size=8,
                                          shuffle=True,
                           class_mode='categorical',
)
Found 2586 images belonging to 37 classes.
train_data_gen.class_indices
{'0': 0,
'1': 1,
'2': 2, '3':
3,
'4': 4,
'5': 5, '6':
6,
'7': 7,
'8': 8, '9':
9,
'A': 10,
'B': 11,
'C': 12,
'D': 13,
'E': 14,
'F': 15,
'G': 16,
'H': 17,
'I': 18,
'J': 19,
'K': 20,
'L': 21,
'M': 22,
'N': 23,
'O': 24,
'P': 25,
'Q': 26,
'R': 27,
'S': 28,
'Space': 29,
'T': 30,
'U': 31,
'V': 32,
'W': 33,
```

'X': 34, 'Y': 35,

'Z': 36}

test_data_gen.classes

array([0, 0, 0, ..., 36, 36, 36])

len(train_data_gen.classes)

41625

len(test_data_gen.classes)

2586