Exp:-10 Customize Switch with Network Modules using CISCO Packet Tracer

Aim:-

To learn how to add a network module to a cisco switch, connect multiple PC's and a Server, assign Ip address and test connectivity in cisco packet Tracer.

Description:-

This experiment is about building a simple computer network using a switch with extra module ports. You will connect PCs and one Server, assign Ips and check if all devices can communicate.

Definition:-

A network module is an extra component you can add to a switch when you need ports or add new types of connection. In Packet Tracer, modules such as HWIC-4ESW let you expand the switch's capabilities.

Procedure:-

1. Open cisco packet tracer and set up your workstation.

2. Drag and Drop a 2960-24TT switch to the centre.

3. Add two PCs and the Servers-PT from the end devices panel.

4. power off the switch.

- click the switch open the physical tab and turn of the power button.

5. Install, HWIC-4ESW. module, on the switch the physical tab, drag HWIC-4ESW into an empty module slot.

6. power on the switch and let it boot.

7. connect all devices using copper straight through cables.

PC0 - switch Fast ethernet 0/1
PC1 → switch Fast ethernet.
PC2 → switch Module Fast 1
PC3 → switch Module Fast 2
PC4 → switch Module Fast 3

8. test connectivity

Input

Devices:

- 1 cisco 2960 - 24TT switch
- 1 4 WIC - 4ESW network module
- 5 PCs
- 1 Server PT

cables:-

- copper straight through cables
- configuration
- use static IP address as listed above.

output:-

A network setup where every pc and the server can successfully ping each other proving their both built in and modules ports on the switch are functioning.

Result:-

The experiment demonstrate successfully configuration of a switch with a network module and connectivity between all devices. The network works as expected and all devices communicate.