Ex: 1

Date: 17/7/26

LINUX COMMAND AND WINDOWS COMMANDS

Aim:-

To Study and execute various linux commands for file and directory management for , . text processing and basic networking operations

→ Study of various commands used in linux pwd

Description : prints the current working directory

output :

```
pwd
/home/linuxuser
mkdir
```

Description : Creates a new directory

output:-

```
$ mkdir fedora
$ ls
Desktop Documents Downloads fedora
cd
```

Description : changes the current directory

output :-

```
$ cd fedora
```

$ pwd

/home/linuxuser/fedora

touch file name.txt

Description: creates an empty file

output:

$ touch example.txt
$ ls
example.txt

echo "Hi" > filename.txt

Description: writes text into a file

output:

$ echo "Hi" > example.txt
cat filename.txt

Description: Display the contents of a file

output: $ cat example.txt
Hi

grep

Description: Searches for a specific pattern in a file

output:

$ grep "H" example.txt
Hi

wc

Description: Displays the numbers of lines, words, bytes in a file.

output:

$ wc example.txt
1 1 3 example.txt

wc -l

Description : counts the numbers of lines in a file

output :

$ wc -l example.txt

1 example.txt

wc.w

Description : counts the number is words in a file.

output :

$ wc -w example.txt

1 example.txt

wc-w

Description counts the number is bytes in a file

output :

$ wc -c example.txt

3 example.txt

wc-L

Description : counts the number of characters in a file.

output :

$wc -m example.txt

3 example.txt

wc-L

Description : Displays the length of the longest line in a file.

output :

$wc -L example.txt

2 examples.txt

Basic networking commands

host name.

Description : Display the system is host name

output:

$ host name

localhost-line

route

Description : Display the routing table

output:

$ route

Kernel IP routing table

net stat

Description : shows network connections and routing information

output :-

$ netstat

Active Internet connections

ip address show

Description : Displays IP address and network interface details.

output :-

$ ip address show

1: lo:

2: enp0s3:

ns lookup

Description : Finds the IP address of a domain

output :

```
$. ns lookup www.google.com
name : www.google.com
Address: 142.250.xxx.xxx
```

Description : Display network interface configuration

output :

```
$ if config
en 0093
inet 10.0.2.15
```

Ping

Description : Tests connection to a host

output :

```
$ ping www.gogle.com
64 bytes from .
```

arp

Description : Displays the ARP cache

output :

```
$ cmp -a
- gateway (10.0.2.2)
```

traceroute

Description : Display the route taken by packets to reach a destination.

output :

```
$ traceroute www.google.com
1 - gateway
2 .
```