

Class Practical

Q12 the following configuration runs an Apache HTTP server

version: '3' services: web:

image: httpd

Modify the file to:

1. Map port 8081 on host to port 80 in container
2. Mount a local file. /website to /usr/local/apache2/htdocs
3. Set container name as apache_server

```
PS C:\Users\VICTUS> cd Q12
PS C:\Users\VICTUS\Q12> notepad docker-compose.yml
PS C:\Users\VICTUS\Q12> docker compose up -d
time="2026-05-03T15:41:50+05:30" level=warning msg="C:\\Users\\VICTUS\\Q12\\docker-compose.yml: the attribute 'version' is obsolete,
it will be ignored, please remove it to avoid potential confusion"
[+] up 2/2
✓ Network q12_default Created 0.2s
✓ Container apache_server Created 0.3s
PS C:\Users\VICTUS\Q12> notepad index.html
PS C:\Users\VICTUS\Q12> docker-compose up -d
time="2026-05-03T15:45:00+05:30" level=warning msg="C:\\Users\\VICTUS\\Q12\\docker-compose.yml: the attribute 'version' is obsolete,
it will be ignored, please remove it to avoid potential confusion"
[+] up 1/1
✓ Container apache_server Running 0.0s
```

Docker-compose.yml

version: '3'

services:

web:

image: httpd

container_name: apache_server

ports: -

"8081:80"

volumes:

- ./website:/usr/local/apache2/htdocs

Q13. Create a docker-compose.yml file to deploy the following application:

Requirements

1. Services1: Nginx Wb server

image : nginx port mapping:

8085:80 2. service 2: Redis

Database image: redis

3. Both services must:

run on a custom network called appnetwork

4. the nginx container name should be nginx_server

```
PS C:\Users\VICTUS\Q12> cd Q13
PS C:\Users\VICTUS\Q12\Q13> notepad docker-compose.yml
PS C:\Users\VICTUS\Q12\Q13> docker compose up -d
time="2026-05-03T15:48:16+05:30" level=warning msg="C:\\Users\\VICTUS\\Q12\\Q13\\docker-compose.yml: the attribute `version` is obsolete, it will be ignored, please remove it to avoid potential confusion"
[+] up 12/12
✓ Image redis Pulled 7.9s
✓ Network q13_appnetwork Created 0.1s
✓ Container nginx_server Created 0.2s
✓ Container q13-redis-1 Created 0.2s
PS C:\Users\VICTUS\Q12\Q13> █
```

Docker-compose.yml

version: '3.8'

networks:

appnetwork:

services:

nginx:

image: nginx

container_name: nginx_server

ports: -

"8085:80"

networks:

- appnetwork

redis:

image: redis

networks:

- appnetwork

