```python
!pip install openai-whisper
!pip install gradio
import whisper
import gradio as gr

# Load the Whisper model (options: "tiny", "base", "small", "medium", "large")
model = whisper.load_model("medium")

def transcribe_audio(file_path, translate=True):
    """
    Converts speech to text using Whisper.
    If translate=True, it translates non-English speech to English.
    """
    try:
        # Transcribe or translate
        task_type = "translate" if translate else "transcribe"
        result = model.transcribe(file_path, task=task_type)

        return result["text"]
    except Exception as e:
        return f"Error: {e}"

# Gradio UI for uploading files
def process_audio(audio_file, translate):
    return transcribe_audio(audio_file, translate)

# Create Gradio interface
iface = gr.Interface(
    fn=process_audio,
    inputs=[
        gr.Audio(type="filepath", label="Upload an Audio File"),
        gr.Checkbox(label="Translate to English?"),
    ],
    outputs="text",
    title="Speech-to-Text Transcription",
    description="Upload an audio file and get the transcription. Enable translation for English output."
)

# Launch the app
iface.launch()
```

```
lecting openai-whisper
ownloading openai-whisper-20240930.tar.gz (800 kB)
                                    ━━━━━━━━ 800.5/800.5 kB 19.5 MB/s eta 0:00:00
nstalling build dependencies ... done
etting requirements to build wheel ... done
reparing metadata (pyproject.toml) ... done
uirement already satisfied: numba in /usr/local/lib/python3.11/dist-packages (from openai-whisper) (0.60.0)
uirement already satisfied: numpy in /usr/local/lib/python3.11/dist-packages (from openai-whisper) (2.0.2)
uirement already satisfied: torch in /usr/local/lib/python3.11/dist-packages (from openai-whisper) (2.6.0+cu124)
uirement already satisfied: tqdm in /usr/local/lib/python3.11/dist-packages (from openai-whisper) (4.67.1)
uirement already satisfied: more-itertools in /usr/local/lib/python3.11/dist-packages (from openai-whisper) (10.7.0)
uirement already satisfied: tiktoken in /usr/local/lib/python3.11/dist-packages (from openai-whisper) (0.9.0)
uirement already satisfied: triton>=2.0.0 in /usr/local/lib/python3.11/dist-packages (from openai-whisper) (3.2.0)
uirement already satisfied: llvmlite<0.44,>=0.43.0dev0 in /usr/local/lib/python3.11/dist-packages (from numba->openai-whisper) (0.43.0)
uirement already satisfied: regex>=2022.1.18 in /usr/local/lib/python3.11/dist-packages (from tiktoken->openai-whisper) (2024.11.6)
uirement already satisfied: requests>=2.26.0 in /usr/local/lib/python3.11/dist-packages (from tiktoken->openai-whisper) (2.32.3)
uirement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (3.18.0)
uirement already satisfied: typing-extensions>=4.10.0 in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (4.13.2)
uirement already satisfied: networkx in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (3.4.2)
uirement already satisfied: jinja2 in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (3.1.6)
uirement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (2025.3.2)
lecting nvidia-cuda-nvrtc-cu12==12.4.127 (from torch->openai-whisper)
ownloading nvidia_cuda_nvrtc_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
lecting nvidia-cuda-runtime-cu12==12.4.127 (from torch->openai-whisper)
ownloading nvidia_cuda_runtime_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
lecting nvidia-cuda-cupti-cu12==12.4.127 (from torch->openai-whisper)
ownloading nvidia_cuda_cupti_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (1.6 kB)
lecting nvidia-cudnn-cu12==9.1.0.70 (from torch->openai-whisper)
ownloading nvidia_cudnn_cu12-9.1.0.70-py3-none-manylinux2014_x86_64.whl.metadata (1.6 kB)
lecting nvidia-cublas-cu12==12.4.5.8 (from torch->openai-whisper)
ownloading nvidia_cublas_cu12-12.4.5.8-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
lecting nvidia-cufft-cu12==11.2.1.3 (from torch->openai-whisper)
ownloading nvidia_cufft_cu12-11.2.1.3-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
lecting nvidia-curand-cu12==10.3.5.147 (from torch->openai-whisper)
ownloading nvidia_curand_cu12-10.3.5.147-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
lecting nvidia-cusolver-cu12==11.6.1.9 (from torch->openai-whisper)
ownloading nvidia_cusolver_cu12-11.6.1.9-py3-none-manylinux2014_x86_64.whl.metadata (1.6 kB)
lecting nvidia-cusparse-cu12==12.3.1.170 (from torch->openai-whisper)
ownloading nvidia_cusparse_cu12-12.3.1.170-py3-none-manylinux2014_x86_64.whl.metadata (1.6 kB)
uirement already satisfied: nvidia-cusparselt-cu12==0.6.2 in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (0.6.2)
uirement already satisfied: nvidia-nccl-cu12==2.21.5 in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (2.21.5)
uirement already satisfied: nvidia-nvtx-cu12==12.4.127 in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (12.4.127)
lecting nvidia-nvjitlink-cu12==12.4.127 (from torch->openai-whisper)
ownloading nvidia_nvjitlink_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl.metadata (1.5 kB)
uirement already satisfied: sympy==1.13.1 in /usr/local/lib/python3.11/dist-packages (from torch->openai-whisper) (1.13.1)
uirement already satisfied: mpmath<1.4,>=1.1.0 in /usr/local/lib/python3.11/dist-packages (from sympy==1.13.1->torch->openai-whisper) (1.3.0)
uirement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests>=2.26.0->tiktoken->openai-whisper) (3.4.2)
uirement already satisfied: idna<4,>=2.5 in /usr/local/lib/python3.11/dist-packages (from requests>=2.26.0->tiktoken->openai-whisper) (3.10)
uirement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests>=2.26.0->tiktoken->openai-whisper) (2.4.0)
uirement already satisfied: certifi>=2017.4.17 in /usr/local/lib/python3.11/dist-packages (from requests>=2.26.0->tiktoken->openai-whisper) (2025.4.26)
uirement already satisfied: MarkupSafe>=2.0 in /usr/local/lib/python3.11/dist-packages (from jinja2->torch->openai-whisper) (3.0.2)
nloading nvidia_cublas_cu12-12.4.5.8-py3-none-manylinux2014_x86_64.whl (363.4 MB)
                                    ━━━━━━━━ 363.4/363.4 MB 2.5 MB/s eta 0:00:00
nloading nvidia_cuda_cupti_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl (13.8 MB)
                                    ━━━━━━━━ 13.8/13.8 MB 102.1 MB/s eta 0:00:00
nloading nvidia_cuda_nvrtc_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl (24.6 MB)
                                    ━━━━━━━━ 24.6/24.6 MB 82.9 MB/s eta 0:00:00
nloading nvidia_cuda_runtime_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl (883 kB)
                                    ━━━━━━━━ 883.7/883.7 kB 47.9 MB/s eta 0:00:00
nloading nvidia_cudnn_cu12-9.1.0.70-py3-none-manylinux2014_x86_64.whl (664.8 MB)
                                    ━━━━━━━━ 664.8/664.8 MB 1.9 MB/s eta 0:00:00
nloading nvidia_cufft_cu12-11.2.1.3-py3-none-manylinux2014_x86_64.whl (211.5 MB)
                                    ━━━━━━━━ 211.5/211.5 MB 7.0 MB/s eta 0:00:00
nloading nvidia_curand_cu12-10.3.5.147-py3-none-manylinux2014_x86_64.whl (56.3 MB)
```

```
 nloading nvidia_curand_cu12-10.3.3.147-py3-none-manylinux2014_x86_64.whl (56.3 MB)
                              56.3/56.3 MB 12.4 MB/s eta 0:00:00
 nloading nvidia_cusolver_cu12-11.6.1.9-py3-none-manylinux2014_x86_64.whl (127.9 MB)
                              127.9/127.9 MB 7.3 MB/s eta 0:00:00
 nloading nvidia_cusparse_cu12-12.3.1.170-py3-none-manylinux2014_x86_64.whl (207.5 MB)
                              207.5/207.5 MB 6.0 MB/s eta 0:00:00
 nloading nvidia_nvjitlink_cu12-12.4.127-py3-none-manylinux2014_x86_64.whl (21.1 MB)
                              21.1/21.1 MB 87.7 MB/s eta 0:00:00
 lding wheels for collected packages: openai-whisper
 uilding wheel for openai-whisper (pyproject.toml) ... done
 reated wheel for openai-whisper: filename=openai_whisper-20240930-py3-none-any.whl size=803404 sha256=5228db53d2f30f40e2de7a5fb2f40446b1b939fcd50cc213873eccfc18163033
 tored in directory: /root/.cache/pip/wheels/2f/f2/ce/6eb23db4091d026238ce76703bd66da60b969d70bcc81d5d3a
 essfully built openai-whisper
 talling collected packages: nvidia-nvjitlink-cu12, nvidia-curand-cu12, nvidia-cufft-cu12, nvidia-cuda-runtime-cu12, nvidia-cuda-nvrtc-cu12, nvidia-cuda-cupti-cu12, nvidia-cublas-cu
 ttempting uninstall: nvidia-nvjitlink-cu12
  Found existing installation: nvidia-nvjitlink-cu12 12.5.82
  Uninstalling nvidia-nvjitlink-cu12-12.5.82:
    Successfully uninstalled nvidia-nvjitlink-cu12-12.5.82
 ttempting uninstall: nvidia-curand-cu12
  Found existing installation: nvidia-curand-cu12 10.3.6.82
  Uninstalling nvidia-curand-cu12-10.3.6.82:
    Successfully uninstalled nvidia-curand-cu12-10.3.6.82
 ttempting uninstall: nvidia-cufft-cu12
  Found existing installation: nvidia-cufft-cu12 11.2.3.61
  Uninstalling nvidia-cufft-cu12-11.2.3.61:
    Successfully uninstalled nvidia-cufft-cu12-11.2.3.61
 ttempting uninstall: nvidia-cuda-runtime-cu12
  Found existing installation: nvidia-cuda-runtime-cu12 12.5.82
  Uninstalling nvidia-cuda-runtime-cu12-12.5.82:
    Successfully uninstalled nvidia-cuda-runtime-cu12-12.5.82
 ttempting uninstall: nvidia-cuda-nvrtc-cu12
  Found existing installation: nvidia-cuda-nvrtc-cu12 12.5.82
  Uninstalling nvidia-cuda-nvrtc-cu12-12.5.82:
    Successfully uninstalled nvidia-cuda-nvrtc-cu12-12.5.82
 ttempting uninstall: nvidia-cuda-cupti-cu12
  Found existing installation: nvidia-cuda-cupti-cu12 12.5.82
  Uninstalling nvidia-cuda-cupti-cu12-12.5.82:
    Successfully uninstalled nvidia-cuda-cupti-cu12-12.5.82
 ttempting uninstall: nvidia-cublas-cu12
  Found existing installation: nvidia-cublas-cu12 12.5.3.2
  Uninstalling nvidia-cublas-cu12-12.5.3.2:
    Successfully uninstalled nvidia-cublas-cu12-12.5.3.2
 ttempting uninstall: nvidia-cusparse-cu12
  Found existing installation: nvidia-cusparse-cu12 12.5.1.3
  Uninstalling nvidia-cusparse-cu12-12.5.1.3:
    Successfully uninstalled nvidia-cusparse-cu12-12.5.1.3
 ttempting uninstall: nvidia-cudnn-cu12
  Found existing installation: nvidia-cudnn-cu12 9.3.0.75
  Uninstalling nvidia-cudnn-cu12-9.3.0.75:
    Successfully uninstalled nvidia-cudnn-cu12-9.3.0.75
 ttempting uninstall: nvidia-cusolver-cu12
  Found existing installation: nvidia-cusolver-cu12 11.6.3.83
  Uninstalling nvidia-cusolver-cu12-11.6.3.83:
    Successfully uninstalled nvidia-cusolver-cu12-11.6.3.83
 essfully installed nvidia-cublas-cu12-12.4.5.8 nvidia-cuda-cupti-cu12-12.4.127 nvidia-cuda-nvrtc-cu12-12.4.127 nvidia-cuda-runtime-cu12-12.4.127 nvidia-cudnn-cu12-9.1.0.70 nvidia-
 lecting gradio
 ownloading gradio-5.31.0-py3-none-any.whl.metadata (16 kB)
 lecting aiofiles<25.0,>=22.0 (from gradio)
 ownloading aiofiles-24.1.0-py3-none-any.whl.metadata (10 kB)
 irement already satisfied: anyio<5.0,>=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.9.0)
 lecting fastapi<1.0,>=0.115.2 (from gradio)
 ownloading fastapi-0.115.12-py3-none-any.whl.metadata (27 kB)
 lecting ffmpy (from gradio)
 ownloading ffmpy-0.5.0-py3-none-any.whl.metadata (3.0 kB)
 lecting gradio-client==1.10.1 (from gradio)
```

```
lecting gradio-client==1.10.1 (from gradio)
ownloading gradio_client-1.10.1-py3-none-any.whl.metadata (7.1 kB)
lecting groovy~=0.1 (from gradio)
ownloading groovy-0.1.2-py3-none-any.whl.metadata (6.1 kB)
irement already satisfied: httpx>=0.24.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.28.1)
irement already satisfied: huggingface-hub>=0.28.1 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.31.4)
irement already satisfied: jinja2<4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.1.6)
irement already satisfied: markupsafe<4.0,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.0.2)
irement already satisfied: numpy<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.0.2)
irement already satisfied: orjson~=3.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (3.10.18)
irement already satisfied: packaging in /usr/local/lib/python3.11/dist-packages (from gradio) (24.2)
irement already satisfied: pandas<3.0,>=1.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.2.2)
irement already satisfied: pillow<12.0,>=8.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (11.2.1)
irement already satisfied: pydantic<2.12,>=2.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (2.11.4)
lecting pydub (from gradio)
ownloading pydub-0.25.1-py2.py3-none-any.whl.metadata (1.4 kB)
lecting python-multipart>=0.0.18 (from gradio)
ownloading python_multipart-0.0.20-py3-none-any.whl.metadata (1.8 kB)
irement already satisfied: pyyaml<7.0,>=5.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (6.0.2)
lecting ruff>=0.9.3 (from gradio)
ownloading ruff-0.11.12-py3-none-manylinux_2_17_x86_64.manylinux2014_x86_64.whl.metadata (25 kB)
lecting safehttpx<0.2.0,>=0.1.6 (from gradio)
ownloading safehttpx-0.1.6-py3-none-any.whl.metadata (4.2 kB)
lecting semantic-version~=2.0 (from gradio)
ownloading semantic_version-2.10.0-py2.py3-none-any.whl.metadata (9.7 kB)
lecting starlette<1.0,>=0.40.0 (from gradio)
ownloading starlette-0.47.0-py3-none-any.whl.metadata (6.2 kB)
lecting tomlkit<0.14.0,>=0.12.0 (from gradio)
ownloading tomlkit-0.13.2-py3-none-any.whl.metadata (2.7 kB)
irement already satisfied: typer<1.0,>=0.12 in /usr/local/lib/python3.11/dist-packages (from gradio) (0.15.3)
irement already satisfied: typing-extensions~=4.0 in /usr/local/lib/python3.11/dist-packages (from gradio) (4.13.2)
lecting uvicorn>=0.14.0 (from gradio)
ownloading uvicorn-0.34.2-py3-none-any.whl.metadata (6.5 kB)
irement already satisfied: fsspec in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.10.1->gradio) (2025.3.2)
irement already satisfied: websockets<16.0,>=10.0 in /usr/local/lib/python3.11/dist-packages (from gradio-client==1.10.1->gradio) (15.0.1)
irement already satisfied: idna>=2.8 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (3.10)
irement already satisfied: sniffio>=1.1 in /usr/local/lib/python3.11/dist-packages (from anyio<5.0,>=3.0->gradio) (1.3.1)
lecting starlette<1.0,>=0.40.0 (from gradio)
ownloading starlette-0.46.2-py3-none-any.whl.metadata (6.2 kB)
irement already satisfied: certifi in /usr/local/lib/python3.11/dist-packages (from httpx>=0.24.1->gradio) (2025.4.26)
irement already satisfied: httpcore==1.* in /usr/local/lib/python3.11/dist-packages (from httpx>=0.24.1->gradio) (1.0.9)
irement already satisfied: h11>=0.16 in /usr/local/lib/python3.11/dist-packages (from httpcore==1.*->httpx>=0.24.1->gradio) (0.16.0)
irement already satisfied: filelock in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (3.18.0)
irement already satisfied: requests in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (2.32.3)
irement already satisfied: tqdm>=4.42.1 in /usr/local/lib/python3.11/dist-packages (from huggingface-hub>=0.28.1->gradio) (4.67.1)
irement already satisfied: python-dateutil>=2.8.2 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2.9.0.post0)
irement already satisfied: pytz>=2020.1 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
irement already satisfied: tzdata>=2022.7 in /usr/local/lib/python3.11/dist-packages (from pandas<3.0,>=1.0->gradio) (2025.2)
irement already satisfied: annotated-types>=0.6.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (0.7.0)
irement already satisfied: pydantic-core==2.33.2 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (2.33.2)
irement already satisfied: typing-inspection>=0.4.0 in /usr/local/lib/python3.11/dist-packages (from pydantic<2.12,>=2.0->gradio) (0.4.1)
irement already satisfied: click>=8.0.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (8.2.1)
irement already satisfied: shellingham>=1.3.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (1.5.4)
irement already satisfied: rich>=10.11.0 in /usr/local/lib/python3.11/dist-packages (from typer<1.0,>=0.12->gradio) (13.9.4)
irement already satisfied: six>=1.5 in /usr/local/lib/python3.11/dist-packages (from python-dateutil>=2.8.2->pandas<3.0,>=1.0->gradio) (1.17.0)
irement already satisfied: markdown-it-py>=2.2.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12->gradio) (3.0.0)
irement already satisfied: pygments<3.0.0,>=2.13.0 in /usr/local/lib/python3.11/dist-packages (from rich>=10.11.0->typer<1.0,>=0.12->gradio) (2.19.1)
irement already satisfied: charset-normalizer<4,>=2 in /usr/local/lib/python3.11/dist-packages (from requests->huggingface-hub>=0.28.1->gradio) (3.4.2)
irement already satisfied: urllib3<3,>=1.21.1 in /usr/local/lib/python3.11/dist-packages (from requests->huggingface-hub>=0.28.1->gradio) (2.4.0)
irement already satisfied: mdurl~=0.1 in /usr/local/lib/python3.11/dist-packages (from markdown-it-py>=2.2.0->rich>=10.11.0->typer<1.0,>=0.12->gradio) (0.1.2)
nloading gradio-5.31.0-py3-none-any.whl (54.2 MB)
                              ──────────────── 54.2/54.2 MB 15.2 MB/s eta 0:00:00
nloading gradio_client-1.10.1-py3-none-any.whl (323 kB)
                              ──────────────── 323.1/323.1 kB 24.2 MB/s eta 0:00:00
nloading aiofiles-24.1.0-py3-none-any.whl (15 kB)
```

```
nloading aiofiles-24.1.0-py3-none.whl (15 kB)
nloading fastapi-0.115.12-py3-none-any.whl (95 kB)
                                ━━━━━━━━━━ 95.2/95.2 kB 7.3 MB/s eta 0:00:00
nloading groovy-0.1.2-py3-none-any.whl (14 kB)
nloading python_multipart-0.0.20-py3-none-any.whl (24 kB)
nloading ruff-0.11.12-py3-none-manylinux_2_17_x86_64.manylinux2014_x86_64.whl (11.5 MB)
                                ━━━━━━━━━━ 11.5/11.5 MB 104.2 MB/s eta 0:00:00
nloading safehttpx-0.1.6-py3-none-any.whl (8.7 kB)
nloading semantic_version-2.10.0-py2.py3-none-any.whl (15 kB)
nloading starlette-0.46.2-py3-none-any.whl (72 kB)
                                ━━━━━━━━━━ 72.0/72.0 kB 6.4 MB/s eta 0:00:00
nloading tomlkit-0.13.2-py3-none-any.whl (37 kB)
nloading uvicorn-0.34.2-py3-none-any.whl (62 kB)
                                ━━━━━━━━━━ 62.5/62.5 kB 5.3 MB/s eta 0:00:00
nloading ffmpy-0.5.0-py3-none-any.whl (6.0 kB)
nloading pydub-0.25.1-py2-none-any.whl (32 kB)
talling collected packages: pydub, uvicorn, tomlkit, semantic-version, ruff, python-multipart, groovy, ffmpy, aiofiles, starlette, safehttpx, gradio-client, fastapi, gradio
cessfully installed aiofiles-24.1.0 fastapi-0.115.12 ffmpy-0.5.0 gradio-5.31.0 gradio-client-1.10.1 groovy-0.1.2 pydub-0.25.1 python-multipart-0.0.20 ruff-0.11.12 safehttpx-0.1.6 s
%|████████████████████████████          | 1.42G/1.42G [00:14<00:00, 105MiB/s]
looks like you are running Gradio on a hosted a Jupyter notebook. For the Gradio app to work, sharing must be enabled. Automatically setting `share=True` (you can turn this off by
ab notebook detected. To show errors in colab notebook, set debug=True in launch()
unning on public URL: https://3dfcf6b957fc244bae.gradio.live
s share link expires in 1 week. For free permanent hosting and GPU upgrades, run `gradio deploy` from the terminal in the working directory to deploy to Hugging Face Spaces (https:
```

# Speech-to-Text Transcription

Upload an audio file and get the transcription. Enable translation for English output.

🎵 Upload an Audio File                                    ✕

0:00                                                      0:18

🔊   1x          ◀◀    ▶    ▶▶                      ↺ ✂

⬆ 🎤

output

The stale smell of old beer lingers. It takes heat to bring out the odor. A cold dip restores health and zest. A salt pickle tastes fine with ham. Tacos al pastor are my favorite. A zestful food is the hot cross bun.

**Flag**

☐ Translate to English?

**Clear**                              Submit

Use via API 🚀  ·  Built with Gradio 🟧  ·  Settings ⚙