


Study of different types of Network cables. Aim:



Study of different types of Network cables.

a) Understand different types of network cable.


Different type of cables used in networking are:


1. Unshielded Twisted Pair (UTP) Cable
2. Shielded Twisted Pair (STP) Cable
3. Coaxial Cable
4. Fibre Optic Cable

Cable type	Category	Maximum Data Transmission	Advantages/ Disadvantages	Application/Use	Image
UTP	Category 3	10 bps	<u>Advantages</u> <ul style="list-style-type: none"> • Cheaper in cost • Easy to install as they have a smaller overall diameter. <u>Disadvantages</u> <ul style="list-style-type: none"> • More prone to (EMI) Electromagnetic interference and noise 	10Base-T Ethernet	
	Category 5	Up to 100 Mbps		Fast Ethernet, Gigabit Ethernet	
	Category 5e	1Gbps		Fast Ethernet, Gigabit Ethernet	

STP	Category 6, 6a	10Gbps	Advantages <ul style="list-style-type: none"> • Shielded. • Faster than UTP. • Less susceptible to noise and interference Disadvantages <ul style="list-style-type: none"> • Expensive • Greater installation effort 	Gigabit Ethernet, 10G Ethernet (55m) Widely used in data centres	
SSTP		10Gbps		Gigabit Ethernet, 10G	
	Category 7			(Ethernet 100m)	

CS19541-COMPUTER NETWORKS-LAB MANUAL

Coaxial cable	RG-6 RG-59 RG-11	10-100Mbps	<ul style="list-style-type: none"> • High bandwidth • Immune to interference • Low loss bandwidth • Versatile Disadvantages <ul style="list-style-type: none"> • Limited distance • Cost • Size is bulky 	Speed of signal is 500m Television network High speed internet connections	
---------------	------------------------	------------	--	--	---


fibre optics cable	Single mode Multi mode	100Gbps	Advantages <ul style="list-style-type: none"> · High speed · High bandwidth · High security · Long distance Disadvantages <ul style="list-style-type: none"> · Expensive · Requires skilled 	<ul style="list-style-type: none"> · Maximum distance of fibre optics cable is around 100meters 	
			installers		

CS19541-COMPUTER NETWORKS-LAB MANUAL

b) Make Your Own Ethernet Cross-Over Cable/ Straight cable


Tools and parts needed:

- Ethernet cabling. CAT5e is certified for gigabit support, but CAT5 cabling works as well, just over shorter distances.
- A crimping tool. This is an all-in-one networking tool shaped to push down the pins in the plug and strip and cut the shielding off the cables.
- Two RJ45 plugs.
- Optional two plug shields.



Difference between crossover cable and straight cable

Take a print out the diagram below or have it handy as a reference




CS19541-COMPUTER NETWORKS-LAB MANUAL

Step 1: To start construction of the device, begin by threading shields onto the cable.



Step 2: Next, strip approximately 1.5 cm of cable shielding from both ends. The crimping tool has a round area to complete this task.



17 | Page 2024


- 25

CS19541-COMPUTER NETWORKS-LAB MANUAL

Step 3: After, you will need to untangle the wires; there should be four “twisted pairs.” Referencing back to the sheet, arrange them from top to bottom. One end should be in arrangement A and the other in B.



Step 4: Once the order is correct, bunch them together in a line, and if there are any that stick out farther than others, snip them back to create an even level. The difficult aspect is placing these into the RJ45 plug without messing up the order. To do so, hold the plug with the clip side facing away from you and have the gold pins facing toward you, as shown.



18 | Page 20

24-25

CS19541-COMPUTER NETWORKS-LAB MANUAL

Step 5: Next, push the cable right in. The notch at the end of the plug needs to be just over the cable shielding, and if it isn't, that means that you stripped off too much shielding. Simply snip the cables back a little more.



Step 6:

After the wires are securely sitting inside the plug, insert it into the crimping tool and push down.

It should be shaped correctly, but pushing too hard can crack the fragile plastic plug.

Step 7: Lastly, repeat for the other end using diagram B (to make a crossover cables)/ using diagram A (to make a straight through cable)

To test it, plug it in and attempt to connect two devices directly.

Student observation:-

1. What is the difference between cross cable and straight cable?
2. Which type of cable is used to connect two PC?(straight/Cross cable)
3. Which type cable is used to connect a router/switch to your PC?
(straight/Cross cable)
4. Find out the category of twisted pair cable used in your lab to connect the PC to the network socket.
5. Write down your understanding, challenges faced and output received while making a twisted pair cross/straight cable. Difference between Cross Cable and Straight Cable:

1. **Straight Cable:** Wires are arranged in the same order on both ends. Used for connecting different types of devices (e.g., PC to switch).
2. **Cross Cable:** Wires are crossed at one end (Tx and Rx pairs are swapped). Used for connecting similar devices (e.g., PC to PC).

- Cable to Connect Two PCs: Cross cable.
- Cable to Connect Router/Switch to PC: Straight cable.
- Category of Twisted Pair Cable: Likely Cat5e or Cat6 depending on the network setup.
- Understanding, Challenges, and Output:

3. Understanding: Creating a twisted pair cable involves arranging wires according to T568A or T568B standards.
4. Challenges: Ensuring the correct order of wires, proper crimping, and avoiding misalignment of the pairs.
5. Output: Successfully created a cable that established a proper connection between devices.

CSE(CYBERSECURITY)