TEAM 10(KAVYA AND BOYU)

MP4 TEST CASES:

1. a cache hit returns the saved data to the requester
Initially the client requests a file to the server. The server proxies the request to the web server,
caches it and send it to the client. Next time the client requests the same file, the server returns the
file from the cache instead of sending a request to the web server.

Server proxies the request to the web

Client:

```
boyu@boyu-virtual-machine:-/Desktop/Programming_Assignment_4/bin
boyu@boyu-virtual-machine:-/Desktop/Programming_Assignment_4/bin$ ./client 127.0.0.1 1236 man7.org/linux/man-pages/man3/strftime.3.html
boyu@boyu-virtual-machine:-/Desktop/Programming_Assignment_4/bin$ ./client 127.0.0.1 1236 man7.org/linux/man-pages/man3/strftime.3.html
Receive Error:: Success
boyu@boyu-virtual-machine:-/Desktop/Programming_Assignment_4/bin$ ls -la strftime.3.html
-TW-TW-T-- 1 boyu boyu 0 Nov 16 15:41 strftime.3.html
boyu@boyu-virtual-machine:-/Desktop/Programming_Assignment_4/bin$
```

Server:

```
ine:~/Desktop/Programming_Assignment_4/bin$ ./http 127.0.0.1 1236
Waiting for request!
The client sent messages is
GET /linux/man-pages/man3/strftime.3.html HTTP/1.0
Host:man7.org
File not found in cache..
 ownloading from man7.org:80
Sending HTTP query to web server
GET /linux/man-pages/man3/strftime.3.html HTTP/1.0
Host: man7.org
Request sent to server.
Received successfull response from server.
sent file to the client
 Printing Cache Table
                  Cache Entry Number 1
Cache Entry Number 1

URL : man7.org/ltnux/man-pages/man3/strftime.3.html
Last Access Time : Tue, 16 Nov 2021 21:40:56 GMT

Expiry : Tue, 16 Nov 2021 21:42:56 GMT
File Name : strftime.3.html
The client sent messages is
GET /linux/man-pages/man3/strftime.3.html HTTP/1.0
Host:man7.org
File found in cache and its not expired.
Sending file to the client...
Sent file to client successfully.
 Printing Cache Table
                  Cache Entry Number 1
Cache Entry Number 1


URL : man7.org/linux/man-pages/man3/strftime.3.html

Last Access Time : Tue, 16 Nov 2021 21:41:07 GMT

Expiry : Tue, 16 Nov 2021 21:42:56 GMT

File Name : strftime.3.html
```

a request that is not in the cache is proxied, saved in the cache, and returned to the requester
 Initially the client requests a file to the server. The server proxies the request to the web server, caches it and send it to the client.



```
boyu@boyu-virtual-machine: ~/Desktop/Programming_Assig...
companies-financial-x-ray-10107.html questions14.html
crc32c.html
                                      rdtsc.html
deep-learning-with-MATLAB.html
                                      strftime.3.html
                                     world
boyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ls -la
total 156
drwxrwxr-x 2 boyu boyu 4096 Nov 16 15:44
drwxrwxr-x 6 boyu boyu
                       4096 Nov 16 15:31
rw-rw-r-- 1 boyu boyu
                        0 Nov 16 14:36 best-countries
rw-rw-r-- 1
            boyu boyu 23557 Nov 16 15:44 checksum.html
            boyu boyu 35688 Nov 16 14:47 client
rwxrwxr-x 1
                       221 Nov 16 14:49 companies-financial-x-ray-10107.html
rw-rw-r-- 1
            boyu boyu
rw-rw-r-- 1
            boyu boyu
                        245 Nov 16 14:48 crc32c.html
rw-rw-r-- 1
                        388 Nov 16 14:48 deep-learning-with-MATLAB.html
            boyu boyu
rw-rw-r-- 1
            boyu boyu
                         0 Apr 26 2019 .gitignore
            boyu boyu 50184 Nov 16 14:47 http
rwxrwxr-x 1
rw-rw-r-- 1
            boyu boyu
                        256 Nov 16 15:36 index.html
rw-rw-r-- 1
            boyu boyu
                        385 Nov 16 14:48 loan evans.html
rw-rw-r-- 1
            boyu boyu
                        620 Nov 16 14:48 networks.html
rw-rw-r-- 1
            boyu boyu
                        172 Nov 16 14:56 questions14.html
rw-rw-r-- 1
                        369 Nov 16 14:48 rdtsc.html
            boyu boyu
rw-rw-r-- 1
            boyu boyu
                         0 Nov 16 15:41 strftime.3.html
rw-rw-r-- 1 boyu boyu
                        317 Nov 16 14:49 world
 oyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$
```

3. a cache miss with 10 items already in the cache is proxied, saved in the LRU location in cache, and the data is returned to the requester

It is assumed that the client has already requested 10 files and now if the client request another file, it will be caches in the LRU entry.

Server Cache table with 10 entries


```
boyu@boyu-virtual-machine: ~/Desktop/Programming_Assig... Q =
oyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 www.tamu.edu/student-life/index.html
ooyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 www.netfor2.com/checksum.html
ooyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 www.evanjones.ca/crc32c.html
ooyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 www.mcs.anl.gov/~kazutomo/rdtsc.html
oyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 library.tamu.edu/about/loan_evans.html
ooyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 www.mathwoks.com/videos/series/deep-learning-with-MATLAB.html
ooyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 www.conference-service.com/conferences/networks.html
ooyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 www.business-standard.com/category/companies-financial-x-ray-10107.htm
ooyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 www.foxnews.com/world
oyu@boyu-virtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235 man7.org/linux/man-pages/man3/strftime.3.html
oyu@boyu-<u>v</u>irtual-machine:~/Desktop/Programming_Assignment_4/bin$ ./client 127.0
.0.1 1235
```

```
****************
            Printing Cache Table
    ****************
            Cache Entry Number 1
               : fast-crag-31827.herokuapp.com/tags.html
               : Tue, 16 Nov 2021 20:47:53 GMT
Last Access Time
Expiry : Tue, 16 Nov 2021 20:49:53 GMT
File Name : tags.html
Expiry
File Name
            Cache Entry Number 2
               : www.netfor2.com/checksum.html
: Tue, 16 Nov 2021 20:48:26 GMT
URL
Last Access Time
Expiry : Tue, 16 Nov 2021 20:50:26 GMT File Name : checksum.html
****************
******************
            Cache Entry Number 3
               : www.evanjones.ca/crc32c.html
Last Access Time : Tue, 16 Nov 2021 20:48:33 GMT
Expiry : Tue, 16 Nov 2021 20:50:33 GMT
File Name
                : crc32c.html
******************
*****************
            Cache Entry Number 4
URL : www.mcs.anl.gov/~kazutomo/rdtsc.html
Last Access Time : Tue, 16 Nov 2021 20:48:40 GMT
Expiry : Tue, 16 Nov 2021 20:50:40 GMT
File Name
                : rdtsc.html
 **************
*****************
           Cache Entry Number 5
URL : library.tamu.edu/about/loan_evans.html
Last Access Time : Tue, 16 Nov 2021 20:48:46 GMT
Expiry : Tue, 16 Nov 2021 20:50:46 GMT
File Name : loan_evans.html
File Name
           Cache Entry Number 6
               : www.mathwoks.com/videos/series/deep-learning-with-MATLAB.html
URL
Last Access Time : Tue, 16 Nov 2021 20:48:51 GMT
Expiry : Tue, 16 Nov 2021 20:50:51 GMT
File Name : deep-learning-wiwww.conference-service.com/conferences/networks.html
****************
```

```
: library.tamu.edu/about/loan_evans.html
                 : Tue, 16 Nov 2021 20:48:46 GMT
: Tue, 16 Nov 2021 20:50:46 GMT
Last Access Time
Expiry
File Name
                 : loan evans.html
              Cache Entry Number 6
                : www.mathwoks.com/videos/series/deep-learning-with-MATLAB.html
: Tue, 16 Nov 2021 20:48:51 GMT
URL
Last Access Time
Expiry : Tue, 16 Nov 2021 20:50:51 GMT

File Name : deep-learning-wiwww.conference-service.com/conferences/networks.html
                : Tue, 16 Nov 2021 20:50:51 GMT
******************
             Cache Entry Number 7
URL : www.conference-service.com/conferences/networks.html
Last Access Time : Tue, 16 Nov 2021 20:48:58 GMT
         : Tue, 16 Nov 2021 20:50:58 GMT
Expiry
File Name
                 : networks.html
******************
             Cache Entry Number 8
                : www.business-standard.com/category/companies-financial-x-ray-10107.html
Last Access Time : Tue, 16 Nov 2021 20:49:08 GMT
Expiry : Tue, 16 Nov 2021 20:51:08 GMT
                 : companies-financwww.foxnews.com/world
File Name
******************
             Cache Entry Number 9
                : www.foxnews.com/world
                 : Tue, 16 Nov 2021 20:49:17 GMT
Last Access Time
         : Tue, 16 Nov 2021 20:49:17 GMT
Expiry
                 : world
File Name
*****************
*******************
             Cache Entry Number 10
                : man7.org/linux/man-pages/man3/strftime.3.html
URL
         s Time : Tue, 16 Nov 2021 20:49:26 GMT
: Tue, 16 Nov 2021 20:51:26 GMT
Last Access Time
Expirv
                 : strftime.3.html
File Name
****************
```

Client requests 11th file. Server puts the 11th file in LRU entry. In our case, it's the first entry



4. a stale Expires header in the cache is accessed, the cache entry is replaced with a fresh copy, and the fresh data is delivered to the requester (**Bonus feature Included**)

When the file is present in the cache and it is expired, the proxy server sends "If-Modified-Since:" request to the web server. The web server responds with a message stating that the file is modified or not. If modified, the proxy server request the file from web server, else the proxy server sends the file from its cache.

Server sends the file for the first time

Client:

```
boyu@boyu-virtual-machine: ~/Desktop/Programming_Assignment_4/bin
oyu@boyu-virtual-machine: ~/Desktop/Programming_Assignment_4/bin$ ./client 127.0.0.1 1236 www.netfor2.com/checksum.html
oyu@boyu-virtual-machine: ~/Desktop/Programming_Assignment_4/bin$ ./client 127.0.0.1 1236 www.netfor2.com/checksum.html
oyu@boyu-virtual-machine: ~/Desktop/Programming_Assignment_4/bin$ ls -larth checksum.html
rw-rw-r- 1 boyu boyu 24K Nov 16 15:23 checksum.html
oyu@boyu-virtual-machine: ~/Desktop/Programming_Assignment_4/bin$
```

Server:

```
to be depreciable to be deprec
```

```
.VJOBQNNFJQOCKKay:WWQQM==
ection: close
ent-Type: text/html; charset=UTF-8
       DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01//EN" "http://www.w3.org/TR/html4/strict.dtd">
            New dataset | New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Processes |

New Proce
    {Color: #888;}
{text-decoration:none; outline:none}
:hover[_text-decoation:underline]
mg {border:none}
focus {outline:none; border:none}
   Ing ( margin-bottom: -3px;)
search-bg (Fadding: 10px 0 20px 20px; background:#194457; margin:8px 12px; border:#2a5a6e 1px solid; overflow:hidden; clear:both)
search-bg (Fadding: 10px 0 20px 20px; background:#194457; margin:8px 12px; border:#2a5a6e 1px solid; overflow:hidden; clear:both)
search-bg (Fadding: 10px 0 20px 20px; background: url(http://i3.cdm-image.com/_media_/pics/646/search-corv-top.jpg) #fff no-repeat -16px 0px; padding: 3px 3px 3px 3px 27px; height:24px; width:166px; float:left; l
ne-height:24px;
go-but (float:left; pargin-left:spx; margin-top:1px)
wrapper (width:960px; margin-left:spx; margin-top:1px)
wrapper (width:960px; margin-10px; 0 auto; text-align:left; )
header ( margin: 0 px;)
header ( margin: 0 px;)
header ( hargin: 0 px;)
 per [ width:sobopx, margin: 9 abto, tett-size ( margin:spx ppx; )
ger .haed-pad ( margin:spx ppx; )
ger .haed pad ( margin:spx ppx; )
ger .haed pad ( margin:spx ppx; )
ger .haed pad ( color:#3535349; font-size: 12px; text-decoration:underline; )
ger .t-head p a ( color:#3535349; font-size: 12px; text-decoration:color:#3535349; )
ger .t-head p a ( color:#3535349; font-size: 12px; text-decoration:underline; )
ger .t-head p a ( color:#3535349; font-size: 12px; text-decoration:underline; )
ger .t-head p a ( color:#3535349; font-size: 12px; text-decoration:underline; )
ger .t-head p a ( color:#353549; font-size: 12px; text-decoration:underline; )
ger .t-head p a ( color:#353773; font-size: 12px; text-decoration:underline; )
ger .t-head p a ( color:#353773; font-size: 12px; text-decoration:underline; )
ger .t-head p a ( color:#353773; font-size: 12px; text-decoration:underline; )
ger .t-head p a ( color:#353773; font-size: 12px; text-decoration:underline; )
ger .t-pad | color:#353773; font-size: 12px; text-decoration:underline; )
ger .t-pad | color:#353773; font-size: 12px; text-decoration:underline; )
ger .t-pad | color:#353773; font-size: 13px; color:#fff; padding: 17px 0 46px 50px; )
lead | background: url(http://l3.cdn-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/hot*ort-text-inage.con/_media_/pics/646/
        Printing Cache Table
```

5. three clients can simultaneously access the proxy server and get the correct data Three clients request data at the same time and the server process it and sends the file

