EXERCISE 3

ROLL NO:240701248 NAME: KAVYASRI M

USER INTERFACE DESIGN

1.COMMAND LINE INTERFACE

Python code:

```
import sys
import os
filename = sys.argv[1]
if os.path.exists(filename):
    os.remove(filename)
    print("File deleted successfully!")
else:
    print("File not found!")
```

output:



2.GRAPHICAL USER INTERFACE

Python code:

```
import os
from tkinter import *
def delete_file():
    filename = entry.get()
    if os.path.exists(filename):
        os.remove(filename)
        result_label.config(text="File deleted successfully!")
    else:
```

```
    result_label.config(text="File not found!")

root = Tk()
root.title("File Delete App")
root.geometry("300x150")
Label(root, text="Enter file name").pack()
entry = Entry(root)
entry.pack()
Button(root, text="Delete", command=delete_file).pack()
result_label = Label(root, text="")
result_label.pack()
root.mainloop()
```

output:





3.VOICE USER INTERFACE

Python code:

```
import speech_recognition as sr
import sounddevice as sd
```

```
import soundfile as sf
import os
samplerate = 16000
duration = 4  # seconds
print("🎤 Say file name to delete...")
# record audio
recording = sd.rec(int(duration * samplerate),
                   samplerate=samplerate,
                   channels=1)
sd.wait()
sf.write("voice.wav", recording, samplerate)
# speech recognition
r = sr.Recognizer()
with sr.AudioFile("voice.wav") as source:
    audio = r.record(source)
try:
    filename = r.recognize_google(audio)
    print("You said:", filename)
    if os.path.exists(filename):
        os.remove(filename)
        print("✅ File deleted!")
    else:
        print("❌ File not found!")
except:
    print("⚠️ Could not understand voice")
```

output:

```
C:\Users\mkavy\OneDrive\Desktop\VLI>python delete_vui.py
🎤 Say file name to delete...
⚠️Could not understand voice
```

4. .USER SATISFACTION COMPARISON:

Python code:

```
def survey():
    print("Rate your satisfaction for File Delete Methods (1-5):")
    try:
        # user inputs
        cli = int(input("CLI Delete (1-5): "))
        gui = int(input("GUI Delete (1-5): "))
        vui = int(input("Voice Delete - VUI (1-5): "))
        # validate
        if not (1 <= cli <= 5 and 1 <= gui <= 5 and 1 <= vui <= 5):
            print("⚠ Please enter ratings between 1 and 5 only.")
            return
        # display ratings
        print("\nYour satisfaction ratings:")
        print("CLI :", cli)
        print("GUI :", gui)
        print("VUI :", vui)
        # average
        avg = (cli + gui + vui) / 3
        print(f"\nAverage Satisfaction Score: {avg:.2f}")
        # best method
        ratings = {"CLI": cli, "GUI": gui, "VUI": vui}
        best = max(ratings, key=ratings.get)
        print("Most Preferred Method:", best)
    except ValueError:
        print("Invalid input! Please enter numbers only.")
# run function
survey()
```

output:

```
C:\Windows\System32\cmd.e

Microsoft Windows [Version 10.0.26200.7705]
(c) Microsoft Corporation. All rights reserved.

C:\Users\mkavy\OneDrive\Desktop\user satisfaction>python survey_delete.py
Rate your satisfaction for File Delete Methods (1-5):
CLI Delete (1-5): 3
GUI Delete (1-5): 4
Voice Delete - VUI (1-5): 5

Your satisfaction ratings:
CLI : 3
GUI : 4
VUI : 5

Average Satisfaction Score: 4.00
Most Preferred Method: VUI
```