
INTERFACE



CODIGO

/*

 $\hbox{* Click nbfs://nbhost/SystemFileSystem/Templates/Licenses/license-default.txt\ to\ change\ this\ license}$

```
* Click nbfs://nbhost/SystemFileSystem/Templates/GUIForms/JFrame.java to edit this template
*/
* @author Kawan
*/
public class MENU extends javax.swing.JFrame {
  /**
  * Creates new form MENU
  */
  public MENU() {
    initComponents();
  }
  /**
  * This method is called from within the constructor to initialize the form.
  * WARNING: Do NOT modify this code. The content of this method is always
  * regenerated by the Form Editor.
  */
  @SuppressWarnings("unchecked")
  // <editor-fold defaultstate="collapsed" desc="Generated Code">
  private void initComponents() {
    jLabel9 = new javax.swing.JLabel();
    jLabel1 = new javax.swing.JLabel();
    jLabel2 = new javax.swing.JLabel();
    jTextField1 = new javax.swing.JTextField();
    jTextField2 = new javax.swing.JTextField();
```

jTextField3 = new javax.swing.JTextField();

```
jTextField4 = new javax.swing.JTextField();
jTextField5 = new javax.swing.JTextField();
jTextField6 = new javax.swing.JTextField();
jTextField7 = new javax.swing.JTextField();
jTextField8 = new javax.swing.JTextField();
jButton1 = new javax.swing.JButton();
jLabel3 = new javax.swing.JLabel();
jLabel4 = new javax.swing.JLabel();
jLabel5 = new javax.swing.JLabel();
jLabel6 = new javax.swing.JLabel();
jLabel7 = new javax.swing.JLabel();
jLabel8 = new javax.swing.JLabel();
jLabel10 = new javax.swing.JLabel();
jLabel11 = new javax.swing.JLabel();
jLabel9.setText("jLabel4");
setDefaultCloseOperation (javax.swing.WindowConstants.EXIT\_ON\_CLOSE);
jLabel2.setFont(new java.awt.Font("Segoe UI Black", 3, 12)); // NOI18N
jLabel2.setText("Cadastramento de clientes");
jLabel2.setToolTipText("");
jTextField1.addActionListener(new java.awt.event.ActionListener() {
  public void actionPerformed(java.awt.event.ActionEvent evt) {
    jTextField1ActionPerformed(evt);
  }
});
¡TextField3.addActionListener(new java.awt.event.ActionListener() {
  public void actionPerformed(java.awt.event.ActionEvent evt) {
```

```
jTextField3ActionPerformed(evt);
 }
});
jTextField5.addActionListener(new java.awt.event.ActionListener() {
  public void actionPerformed(java.awt.event.ActionEvent evt) {
    jTextField5ActionPerformed(evt);
 }
});
jButton1.setText("Gravar");
jLabel3.setText("Matricula:");
jLabel4.setText("logradouro:");
jLabel5.setText("NOME:");
jLabel6.setText("Bairro:");
jLabel7.setText("Numero:");
jLabel8.setText("CEP");
jLabel10.setText("UF:");
jLabel11.setText("Cidade:");
javax.swing.GroupLayout layout = new javax.swing.GroupLayout(getContentPane());
getContentPane().setLayout(layout);
layout.setHorizontalGroup(
```

```
layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addGroup(layout.createSequentialGroup()
            .addGap(242, 242, 242)
            .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 216,
javax.swing.GroupLayout.PREFERRED SIZE)
            . add Preferred Gap (javax. swing. Layout Style. Component Placement. RELATED) \\
            .addComponent(jLabel1))
          .addGroup(layout.createSequentialGroup()
            .addGap(293, 293, 293)
            .addComponent(jButton1))
          .addGroup(layout.createSequentialGroup()
            .addContainerGap()
            .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING,
false)
              .addGroup(layout.createSequentialGroup()
                .addComponent(jLabel7)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jTextField4))
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.TRAILING)
                .addGroup(layout.createSequentialGroup()
                  .addComponent(jLabel4)
                  .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                  .addComponent(jTextField3, javax.swing.GroupLayout.PREFERRED_SIZE, 283,
javax.swing.GroupLayout.PREFERRED_SIZE))
.addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                  .addGroup(layout.createSequentialGroup()
                    .addComponent(jLabel3, javax.swing.GroupLayout.PREFERRED_SIZE, 78,
javax.swing.GroupLayout.PREFERRED SIZE)
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
```

```
.addComponent(jTextField1, javax.swing.GroupLayout.PREFERRED_SIZE, 267,
javax.swing.GroupLayout.PREFERRED SIZE))
                  .addGroup(layout.createSequentialGroup()
                    .addComponent(jLabel5)
                    .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                    .addComponent(jTextField2, javax.swing.GroupLayout.PREFERRED_SIZE, 307,
javax.swing.GroupLayout.PREFERRED_SIZE))))
              .addGroup(layout.createSequentialGroup()
                .addComponent(jLabel6, javax.swing.GroupLayout.PREFERRED_SIZE, 53,
javax.swing.GroupLayout.PREFERRED_SIZE)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jTextField5))
              .addGroup(layout.createSequentialGroup()
                .addComponent(jLabel8)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jTextField6))
              .addGroup(layout.createSequentialGroup()
                .addComponent(jLabel11)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jTextField7))
              .addGroup(layout.createSequentialGroup()
                .addComponent(jLabel10)
                .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                .addComponent(jTextField8)))))
        .addContainerGap(208, Short.MAX_VALUE))
    );
    layout.setVerticalGroup(
      layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
      .addGroup(layout.createSequentialGroup()
        .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
          .addGroup(layout.createSequentialGroup()
            .addGap(41, 41, 41)
```

```
.addComponent(jLabel1))
                      .addGroup(layout.createSequentialGroup()
                          .addGap(30, 30, 30)
                          .addComponent(jLabel2, javax.swing.GroupLayout.PREFERRED_SIZE, 44,
javax.swing.GroupLayout.PREFERRED_SIZE)))
                 .addGap(114, 114, 114)
                 .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                      .addComponent(jTextField1, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
                      .addComponent(jLabel3))
                 .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                 .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                      .addComponent(jTextField2, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE)
                      .addComponent(jLabel5))
                 .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.LEADING)
                      .addGroup(layout.createSequentialGroup()
                          .addGap(194, 279, Short.MAX_VALUE)
                          .addComponent(jButton1)
                          .addGap(40, 40, 40))
                      .addGroup(layout.createSequentialGroup()
                          .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
                          .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                              .addComponent(jLabel4)
                              . add Component (jTextField 3, javax. swing. Group Layout. PREFERRED\_SIZE, in the context of t
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
                          .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
                          .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
                              .addComponent(jLabel7)
                              .addComponent(jTextField4, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
                          . add Preferred Gap (javax. swing. Layout Style. Component Placement. UNRELATED) \\
                          . add Group (layout.create Parallel Group (javax.swing. Group Layout. A lignment. BASELINE) \\
```

```
.addComponent(jLabel6)
              .addComponent(jTextField5, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT SIZE, javax.swing.GroupLayout.PREFERRED SIZE))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
            . add Group (layout.create Parallel Group (javax.swing. Group Layout. A lignment. BASELINE) \\
              .addComponent(jLabel8)
              .addComponent(jTextField6, javax.swing.GroupLayout.PREFERRED SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.RELATED)
            .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
              .addComponent(jLabel11)
              .addComponent(jTextField7, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT SIZE, javax.swing.GroupLayout.PREFERRED SIZE))
            .addPreferredGap(javax.swing.LayoutStyle.ComponentPlacement.UNRELATED)
            .addGroup(layout.createParallelGroup(javax.swing.GroupLayout.Alignment.BASELINE)
              .addComponent(jLabel10)
              .addComponent(jTextField8, javax.swing.GroupLayout.PREFERRED_SIZE,
javax.swing.GroupLayout.DEFAULT_SIZE, javax.swing.GroupLayout.PREFERRED_SIZE))
            .addContainerGap(javax.swing.GroupLayout.DEFAULT_SIZE, Short.MAX_VALUE))))
    );
    pack();
  }// </editor-fold>
  private void jTextField1ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
  }
  private void jTextField3ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
  }
```

```
private void jTextField5ActionPerformed(java.awt.event.ActionEvent evt) {
    // TODO add your handling code here:
  }
  /**
  * @param args the command line arguments
  */
  public static void main(String args[]) {
    /* Set the Nimbus look and feel */
    //<editor-fold defaultstate="collapsed" desc=" Look and feel setting code (optional) ">
    /* If Nimbus (introduced in Java SE 6) is not available, stay with the default look and feel.
     * For details see http://download.oracle.com/javase/tutorial/uiswing/lookandfeel/plaf.html
     */
    try {
      for (javax.swing.UIManager.LookAndFeelInfo info:
javax.swing.UIManager.getInstalledLookAndFeels()) {
        if ("Nimbus".equals(info.getName())) {
           javax.swing.UIManager.setLookAndFeel(info.getClassName());
           break;
        }
      }
    } catch (ClassNotFoundException ex) {
      java.util.logging.Logger.getLogger(MENU.class.getName()).log(java.util.logging.Level.SEVERE,
null, ex);
    } catch (InstantiationException ex) {
      java.util.logging.Logger.getLogger(MENU.class.getName()).log(java.util.logging.Level.SEVERE,
null, ex);
    } catch (IllegalAccessException ex) {
      java.util.logging.Logger.getLogger(MENU.class.getName()).log(java.util.logging.Level.SEVERE,
null, ex);
    } catch (javax.swing.UnsupportedLookAndFeelException ex) {
      java.util.logging.Logger.getLogger(MENU.class.getName()).log(java.util.logging.Level.SEVERE,
null, ex);
```

```
}
  //</editor-fold>
  /* Create and display the form */
  java.awt.EventQueue.invokeLater(new Runnable() {
    public void run() {
      new MENU().setVisible(true);
    }
  });
}
// Variables declaration - do not modify
private javax.swing.JButton jButton1;
private javax.swing.JLabel jLabel1;
private javax.swing.JLabel jLabel10;
private javax.swing.JLabel jLabel11;
private javax.swing.JLabel jLabel2;
private javax.swing.JLabel jLabel3;
private javax.swing.JLabel jLabel4;
private javax.swing.JLabel jLabel5;
private javax.swing.JLabel jLabel6;
private javax.swing.JLabel jLabel7;
private javax.swing.JLabel jLabel8;
private javax.swing.JLabel jLabel9;
private javax.swing.JTextField jTextField1;
private javax.swing.JTextField jTextField2;
private javax.swing.JTextField jTextField3;
private javax.swing.JTextField jTextField4;
private javax.swing.JTextField jTextField5;
private javax.swing.JTextField jTextField6;
private javax.swing.JTextField jTextField7;
```

```
private javax.swing.JTextField jTextField8;
  // End of variables declaration
}
```