

Lab: SQL injection vulnerability allowing login bypass

APPRENTICE

LAB

✓ Solved



This lab contains a SQL injection vulnerability in the login function.

To solve the lab, perform a SQL injection attack that logs in to the application as the `administrator` user.



ACCESS THE LAB

💡 Solution



💡 Community solutions



Lab: SQL injection vulnerability in WHERE clause allowing retrieval of hidden data

APPRENTICE

LAB

✓ Solved



This lab contains a SQL injection vulnerability in the product category filter. When the user selects a category, the application carries out a SQL query like the following:

```
SELECT * FROM products WHERE category = 'Gifts' AND released = 1
```

To solve the lab, perform a SQL injection attack that causes the application to display one or more unreleased products.



ACCESS THE LAB

💡 Solution



💡 Community solutions



Lab: Reflected XSS into HTML context with nothing encoded

APPRENTICE



LAB



Solved



This lab contains a simple reflected cross-site scripting vulnerability in the search functionality.

To solve the lab, perform a cross-site scripting attack that calls the `alert` function.



ACCESS THE LAB

💡 Solution



💡 Community solutions



Lab: Stored XSS into HTML context with nothing encoded

APPRENTICE



LAB



Solved



This lab contains a stored cross-site scripting vulnerability in the comment functionality.

To solve this lab, submit a comment that calls the `alert` function when the blog post is viewed.



ACCESS THE LAB

💡 Solution



💡 Community solutions



Lab: DOM XSS in `document.write` sink using `location.search`

APPRENTICE



LAB



Solved



This lab contains a DOM-based cross-site scripting vulnerability in the search query tracking functionality. It uses the JavaScript `document.write` function, which writes data out to the page. The `document.write` function is called with data from `location.search`, which you can control using the website URL.

To solve this lab, perform a cross-site scripting attack that calls the `alert` function.



ACCESS THE LAB



Solution



Community solutions



Lab: DOM XSS in `innerHTML` sink using `location.search`

APPRENTICE



LAB



Solved



This lab contains a DOM-based cross-site scripting vulnerability in the search blog functionality. It uses an `innerHTML` assignment, which changes the HTML contents of a `div` element, using data from `location.search`.

To solve this lab, perform a cross-site scripting attack that calls the `alert` function.



ACCESS THE LAB



Solution



Community solutions



Lab: DOM XSS in jQuery anchor href attribute sink using location.search source

APPRENTICE

LAB

✓ Solved



This lab contains a DOM-based cross-site scripting vulnerability in the submit feedback page. It uses the jQuery library's `$` selector function to find an anchor element, and changes its `href` attribute using data from `location.search`.

To solve this lab, make the "back" link alert `document.cookie`.



ACCESS THE LAB

💡 Solution



💡 Community solutions



Lab: Reflected XSS into attribute with angle brackets HTML-encoded

APPRENTICE

LAB

✓ Solved



This lab contains a reflected cross-site scripting vulnerability in the search blog functionality where angle brackets are HTML-encoded. To solve this lab, perform a cross-site scripting attack that injects an attribute and calls the `alert` function.

💡 Hint



ACCESS THE LAB

💡 Solution



💡 Community solutions



Lab: Stored XSS into anchor href attribute with double quotes HTML-encoded

APPRENTICE



LAB



Solved



This lab contains a stored cross-site scripting vulnerability in the comment functionality. To solve this lab, submit a comment that calls the `alert` function when the comment author name is clicked.



ACCESS THE LAB



Solution



Community solutions



Lab: Reflected XSS into a JavaScript string with angle brackets HTML encoded

APPRENTICE



LAB



Solved



This lab contains a reflected cross-site scripting vulnerability in the search query tracking functionality where angle brackets are encoded. The reflection occurs inside a JavaScript string. To solve this lab, perform a cross-site scripting attack that breaks out of the JavaScript string and calls the `alert` function.



ACCESS THE LAB



Solution



Community solutions



Lab: DOM XSS in jQuery selector sink using a hashchange event

APPRENTICE

LAB

✓ Solved



This lab contains a DOM-based cross-site scripting vulnerability on the home page. It uses jQuery's `$()` selector function to auto-scroll to a given post, whose title is passed via the `location.hash` property.

To solve the lab, deliver an exploit to the victim that calls the `print()` function in their browser.



ACCESS THE LAB

💡 Solution



💡 Community solutions

