


Individual Challenge 3 - "Network Enumeration with Nmap" and "Information Gathering - Web Edition"

By: Kayla Teekaram

Network Enumeration with Nmap Photo of Completion:



Information Gathering- Skills Assessment:

1. What is the IANA ID of the registrar of the inlanefreight.com domain?

```
[us-dedicated-128-dhcp]--[10.10.14.224]--[kaytee06@htb-kg6ly9hyuw]--[~]
[.]$ whois inlanefreight.com
Domain Name: INLANEFREIGHT.COM
Registry Domain ID: 2420436757_DOMAIN_COM-VRSN
Registrar WHOIS Server: whois.registrar.amazon
Registrar URL: http://registrar.amazon.com
Updated Date: 2026-07-01T22:45:41Z
Creation Date: 2019-08-05T22:43:09Z
Registry Expiry Date: 2027-08-05T22:43:09Z
Registrar: Amazon Registrar, Inc.
Registrar IANA ID: 468
```

Conduct a whois search using the website URL.

Answer: 468

```
[us-dedicated-128.dhcp]~[10.10.14.224]~[kaytee06@htb-kg6ly9hyuw]~[~]
[*]$ whois 154.57.164.73
% This is the AfrINIC Whois server.
% The AFRINIC whois database is subject to the following terms of Use. See https://afrinic.net/whois/terms
% Note: this output has been filtered.
% To receive output for a database update, use the "-B" flag.
% Information related to '154.57.0.0 - 154.57.255.255'
% No abuse contact registered for 154.57.0.0 - 154.57.255.255

inetnum:      154.57.0.0 - 154.57.255.255
netname:      NET-154-57-0-0
descr:
descr:        This block is allocated to an organization in the ARIN
descr:        region. Please query whois.arin.net for more
descr:        information on the registrant.
descr:
country:      MU
org:          ORG-AFNC1-AFRINIC
admin-c:      TEAM-AFRINIC
tech-c:       TEAM-AFRINIC
status:       ALLOCATED UNSPECIFIED
mnt-by:       AFRINIC-HM-MNT
source:       AFRINIC # Filtered
parent:       154.0.0.0 - 154.255.255.255

organisation: ORG-AFNC1-AFRINIC
org-name:     African Network Information Center - (AfrINIC) Ltd
org-type:     RIR
country:      MU
address:      11th Floor, Standard Chartered Tower
address:      19, Cybercity
address:      Ebène
phone:        tel:+230-466-6758
phone:        tel:+230-403-5100
admin-c:      CA15-AFRINIC
tech-c:       IT7-AFRINIC
mnt-ref:      AFRINIC-HM-MNT
mnt-ref:      AFRINIC-IT-MNT
mnt-ref:      AFRINIC-DB-MNT
mnt-by:       AFRINIC-HM-MNT
remarks:      =====
remarks:      For more information on AFRINIC assigned blocks,
remarks:      query whois.afrinic.net port 43, or the web based
remarks:      query at http://whois.afrinic.net or www.afrinic.net
remarks:      website: www.afrinic.net
remarks:      Other Contacts:
remarks:      =====
```

```

tech-c:      TEAM-AFRINIC
status:      ALLOCATED UNSPECIFIED
mnt-by:      AFRINIC-HM-MNT
source:      AFRINIC # Filtered
parent:      154.0.0.0 - 154.255.255.255

organisation: ORG-AFNC1-AFRINIC
org-name:     African Network Information Center - (AfrinIC) Ltd
org-type:     RIR
country:      MU
address:      11th Floor, Standard Chartered Tower
address:      19, Cybercity
address:      Ebene
phone:        tel:+230-466-6758
phone:        tel:+230-403-5100
admin-c:      CA15-AFRINIC
tech-c:       IT7-AFRINIC
mnt-ref:      AFRINIC-HM-MNT
mnt-ref:      AFRINIC-IT-MNT
mnt-ref:      AFRINIC-DB-MNT
mnt-by:       AFRINIC-HM-MNT
remarks:      =====
remarks:      For more information on AFRINIC assigned blocks,
remarks:      query whois.afrinic.net port 43, or the web based
remarks:      query at http://whois.afrinic.net or www.afrinic.net
remarks:      website: www.afrinic.net
remarks:      Other Contacts:
remarks:      =====
remarks:      hostmaster@afrinic.net - for IP resources
remarks:      new-member@afrinic.net - for new members and other
remarks:      inquiries.
source:       AFRINIC # Filtered

role:         AfrinIC TEAM
address:      Raffles Tower - 11th Floor
address:      Cybercity
address:      Mauritius
phone:        tel:+230-403-5100
fax-no:       tel:+230-466-6758
admin-c:      CA15-AFRINIC
tech-c:       CA15-AFRINIC
nic-hdl:      TEAM-AFRINIC
mnt-by:       AFRINIC-DB-MNT
source:       AFRINIC # Filtered

```

Conduct a whois search using the website ip address on the terminal.

2. What http server software is powering the inlanefreight.htb site on the target system? Respond with the name of the software, not the version, e.g., Apache.

```

[*]$ cat /etc/hosts
127.0.0.1    localhost
127.0.1.1    pwnbox7.1

# The following lines are desirable for IPv6 capable hosts
::1        localhost ip6-localhost ip6-loopback
ff02::1    ip6-allnodes
ff02::2    ip6-allrouters
127.0.0.1  localhost
127.0.1.1  htb-9htuyqfslg htb-9htuyqfslg.htb-cloud.com

154.57.164.65  inlanefreight.htb

```

Add an entry in the /etc/hosts file to map the IP address to the name.

```

[*]$ whatweb http://inlanefreight.htb:31170
http://inlanefreight.htb:31170 [200 OK] Country[UNITED STATES][US], HTML5, HTTPServer[nginx/1.26.1], IP[154.57.164.65], Title[inlanefreight], nginx[1.26.1]

```

Use whatweb, the url and the port number to determine the type.

Answer: nginx

3. What is the API key in the hidden admin directory that you have discovered on the target system?

```

[*]$ gobuster vhost -u http://inlanefreight.htb:31170 -w /usr/share/seclists/Discovery/DNS/subdomains-top1million-110000.txt --append-domain
=====
Gobuster v3.6
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====
[+] Url:          http://inlanefreight.htb:31170
[+] Method:       GET
[+] Threads:      10
[+] Wordlist:      /usr/share/seclists/Discovery/DNS/subdomains-top1million-110000.txt
[+] User Agent:    gobuster/3.6
[+] Timeout:      10s
[+] Append Domain: true
=====
Starting gobuster in VHOST enumeration mode
=====
Found: web1337.inlanefreight.htb:31170 Status: 200 [Size: 104]
Progress: 114442 / 114443 (100.00%)
=====
Finished
=====

```

Use gobuster.

```

[*]$ cat /etc/hosts
127.0.0.1    localhost
127.0.1.1    pwnbox7.1

# The following lines are desirable for IPv6 capable hosts
::1    localhost ip6-localhost ip6-loopback
ff02::1 ip6-allnodes
ff02::2 ip6-allrouters
127.0.0.1 localhost
127.0.1.1 htb-9htuyqfslg htb-9htuyqfslg.htb-cloud.com

154.57.164.65 inlanefreight.htb web1337.inlanefreight.htb

```

Add web1337.inlanefreight.htb:31170 to the /etc/hosts file.

```

User-agent: *
Allow: /index.html
Allow: /index-2.html
Allow: /index-3.html
Disallow: /admin_h1dd3n

```

In the web browser, search <http://web1337.inlanefreight.htb:31170/robots.txt> The admin directory is under the disallow section.

Welcome to web1337 admin site

The admin panel is currently under maintenance, but the API is still accessible with the key **e963d863ee0e82ba7080fbf558ca0d3f**

Navigate to the hidden key directory

http://web1337.inlanefreight.htb:31170/admin_h1dd3n/

Answer: e963d863ee0e82ba7080fbf558ca0d3f

4. After crawling the inlanefreight.htb domain on the target system, what is the email address you have found? Respond with the full email, e.g., mail@inlanefreight.htb.

```

[*]$ gobuster vhost -u http://web1337.inlanefreight.htb:31170 -w /usr/share/seclists/Discovery/DNS/subdomains-top1million-110000.txt -t 1000 --append-domain

=====
gobuster v3.6
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@firefart)
=====
[+] Url:          http://web1337.inlanefreight.htb:31170
[+] Method:       GET
[+] Threads:      1000
[+] Wordlist:      /usr/share/seclists/Discovery/DNS/subdomains-top1million-110000.txt
[+] User Agent:    gobuster/3.6
[+] Timeout:      10s
[+] Append Domain: true
=====
Starting gobuster in VHOST enumeration mode
=====
Found: dev.web1337.inlanefreight.htb:31170 Status: 200 [Size: 123]

```

Use gobuster. Found vhost: dev.web1337.inlanefreight.htb:31170

```
154.57.164.65   inlanefreight.htb   web1337.inlanefreight.htb   dev.web1337.inlanefreight.htb
```

Add vhost to /etc/hosts file.

```
[us-dedicated-128-dhcp]-[10.10.14.224]-[kaytee06@htb-ltpnvzvb1x-htb-cloud-com]-[~]
[*]$ pip3 install scrapy
wget -O ReconSpider.zip https://academy.hackthebox.com/storage/modules/144/ReconSpider.v1.2.zip
unzip ReconSpider.zip
Defaulting to user installation because normal site-packages is not writeable
Collecting scrapy
  Downloading scrapy-2.19.0-py3-none-any.whl.metadata (5.3 kB)
Collecting aiohttp>=3.13.3 (from scrapy)
  Downloading aiohttp-3.14.3-cp313-cp313-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl.metadata (8.3 kB)
Collecting backports-zstd>=1.3.0 (from scrapy)
  Downloading backports_zstd-1.7.0-cp313-cp313-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl.metadata (6.8 kB)
Collecting brotli>=1.2.0 (from scrapy)
  Downloading brotli-1.2.0-cp313-cp313-manylinux2014_x86_64.manylinux_2_17_x86_64.manylinux_2_28_x86_64.whl.metadata (6.1 kB)
Requirement already satisfied: charset-normalizer>=3.4.0 in /usr/lib/python3/dist-packages (from scrapy) (3.4.2)
Requirement already satisfied: cryptography>=41.0.5 in /usr/lib/python3/dist-packages (from scrapy) (43.0.0)
Requirement already satisfied: cssselect>=0.9.1 in /usr/lib/python3/dist-packages (from scrapy) (1.3.0)
Requirement already satisfied: defusedxml>=0.7.1 in /usr/lib/python3/dist-packages (from scrapy) (0.7.1)
Collecting itemadapter>=0.1.0 (from scrapy)
  Downloading itemadapter-0.13.1-py3-none-any.whl.metadata (22 kB)
Collecting itemloaders>=1.0.1 (from scrapy)
  Downloading itemloaders-1.4.0-py3-none-any.whl.metadata (4.2 kB)
Requirement already satisfied: lxml>=4.6.4 in /usr/lib/python3/dist-packages (from scrapy) (5.4.0)
Requirement already satisfied: packaging in /usr/lib/python3/dist-packages (from scrapy) (25.0)
Collecting parsel>=1.5.0 (from scrapy)
  Downloading parsel-1.11.0-py3-none-any.whl.metadata (4.0 kB)
```

Download scrapy.

```
[us-dedicated-128-dhcp]-[10.10.14.224]-[kaytee06@htb-ltpnvzvb1x-htb-cloud-com]-[~]
[*]$ python3 ReconSpider.py http://dev.web1337.inlanefreight.htb:31977
2026-09-15 23:37:08 [scrapy.utils.log] INFO: Scrapy 2.19.0 started (bot: scrapybot)
2026-09-15 23:37:08 [scrapy.utils.log] INFO: Versions:
{'lxml': '5.4.0',
 'libxml2': '2.9.14',
 'cssselect': '1.3.0',
 'parsel': '1.11.0',
 'w3lib': '2.4.1',
 'Twisted': '26.4.0',
 'Python': '3.13.5 (main, Jun 25 2025, 18:55:22) [GCC 14.2.0]',
 'pyOpenSSL': '25.0.0 (OpenSSL 3.5.5 27 Jan 2026)',
 'cryptography': '43.0.0',
 'Platform': 'Linux-6.19.6+parrot7-amd64-x86_64-with-glibc2.41'}
2026-09-15 23:37:08 [scrapy.addons] INFO: Enabled addons:
[]
2026-09-15 23:37:08 [scrapy.extensions.telnet] INFO: Telnet Password: 3fde3a7e78108952
2026-09-15 23:37:08 [scrapy.middleware] INFO: Enabled extensions:
['scrapy.extensions.corestats.CoreStats',
 'scrapy.extensions.logcount.LogCount',
 'scrapy.extensions.telnet.TelnetConsole',
 'scrapy.extensions.memusage.MemoryUsage',
 'scrapy.extensions.logstats.LogStats',
 'scrapy.extensions.remote_control.RemoteControl']
2026-09-15 23:37:08 [scrapy.crawler] INFO: Overridden settings:
{'LOG_LEVEL': 'INFO'}
```

Run ReconSpider tool.

```

[*]$ cat results.json | jq
{
  "emails": [
    "1337testing@inlanefreight.htb"
  ],
  "links": [

```

Cat the results.

Answer: 1337testing@inlanefreight.htb

5. What is the API key the inlanefreight.htb developers will be changing too?

```

"comments": [
  "<!-- Remember to change the API key to ba988b835be4aa97d068941dc852ff33 -->"
]

```

Scroll down the previous crawl and the answer is under “comments”.

Answer: ba988b835be4aa97d068941dc852ff33

Completion photo:

The screenshot displays the HTB Academy dashboard for a user named 'KeyTee06'. The interface is dark-themed with a sidebar on the left containing navigation links: Dashboard, Spaces, Content Library, Leaderboard, and Explore. The main content area features a module titled 'Information Gathering - Web Edition' by 'PandaSt0rm', which is a Tier II - Easy module with a 1-day completion time and 1195 points. The module content includes an 'INTRODUCTION' section explaining the importance of web reconnaissance and a 'CONCLUSION' section. A table of contents on the right lists the module's sections: 1. Introduction, 2. WHOIS, 3. DNS & Subdomains, and 4. Fingerprinting. The top of the dashboard shows a 'MY PROGRESS' bar at 100% and a 'Skills Assessment' dropdown.