

Cropex

**Your Trusted
Bulk & Private Label Provider**

**BIOSTIMULANTS ■ SPECIALTY FERTILIZERS,
MICRONUTRIENTS ■ PESTICIDES
SPRAY ADJUVANTS ■ GARDENING INPUTS
■ FEED SUPPLEMENTS**



CROPEX LIMITED

Cropexium East, 3rd Floor, No.71, Karthik Nagar, Outer Ring Road,
Marathahalli, Bangalore 560037

Email: farmercare@cropex.in Web: www.cropex.in

Mfg Units: Nos: 4, 10 & 11, KIADB Industrial Area, Tubinakere, Bangalore-Mysore Highway,
Mandya 571402, Karnataka

FCO PRODUCTS

MICRONUTRIENTS		
1	Zinc Oxide Suspension Concentrate (Zn-39.5%)	OXIZINC 395
2	Chelated Zinc as Zn-EDTA (Zn-12%)	ZINC EASY
3	Chelated Iron as Fe-EDTA (Fe-12%)	IRON EASY
4	Boron Ethanolamine (B-10%)	BOROFIX
5	Chelated Zinc as Zn-HEDP (Zn-17%)	EASY ZINC
6	Chelated Iron as Fe-HEDP (Fe-17%)	EASY IRON
7	Concentrated Liquid Calcium (Ca-11%)	CAL EASY
BENEFICIAL ELEMENT FERTILIZER		
8	Orthosilicic acid (OSA) -2% WSL	ORTHOL 02
ORGANIC FERTILISERS		
9	Organic Manure	MITTIDHAN
NP COMPLEX FERTILISERS		
10	Ammonium Poly Phosphate (10-34-0) -Liquid	CROMIN+
STRAIGHT NITROGENOUS FERTILISERS		
11	Urea Ammonium Nitrate (N-32%)-Liquid	UREA AN-32
FORTIFIED FERTILISERS		
12	Zincated Phosphate (Suspension) (14% P ₂ O ₅) for seed treatment	CROMIN SEED+
LIQUID FERTILISERS		
13	NPK 8-8-8 (Liquid) (for sugarcane crop)	NPK EASY
14	Chelated Zinc as Zinc-Glycine (Liquid)	ZINC-GLYSIN
15	Chelated Calcium as Calcium-Glycine (Liquid)	CAL-GLYSIN
16	Chelated Boron as Boron-Glycine (Liquid)	BORO-GLYSIN
17	NK 6:0:18 Fortified with Calcium, Magnesium & Boron (suspension) (6:0:18, Ca-5%, Mg-2% & B-0.5-0.8%)	NK EASY+
18	NPK 11: 11: 8 Fortified with Zinc & Boron (suspension) - (Zn-0.7% & B-0.5-0.7%)	NPK-BOOST
19	Calcium Nitrate Fortified with Magnesium (suspension)(Ca-15% N -10%, Mg-2%)	CALNITRA-Mg
BIOSTIMULANTS		
MIXED FORMULATIONS OF BIOSTIMULANTS		
20	Mixture of Seaweed extract; Humic & Fulvic acid, Amino acids and Vitamins (Liquid) Dose: Two foliar applications at 2 l/ha	MAXMIXTURE
21	Mixture of Humic acid & Seaweed extract (Liquid) Dose: Three foliar applications at 1.25 l /ha	HASEAL
22	Mixture of Antioxidant and Vitamins (Powder) Dose: Two foliar applications at 1.25 kg/ha	OXIVITA
23	Mixture of Humic Acid, Amino Acid, Vitamins & Bio-chemicals (powder) Dose: Two soil applications at 250g/ha.	ALLMIX
24	Mixture of Humic acid and Seaweed extract (Powder) Dose: Three foliar applications at 1.25 kg/ha	HASEAP

HUMIC ACID AND FULVIC ACID & THEIR DERIVATIVES		
25	Humic and Fulvic acid 25.05% (Liquid) Dose : Five equal soil drench applications at 10 l/ha	Jaivizyme+ HFA 25.05
26	Humates and Fulvates-22% (Liquid) Dose: Two soil applications at 1.25 l/ha.	Jaivizyme+ Humates & Fulvates 22%
27	Humates (12.5%) (Liquid) Dose: Two soil applications at 5.0 l/ha.	Jaivizyme+ Humates 12.5%
28	Humic Acid 6% (Liquid) Dose : Three foliar applications at 1.25 l/ha	Jaivizyme+ HA6
29	Humic Acid 51 % (Granular) Dose : Two soil applications at 1.5 kg/ha.	Jaivizyme+ Humic Acid 51%
30	Humic acid 1.5% (Granules) Dose : Two soil applications at 30 kg/ha	Jaivizyme+ HA 1.5
31	Humic and Fulvic acid 76% (Powder) Dose : Two foliar applications at 750 g/ha	Jaivizyme+ HFA 76
32	Potassium Humate 49% (Powder) Dose : One Soil application at 1 kg/ha.	Jaivizyme+ Potassium Humate 49%
33	Humic Acid 5% (Powder) Dose : Three foliar application at 0.5 g/l.	Jaivizyme+ Humic Acid 5%
PROTEIN HYDROLYSATES AND AMINO ACIDS		
34	Protein Hydrolysates 25% (Plant Source) (Liquid) Dose: Two foliar applications at 1.25 l/ha	PROTO 25 (Liquid)
35	Protein hydrolysate 16.9% (Plant Source) (Liquid) Dose: Two foliar applications at 1.5 l/ha.	PROTO 16.9 (Liquid)
36	Protein hydrolysate (Amino acids 10 %) (Plant Source) (Liquid) Dose: Two foliar applications at 750 ml/ha	PROTO 10 (Liquid)
37	Protein hydrolysate 1.5 % (Plant Source) (Granules) Dose: Two soil applications at 40 kg/ha	PROTO 1.5 (Granules)
38	Protein hydrolysate (Amino acids 5 %) (Plant Source) (Powder) Dose: Three foliar applications at 2.5 kg/ha	PROTO 5 (Powder)
SEAWEED EXTRACT		
39	<i>Ascophyllum nodosum</i> 15% (Liquid) Dose: Two foliar applications at 1.5 l/ha.	Jaivizyme+ AN 15
40	<i>Ascophyllum nodosum</i> 7% (Liquid) Dose : One soil application as drenching and three foliar applications at 2.5 l/ha	Jaivizyme+ AN 7
41	Sargassum tenerrimum 10% (Liquid) Dose : One foliar application at 625 ml/ha.	Jaivizyme+ Seaweed (Liquid)
42	Sargassum tenerrimum 2% (Granular) Dose: One soil application at 12.5 kg/ha.	Jaivizyme+ Seaweed (Granular)
BOTANICAL EXTRACT		
43	<i>Spirulina</i> 10% (Liquid) Dose: Two foliar sprays at 750 ml/ha	SPIRULINA 10%
44	<i>Adhatoda vasica extract</i> 2% (Liquid) Dose: Three foliar sprays at 2 l/ha.	ORCON ADHATODA
45	<i>Adhatoda vassica</i> (Powder) Dose: Single soil application at 10 kg/ha.	ECOFIT+
MICRONUTRIENTS MIXTURE GRADES (KARNATAKA STATE NOTIFIED GRADES)		
46	Grade-I, Zn:Fe:Mn:B (3.0-2.0-1.0-0.5) for Black soils with alkaline reaction (Foliar Spray)	MIXMICRO-I
47	Grade-II, Zn:Fe:Mn:B (3.0-0.5-0.2-0.5) for Red and Laterite soils with acidic reaction (Foliar Spray)	MIXMICRO-II
48	Grade-IV, Zn:Fe:Mn:B (10.0-5.0-2.0-0.3) for Black soils with alkaline reaction (Soil Application)	MIXMICRO-IV

MICRONUTRIENTS



ZINC OXIDE
SUSPENSION
(39.5%)

Brand Code: **OxiZinc**_{39.5}

COMPOSITION:

Dense Suspension concentrate of liquid (as Zn)
w/w min. : 39.5%

CROPS: All Crops

DOSAGE:

Foliar spray : 1-2ml per litre of water.

BENEFITS:

- + Easily and quickly available form of Zinc fertilizer.
- + Major micro nutrient in crop growth and maturity.
- + Corrects the symptom of Zinc deficiencies in crops.
- + Helps in improving crop yield.
- + Higher availability of Zinc compared to other Zinc micro-nutrient fertilizers.



Zn-EDTA
(12%)

Brand Code: **ZINC**E_{ASY}

COMPOSITION

Zinc content (As Zn)% of weight min in the form of
Zn EDTA : 12.00

CROPS: All Crops

DOSAGE:

Foliar Spray : 0.5- 1 gm per litre of water.

BENEFITS:

- + Quickly soluble in water.
- + Helps in shoot growth, healthier leaves.
- + Prevents and corrects zinc deficiency in crops.
- + Helps in grain formation.



Fe-EDTA
(12%)

Brand Code: **IRONE**ASY

COMPOSITION:

Iron content (As Fe)% of weight min in the form of
Fe EDTA : 12.00

CROPS: All Crops

DOSAGE:

Foliar Spray : 0.5-1 gm per litre of water.

BENEFITS:

- + Improves chlorophyll formation.
- + Increases the number of productive tillers.
- + Boosts growth rate and improves resistance.
- + Prevents and corrects iron deficiencies.



BORON
ETHANOLAMINE
(10%)

Brand Code: **BORO**FIX

COMPOSITION:

Boron (as B) % by weight (min.) : 10.0

CROPS: All Crops

DOSAGE:

Foliar Spray : 1.0 to 1.5 ml per litre of water once or twice
depending on the crop duration.

BENEFITS:

- + Corrects Boron deficiency in all crops.
- + Non phytotoxic formulation of Boron micronutrient and can be used in early stages of crop growth.
- + Improves fruiting.
- + Highly useful for Boron loving crops like Cotton, Cabbage and Tobacco.

MICRONUTRIENTS



CHELATED ZINC AS
Zn-HEDP
Zn-HEDP (17%)

Brand Code: EASY ZINC

COMPOSITION:
Zinc content (as Zn), percent by weight, minimum in the form of Zn-HEDP : 17%

CROPS: All Crops

DOSAGE:
1-2gm/liter water

- BENEFITS:**
- + Quickly available to plant for absorption.
 - + Easy translocation in plants.
 - + Increases photosynthetic activity through its influence on chlorophyll synthesis.
 - + Increases protein synthesis.
 - + Prevents and corrects Zinc deficiency in crops.
 - + Improves crop yield by making nutrient easily available.



CHELATED IRON
AS Fe-HEDP
Fe-HEDP (17%)

Brand Code: EASY IRON

COMPOSITION:
Iron content (as Fe) per cent weight minimum in the form of Fe-HEDP : 17%

CROPS:
All Crops

DOSAGE:
1-2gm/liter water

- BENEFITS:**
- + Quickly available to plant for absorption.
 - + Prevents and corrects Iron deficiency in crops.
 - + Improves chlorophyll formation and increases photosynthesis activity.
 - + It is an essential part of many enzymes.
 - + Provides healthy growth to plant and maximum yield by increasing productive tillers.

BENEFICIAL ELEMENT FERTILIZER



LIQUID
CALCIUM (11%)

Brand Code: CALEASY

COMPOSITION:
Calcium (as Ca) % weight min. : 11.00

CROPS: All Crops

DOSAGE:
Foliar Spray : 1.5 ml- 2ml per litre of water.

- BENEFITS:**
- + One of the secondary nutrients in crop growth.
 - + Makes the cell walls stronger.
 - + Helps in tissues development.
 - + Improves the resistance to pests and diseases.
 - + Helps in good fruit setting when sprayed at the flowering stage.



ORTHOSILICIC ACID
(2%)
BENEFICIAL ELEMENT
FERTILIZER

Brand Code: Orthol₀₂

COMPOSITION:
Orthosilicic Acid (Si(OH)₄), % by weight (min.) : 2.00
Plant available Silicon (Si) equivalent, % by wt (min.) : 0.60

CROPS: All Crops

DOSAGE:
Foliar spray : 2 to 2.5ml per litre of water.

- BENEFITS:**
- + Improves the response of plants to Abiotic and Biotic stress.
 - + Improves immunity of the plants against pest / disease attack.
 - + Improves the overall crop stand.
 - + Helps in nutrient uptake and assimilation.
 - + Improves the fruit development and quality.

ORGANIC FERTILIZER



ORGANIC CARBON 14% (N-0.5:P-0.5:K-0.5)

Brand Code: **MittiDhan Organic Manure**

COMPOSITION

Total organic carbon, % by weight min.	: 14.0
Total Nitrogen (as N) % by weight min.	: 0.5
Total Phosphates (as P ₂ O ₅) % by weight, min.	: 0.5
Total Potash (as K ₂ O) % weight, min.	: 0.5
NPK nutrients - Total N, P ₂ O ₅ and K ₂ O nutrient should not be less than 3%	
C:N ratio	: < 20

CROPS: All Crops

DOSAGE

Cereals, Pulses and Oil seeds	: 50-100kgs /acre
Sugarcane, Banana, Vegetables, Flowers, Plantation / Fruit crops and Tree Crops	: 100-150kgs / acre

BENEFITS

- + Improves the fertility of soil.
- + Improves the physical and chemical properties of soil.
- + Improves the soil moisture holding capacity by 25-35%.
- + Improves soil microbial population.
- + Devoid of pathogens and weed seeds.

NP COMPLEX FERTILIZERS



AMMONIUM POLYPHOSPHATE (N-10:P-34:K-00)

Brand Code: **CROMIN+**

COMPOSITION

Total nitrogen (All as ammoniacal nitrogen) % by weight (min.)	: 10.0
Total phosphorus (as P ₂ O ₅) % by weight (min.)	: 34.0
Poly- phosphorus (as P ₂ O ₅) % by weight (min.)	: 22.0

CROPS: All Crops.

DOSAGE

Foliar spray	: 5 ml per litre of water
Root application	: 10 ml per litre of water during the early establishment stage of crop growth.

BENEFITS

- + Bio availability of N & P nutrients are higher.
- + Excellent liquid phosphatic fertilizer.
- + Suitable for foliar and root application.
- + Can be mixed with other agrochemicals other than Copper, Zinc, Sulphate based compounds.

STRAIGHT NITROGENOUS FERTILIZERS



UREA AMMONIUM NITRATE N (32%)

Brand Code: **UreaAN-32**

COMPOSITION:

Total nitrogen (Urea, Ammoniacal & Nitrate) % by weight, minimum	: 32.0
Urea nitrogen % weight, maximum	: 16.5
Ammoniacal nitrogen % by weight, minimum	: 7.5
Nitrate nitrogen % by weight, minimum	: 7.5

CROPS: All Crops

DOSAGE:

Foliar Spray 2-4 ml per litre of water.
Drip: 500ml/acre.

BENEFITS:

- + As liquid fertilizers highly soluble and easily available.
- + Quick response from nitrate, longer lasting from ammoniacal and sustained feeding from the water-soluble nitrogen in urea.
- + More uniform application, precise dosage of distribution over the area.
- + Solution is rapidly available to plants for a longer period during its growth.
- + Compatible with other fertilizers.

FORTIFIED FERTILIZERS



ZINCATED PHOSPHATE SUSPENSION (N-00:P-14:K-00, Zn-17.5%)

Brand Code: **CROMINSEED+**

COMPOSITION:

Total Phosphorus (as P ₂ O ₅) % by weight (min.)	: 14.0
Available phosphorus (as P ₂ O ₅) % by weight (min.)	: 3.0
Total Zinc (as Zn) % by weight (min.)	: 17.5

CROPS: All Crops

DOSAGE:

Seed treatment	: 6-8 ml per kg of seeds.
----------------	---------------------------

BENEFITS :

- + Provides effective nutrient input for early crop growth.
- + Ideal product for seed germination as it caters to the high Zinc and Phosphorus requirement of the germinating seeds.
- + Suitable to a range of crops for early establishment.
- + Excellent adhesion to the seed surface.

LIQUID FERTILIZERS



N-8:P-8:K-8

Brand Code: NPK EASY

COMPOSITION:
Total Nitrogen (ammoniacal+nitrate form) % by weight (min.) : 8.0
Nitrogen in ammoniacal form % by weight (min.) : 3.0
Available phosphorus (as P₂O₅) % by weight (min.) : 8.0
Water soluble potash (as K₂O) % by weight (min.) : 8.0
Sulphate sulphur % by weight (min.) : 2.0

CROPS:
All Crops

DOSAGE: For Sugarcane : 10 ml per litre of water.
For Medium & short term crops : 3-5 ml per litre of water.

BENEFITS:
+ Quick availability of macro nutrients to crops.
+ Losses of nutrients compared to bulk fertilizers is lower.
+ Enhances the growth and development of crops.
+ Improves the yield of crops.



CHELATED ZINC AS
ZINC-GLYCINE
(Zn-6.80%)

Brand Code: ZINC GLYSIN

COMPOSITION:
Zinc (as Zn) % by weight, minimum : 6.80

CROPS:
All Crops

DOSAGE:
1.5 to 2ml per litre of water

BENEFITS:
+ Helps in immediate absorption and translocation.
+ Improves flowering, fruit set in fruit crops and tillering in cereals.
+ It has higher mobility and remain available for longer period.
+ Non-Phytotoxic and Environmentally friendly.
+ Quickly corrects the symptoms of Zinc deficiency.
+ Glycine surrounds and protects the minerals from adverse interactions.



CHELATED CALCIUM
AS CALCIUM-GLYCINE
(Ca-6%)

Brand Code: CAL GLYSIN

COMPOSITION:
Calcium (as Ca) % by weight, minimum : 6.0%

CROPS:
All Crops

DOSAGE:
1 to 1.5ml/litre

BENEFITS:
+ Essential part of plant cell wall and makes cell wall stronger.
+ Improves resistance to pests and diseases.
+ Helps in healthy fruit set and quality fruit development.
+ Highly bio available, Non-Phytotoxic and Environmentally friendly.
+ Quickly corrects the symptoms of Calcium deficiency.
+ Glycine surrounds and protects the minerals from adverse interactions.



CHELATED BORON
AS BORON-GLYCINE
(B-5.00%)

Brand Code: BORO GLYSIN

COMPOSITION:
Boron (as B) % by weight, minimum : 5.0%

CROPS:
All Crops

DOSAGE:
1 to 1.5ml per litre of water

BENEFITS:
+ Helps in cell wall development.
+ Improves flower/pollen formation, fruit and seed development.
+ Helps in production of sugar and carbohydrates.
+ Non-Phytotoxic and Environmentally friendly.
+ Quickly corrects the symptoms of Boron deficiency.
+ Glycine surrounds and protects the minerals from adverse interactions.

LIQUID FERTILIZERS



NK FORTIFIED WITH CALCIUM, MAGNESIUM & BORON (N-6:P-00:K-18, Ca-5%, Mg-2% & B-0.5-0.8%)

Brand Code: NK EASY+

COMPOSITION:

Total nitrogen % by weight, min.	: 6.0
Nitrate Nitrogen as N % by weight min.	: 5.8
Water Soluble potassium as K ₂ O % by weight min.	: 18.0
Water soluble Calcium (as CaO), % by weight, min.	: 5.0
Water soluble Magnesium (as MgO), % by weight, min.	: 2.0
Boron as B	: 0.5-0.8

CROPS: All Crops

DOSAGE:

Field crops, Vegetables & Pulses: 4-5ml per litre of water.
Spices, Fruit & Flower Crops : 6-7ml per litre of water.

BENEFITS:

- + Contains dual nutrients calcium and boron important for fruits and vegetables.
- + Cures Calcium and boron deficiency in the crops quickly.
- + Increases uptake of other nutrients.
- + High Potassium content improves the quality & provides uniform shape and color to produce.



NPK FORTIFIED WITH ZINC & BORON (N-11:P-11:K-8, Zn-0.7% & B-0.5-0.7%)

Brand Code: NPK BOOST

COMPOSITION:

Total nitrogen % by weight min.	: 11.0
urea nitrogen % by weight, min.	: 7.2
Ammoniacal nitrogen % by weight max.	: 3.0
Water soluble phosphorus (as P ₂ O ₅), % by weight min.	: 11.0
Water Soluble potassium (as K ₂ O) % by weight min.	: 8.0
Zinc as Zn % by weight min. in the form of Zn-EDTA	: 0.7
Boron as B	: 0.5-0.7

CROPS: All Crops

DOSAGE:

Field crops, Vegetables & Pulses: 4-5ml per litre of water.
Spices, Fruit & Flower Crops : 6-7ml per litre of water.

BENEFITS:

- + Quick availability of nutrients.
- + Boron is essential for seed and fruit development.
- + Increases crop growth and development.
- + Corrects the deficiency of Zinc & Boron.

MIXED FORMULATIONS OF BIOSTIMULANTS



CALCIUM NITRATE FORTIFIED WITH MAGNESIUM (Ca-15%, N-10%, Mg-2%)

Brand Code: CALNITRA-Mg

COMPOSITION:

Total nitrogen % by weight min.	10.0
Nitrate nitrogen % by weight, min.	8.5
Water soluble calcium as CaO % by weight min.	15.0
Water Soluble magnesium as MgO % by weight min.	2.0
Total chloride as Cl % by weight max.	2.5

CROPS: All Crops

DOSAGE:

Field crops, Vegetables & Pulses: 4-5ml per litre of water.
Spices, Fruit & Flower Crops : 6-7ml per litre of water.

BENEFITS :

- + CALNITRA-Mg is a suspension of calcium nitrate fortified with magnesium.
- + Synergistic combination of Calcium and Magnesium with Nitrates is useful to promote healthy vegetative growth, strong fruit setting and qualitative fruit growth.
- + Helps in healthy cell walls and high chlorophyll production.
- + The product is recommended from early flowering and until end of fruit growth stages.
- + Prevents and cures magnesium deficiencies.



MIXTURE OF SEAWEED EXTRACT; HUMIC AND FULVIC ACID, AMINO ACIDS AND VITAMINS (LIQUID)

Brand Code: Jaivizyme+ MaxMixture

COMPOSITION:

Alginic acid per cent. by weight, minimum	0.102
Glycine per cent. by weight, minimum	10
Humic acid per cent. by weight, minimum	9.89
Fulvic acid per cent. by weight, minimum	0.31
Vitamin C per cent. by weight, minimum	2.0
Total dissolved solids	10.22
Total organic carbon per cent. by weight, minimum	4.5
pH (1 % aqueous solution)	8.70 ± 0.2
Specific gravity	1.0097 ± 0.03
Solubility per cent. minimum	99.77

CROP: Cotton

DOSAGE: Two foliar applications at 2 l/ha.

BENEFITS :

- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
- + Promotes the development of chlorophyll, sugars and proteins in plants and aid in photosynthesis.
- + Increases vitamin and mineral content of plants.
- + Helps in absorption of mineral nutrients and activates the physiological process. Higher yield and better quality of the produce.

MIXED FORMULATIONS OF BIOSTIMULANTS



MIXTURE OF HUMIC ACID AND SEAWEED EXTRACT (LIQUID)

Brand Code: Jaivizyme+HASEAL

COMPOSITION:

Free amino acids per cent. weight by volume, minimum	0.69
Alginic acid per cent. weight by volume, minimum	0.02
Humic acid per cent. weight by volume, minimum	4.10
Total organic carbon per cent. by weight, minimum	2
Total dissolved solids per cent. weight by volume, minimum	7.5
Specific gravity	0.95- 1.05
pH (1% aqueous solution)	7.0- 9.0
Solubility per cent. minimum	> 99

CROP: Tomato

DOSAGE:

Three foliar applications at 1.25 l/ha

BENEFITS :

- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
- + Promotes the development of chlorophyll, sugars and proteins in plants and aid in photosynthesis. Increases vitamin and mineral content of plants.
- + Stimulates plant growth.
- + Helps in absorption of mineral nutrients and activates the physiological process.
- + Higher yield and better quality of the produce.



MIXTURE OF ANTIOXIDANT & VITAMINS (POWDER)

Brand Code: Jaivizyme+ OXIVITA

COMPOSITION:

Citric acid per cent. by weight, minimum	4.5
Vitamin C per cent. by weight, minimum	1.0
Vitamin B1 per cent. by weight, minimum	0.2
Total organic carbon per cent. by weight, minimum	25
Bulk density (g/cc)	0.7673 ± 0.02
pH (1% aqueous solution)	8.5 ± 0.2
Solubility per cent. minimum	11.93

CROPS: Cotton and Potato

DOSAGE:

Two soil applications at 1.5 kg/ha.

BENEFITS:

- + Better soil health.
- + Better root development.
- + Increases nutrient uptake.
- + Increases water uptake.
- + Optimum yield with better quality.



MIXTURE OF HUMIC ACID, AMINO ACID, VITAMINS & BIO-CHEMICALS (POWDER)

Brand Code: Jaivizyme+All Mix

COMPOSITION:

Humic Acid per cent. by weight, min.	30
Amino Acid (Glycine) per cent. by weight, min.	7
Myoinositol per cent. by weight, min.	2
Vitamin C per cent by weight, min.	12.0
Vitamin E per cent by weight, min.	0.2
pH (1% aqueous solution)	5.0-6.5
Total organic carbon per cent by weight , min.	25

CROP: Okra

DOSAGE: Two soil applications at 250g/ha.

BENEFITS :

- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
- + Promotes the development of chlorophyll, sugars and proteins in plants and aid in photosynthesis.
- + Increases vitamin and mineral content of plants.
- + Stimulates plant growth.
- + Helps in absorption of mineral nutrients and activates the physiological process.
- + Higher yield and better quality of the produce.



MIXTURE OF HUMIC ACID & SEAWEED EXTRACT (POWDER)

Brand Code: Jaivizyme+ HASEAP

COMPOSITION:

Humic acid per cent. by weight, minimum	70
(Source: Leonardite)	
Fulvic acid per cent. by weight, minimum	8
Alginic acid per cent. by weight, minimum	0.02
Organic carbon per cent. by weight, minimum	11
Bulk Density g/cc	0.7- 1.0
pH (1% aqueous solution)	6.5- 9.5
So lubility per cent. minimum	85

CROPS: Tomato

DOSAGE:

Three foliar applications at 1.25 kg/ha

BENEFITS:

- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
- + Increased soil aeration, improved water holding and reduced soil erosion.
- + Improves photosynthesis.
- + Improves crop yield.

HUMIC ACID AND FULVIC ACID & THEIR DERIVATIVES



HUMIC AND FULVIC ACID
25.05% (LIQUID)

Brand Code: Jaivizyme+HFA 25.05

COMPOSITION:	
Humic acid per cent. by weight, minimum	14.925
Fulvic acid per cent. by weight, minimum	10.125
Total organic carbon content per cent. by weight, minimum	10.55
Bulk density g/ml	1.150 ± 0.03
pH (1% aqueous solution)	7.71
Solubility per cent. minimum	92

CROP: Tomato

DOSAGE:
Five equal soil drench applications at 10 l/ha

- BENEFITS :**
- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
 - + Increased soil aeration, improved water holding and reduced soil erosion.
 - + Improves photosynthesis.
 - + Improves crop yield.



HUMATES &
FULVATES 22%
(LIQUID)

Brand Code: Jaivizyme+

COMPOSITION:	
Total water soluble humates and fulvates percent. weight by volume minimum	22.00

CROPS: Groundnut & Other Crops.

DOSAGE:
Two soil applications at 1.25 l/ha.

- BENEFITS :**
- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
 - + Increased soil aeration, improved water holding and reduced soil erosion.
 - + Improves photosynthesis.
 - + Improves crop yield.



HUMATES 12.5%
(LIQUID)

Brand Code: Jaivizyme+

COMPOSITION:	
Humates-12.5% Liquid	
Humic Acid percent. by weight minimum	10.00
Fulvic Acid percent. by weight minimum	2.50

CROPS:
Greengram & Other Crops.

DOSAGE:
Two soil applications at 5 l/ha.

- BENEFITS :**
- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
 - + Increased soil aeration, improved water holding and reduced soil erosion.
 - + Improves photosynthesis.
 - + Improves crop yield.



HUMIC ACID-6%
(LIQUID)

Brand Code: Jaivizyme+HA6

COMPOSITION:	
Humic acid per cent. by weight, minimum	6.0
Total Organic carbon per cent. by weight, minimum	2.11
Specific gravity	1.03 ± 0.03
Organic matter per cent. by weight, minimum	3.64
pH (10% aqueous solution)	9.0-11.0
Solubility per cent. minimum	95

CROP: Tomato

DOSAGE:
Three foliar applications at 1.25 l/ha

- BENEFITS :**
- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
 - + Increased soil aeration, improved water holding and reduced soil erosion.
 - + Improves photosynthesis.
 - + Improves crop yield.

HUMIC ACID AND FULVIC ACID & THEIR DERIVATIVES



HUMIC ACID 51%
(GRANULAR)

Brand Code: Jaivizyme+GR

COMPOSITION:

Humic Acid-51% Granular	
Humic acid percent. by weight minimum	: 51.00
Fulvic acid percent. by weight minimum	: 10.00

CROPS:

Green Gram & Other Crops.

DOSAGE:

Two soil applications at 1.5 kg/ha.

BENEFITS :

- + Better soil health.
- + Better root development.
- + Increases nutrient uptake.
- + Increases water uptake.
- + Optimum yield with better quality.



HUMIC ACID 1.5%
(GRANULES)

Brand Code: Jaivizyme+ HA 1.5

COMPOSITION:

Humic acid per cent. by weight, minimum	1.5
Total organic carbon per cent. by weight, minimum	1.32
Bulk density (g/cc)	1.0403±0.03
Organic matter per cent. by weight, minimum	2.28
pH (10 % aqueous solution)	6.0- 8.0
Solubility per cent. minimum	11

CROPS: Chilli

DOSAGE: Two soil applications at 30 kg/ha

BENEFITS:

- + Better soil health.
- + Better root development.
- + Increases nutrient uptake.
- + Increases water uptake.
- + Optimum yield with better quality.



HUMIC & FULVIC
ACID 76%
(POWDER)

Brand Code: Jaivizyme+ HFA 76

COMPOSITION:

Humic acid per cent. by weight, minimum	75
Fulvic acid per cent. by weight, minimum	1
Total organic carbon per cent. by weight, minimum	26.82
Bulk density (g/ml)	0.8745 ± 0.02
pH (1% aqueous solution)	7.60 ± 0.2
Solubility per cent. minimum	91.64

CROPS: Tomato

DOSAGE:

Two foliar applications at 750 g/ha

BENEFITS:

- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
- + Increased soil aeration, improved water holding and reduced soil erosion.
- + Improves photosynthesis.
- + Improves crop yield.



POTASSIUM
HUMATE 49%
(POWDER)

Brand Code: Jaivizyme+P

COMPOSITION:

Humic Acid percent by weight min	21.00
----------------------------------	-------

CROPS: Paddy & Other Crops.

DOSAGE:

One soil application at 1 kg/ha.

BENEFITS:

- + Better soil health.
- + Better root development.
- + Higher tillering.
- + Increases nutrient uptake.
- + Increases water uptake.
- + Optimum yield with better quality.

HUMIC ACID AND FULVIC ACID & THEIR DERIVATIVES

PROTEIN HYDROLYSATES AND AMINO ACIDS



HUMIC ACID 5% (POWDER)

Brand Code: Jaivizyme+P

COMPOSITION:
Humic Acid percent by weight minimum: 5.00

CROPS:
Chilli, Pepper & Other Crops.

DOSAGE:
Three foliar application at 0.5 g/l.

BENEFITS :

- + Improves physiological processes like nutrient and water uptake through root development, nutrient utilization efficiency.
- + Increased soil aeration, improved water holding and reduced soil erosion.
- + Improves photosynthesis.
- + Improves crop yield.



PROTEIN HYDROLYSATES 25% (PLANT SOURCE) (LIQUID)

Brand Code: Jaivizyme+ PROTO 25

COMPOSITION:

Free amino acids per cent. by weight, minimum	8.5
Total organic carbon per cent. by weight, minimum	11
Specific gravity	1.1-1.2
pH (10% aqueous solution)	4.3 ±1
Solubility per cent., minimum	99.57

CROPS: Green gram

DOSAGE:
Two foliar applications at 1.25 l/ha

BENEFITS :

- + Promotes the development of chlorophyll, sugars and proteins in plants and aid in photosynthesis.
- + Increases vitamin and mineral content of plants.
- + Stimulates plant growth (higher biomass production) by accelerating cell division, increasing the rate of development in root systems and increasing the yield of dry matter.
- + Helps in absorption of mineral nutrients and activates the physiological process.

PROTEIN HYDROLYSATES AND AMINO ACIDS



PROTEIN HYDROLYSATE 16.9% (PLANT SOURCE) (LIQUID)

Brand Code: Jaivizyme+ PROTO 16.9 L

COMPOSITION:

Free amino acids per cent. by weight, minimum	6.3
Specific gravity	1.1-1.3
pH (10% aqueous solution)	4- 6
Solubility per cent., minimum	98.58

CROPS: Green gram

DOSAGE:
Two foliar applications at 1.5 l/ha.

BENEFITS :

- + Promotes the development of chlorophyll, sugars and proteins in plants and aid in photosynthesis.
- + Increases vitamin and mineral content of plants.
- + Stimulates plant growth (higher biomass production) by accelerating cell division, increasing the rate of development in root systems and increasing the yield of dry matter.
- + Helps in absorption of mineral nutrients and activates the physiological process.



PROTEIN HYDROLYSATE (AMINO ACIDS 10 %) (PLANT SOURCE) (LIQUID)

Brand Code: Jaivizyme+ PROTO 10 L

COMPOSITION:

Free amino acids per cent. weight by volume, minimum	10
Specific gravity	1.15 ± 0.03
pH (5% aqueous solution)	2.5-3.5
Solubility per cent. minimum	100

CROPS: Chilli

DOSAGE:
Two foliar applications at 750 ml/ha

BENEFITS :

- + Promotes the development of chlorophyll, sugars and proteins in plants and aid in photosynthesis.
- + Increases vitamin and mineral content of plants. Stimulates plant growth (higher biomass production) by accelerating cell division, increasing the rate of development in root systems and increasing the yield of dry matter.
- + Helps in absorption of mineral nutrients and activates the physiological process.

PROTEIN HYDROLYSATES AND AMINO ACIDS



PROTEIN HYDROLYSATE
1.5% (PLANT SOURCE)
(GRANULES)

Brand Code: Jaivizyme+ PROTO 1.5G

COMPOSITION:

Free amino acids per cent. by weight, minimum	0.18
Total amino acids per cent. by weight, minimum	1.45
Bulk density g/cc	0.95- 1.15
pH (10% aqueous solution)	6.0- 7.5
Solubility per cent. minimum : Not soluble in water	

CROPS: Tomato

DOSAGE:

Two soil applications at 40 kg/ha

BENEFITS :

- + Promotes the development of chlorophyll, sugars and proteins in plants and aid in photosynthesis. Increases vitamin and mineral content of plants.
- + Stimulates plant growth (higher biomass production) by accelerating cell division, increasing the rate of development in root systems and increasing the yield of dry matter.
- + Helps in absorption of mineral nutrients and activates the physiological process.



PROTEIN HYDROLYSATE
(AMINO ACIDS 5 %)
(PLANT SOURCE)
(POWDER)

Brand Code: Jaivizyme+ PROTO 5P

COMPOSITION:

Free amino acids per cent. by weight, minimum	5
Specific gravity	0.90 ± 0.02
pH (5% aqueous solution)	4 - 5
Solubility (as suspension) per cent. minimum	20

CROPS: Tomato

DOSAGE:

Three foliar applications at 2.5 kg/ha

BENEFITS :

- + Promotes the development of chlorophyll, sugars and proteins in plants and aid in photosynthesis.
- + Increases vitamin and mineral content of plants. Stimulates plant growth (higher biomass production) by accelerating cell division, increasing the rate of development in root systems and increasing the yield of dry matter.
- + Helps in absorption of mineral nutrients and activates the physiological process.

SEAWEED EXTRACT



ASCOPHYLLUM
NODOSUM 15%
(LIQUID)

Brand Code: Jaivizyme+AN 15

COMPOSITION:

Alginic Acid per cent. by weight, minimum	1.5
Mannitol per cent. by weight, minimum	1.0
pH (10 % aqueous solution)	4.7+1.0
Specific gravity	1.0-1.1
Total organic carbon per cent. by weight, minimum	5

CROP: Green gram

DOSAGE:

Two foliar applications at 1.5 l/ha.

BENEFITS :

- + Vigorous seedling growth.
- + Profuse primary and secondary root development.
- + Increased soil microbial activity.
- + Higher nutrient uptake.
- + Better branching / tillering and increased foliage.
- + Reduction in the fruit and flower drop.
- + Better development of grains /fruits.
- + Increase in the size and weight of the grains/ fruits.
- + Higher yield and better quality of the produce.



ASCOPHYLLUM
NODOSUM 7%
(LIQUID)

Brand Code: Jaivizyme+AN 7

COMPOSITION:

Total dissolved solids per cent. by weight, minimum	7
Alginic acid per cent. by weight, minimum	0.55
Total organic carbon per cent. by weight, minimum	4
Specific gravity	1.04+0.02
pH (1% aqueous solution)	10.0-11.0

CROP: Tomato

DOSAGE:

One soil application as drenching and three foliar applications at 2.5 l/ha

BENEFITS :

- + Vigorous seedling growth.
- + Profuse primary and secondary root development.
- + Increased soil microbial activity.
- + Higher nutrient uptake.
- + Better branching / tillering and increased foliage.
- + Reduction in the fruit and flower drop.
- + Better development of grains /fruits.
- + Increase in the size and weight of the grains/ fruits.
- + Higher yield and better quality of the produce.

SEAWEED EXTRACT



SARGASSUM
TENERRIMUM 10%
SEAWEED (LIQUID)

Brand Code: Jaivizyme+Seaweed (L)

COMPOSITION:

Alginic Acid percent. by weight, min.	2.00
Organic matter (dry mass basis) percent. by weight, min.	20.00

CROPS: Paddy & Other Crops.

DOSAGE:

One foliar application at 625 ml/ha.

BENEFITS :

- + Vigorous seedling growth.
- + Profuse primary and secondary root development.
- + Increased soil microbial activity.
- + Higher nutrient uptake.
- + Better branching / tillering and increased foliage.
- + Reduction in the fruit and flower drop.
- + Better development of grains / fruits.
- + Increase in the size and weight of the grains/ fruits.
- + Higher yield and better quality of the produce.



SARGASSAM
TENERRIMUM 2%
(GRANULAR)

Brand Code: Jaivizyme+Seaweed (GR)

COMPOSITION:

Alginic Acid percent by weight minimum	0.20
--	------

CROPS:

Paddy & Other Crops.

DOSAGE:

One soil application at 12.5 kg/ha.

BENEFITS :

- + Vigorous seedling growth.
- + Profuse primary and secondary root development.
- + Increased soil microbial activity.
- + Higher nutrient uptake.
- + Better branching / tillering and increased foliage.
- + Reduction in the fruit and flower drop.
- + Better development of grains / fruits.
- + Increase in the size and weight of the grains/ fruits.
- + Higher yield and better quality of the produce.

BOTANICAL EXTRACT



SPIRULINA 10%
(LIQUID)

Brand Code: SPIRULINA 10

COMPOSITION:

Protein per cent. by weight, minimum	6
Specific gravity	1.00-1.10
pH (1% aqueous solution)	6.0-9.0
Solubility (as suspension) per cent. minimum	80

CROPS: Chilli and Tomato

DOSAGE: Two foliar sprays at 750 ml/ha

BENEFITS :

- + Improved Nutrient Uptake: Enhances the uptake of essential nutrients by plants, leading to healthier and more robust growth.
- + Stress Tolerance: Help plants better withstand various stresses, including salinity, drought, and pathogen attacks.
- + Plant Growth Promotion: Spirulina contains various bioactive molecules (amino acids, polysaccharides, phytohormones) that can stimulate plant growth.



ADHATODA VASICA
EXTRACT-2% (LIQUID)

Brand Code: ORCON ADHATODA

COMPOSITION:

Vasicine ppm, minimum	100
Specific gravity	0.89-1.09
pH (1 % aqueous solution)	6.5- 7.5
Solubility per cent., minimum	100

CROPS: Chilli and Tomato

DOSAGE: Three foliar sprays at 2litre/ha.

BENEFITS :

- + Significantly enhance plant vegetative growth, including root and shoot length, fresh and dry weight.
- + It has ability to mitigate the effects of biotic, abiotic stress including drought stress by reducing oxidative stress, increasing chlorophyll content, modulating sugar and phenolic levels, and reducing proline levels, indicators of improved plant health under stress.
- + Can be mixed with other growth promoters, can lead to synergistic effects, further enhancing plant growth and stress tolerance.

BOTANICAL EXTRACT



Adhatoda vasica (Powder)

Brand Code: Ecofit+*Adhatoda vasica*

COMPOSITION:

<i>Adhatoda vasica</i> (Powder) Vasicine, minimum	5 ppm
Seaweed extract, percent by weight minimum	5
pH (1% aqueous solution)	7.0-8.0

CROPS: Potato

DOSAGE:

Single soil application at 10 kg/ha.

BENEFITS:

- + Significantly enhance plant vegetative growth, including root and shoot length, fresh and dry weight.
- + It has ability to mitigate the effects of biotic, abiotic stress including drought stress by reducing oxidative stress, increasing chlorophyll content, modulating sugar and phenolic levels, and reducing proline levels, indicators of improved plant health under stress.
- + Can be mixed with other growth promoters, can lead to synergistic effects, further enhancing plant growth and stress tolerance.
- + Seaweed provides essential nutritional support, activates the plant's physiological and metabolic activities.
- + Therefore it's application during critical stages of the crop improves crop yield & quality.

MICRONUTRIENTS MIXTURE GRADES (KARNATAKA STATE NOTIFIED GRADES)



Mixed Micronutrients Karnataka Grade-I (Zn-3.0% Fe-2.0% Mn-1.0% B-0.5%)

Brand Code: MIXMICRO-I

COMPOSITION:

Zn-3.0% Fe-2.0% Mn-1.0% B-0.5%

CROPS: All Crops

DOSAGE:

- * 1-2gm per litre of water and spray on the crop during critical growth stages.
- * Higher or lower concentration can also be used depending on the nature of the crops and their requirements.

BENEFITS:

- + 100% water soluble free flowing product, containing Zinc, Iron, Manganese and Boron.
- + Matrix Combi dissolves rapidly and completely.
- + Helps in quick absorption of all nutrients by leaves particularly during critical conditions.
- + Keeps crop healthy and result in maximum yield.
- + Improves quality of the produce.
- + Corrects micronutrients deficiency.

MICRONUTRIENTS MIXTURE GRADES (KARNATAKA STATE NOTIFIED GRADES)



Mixed Micronutrients Karnataka Grade-II (Zn-3.0% Fe-0.5% Mn-0.2% B-0.5%)

Brand Code: MIXMICRO-II

COMPOSITION:

Zn-3.0% Fe-0.5% Mn-0.2% B-0.5%

CROPS: All Crops

DOSAGE:

1-2gm per litre of water and spray on the crop during critical growth stages. Higher or lower concentration can also be used depending on the nature of the crops and their requirements.

BENEFITS:

- + 100% water soluble free flowing product, containing Zinc, Iron, Manganese and Boron.
- + Matrix Combi dissolves rapidly and completely.
- + Helps in quick absorption of all nutrients by leaves particularly during critical conditions.
- + Keeps crop healthy and result in maximum yield.
- + Improves quality of the produce.
- + Corrects micronutrients deficiency.



Mixed Micronutrients Karnataka Grade-IV (Zn-10.0% Fe-5.0% Mn-2.0% B-0.30%)

Brand Code: MIXMICRO-IV

COMPOSITION:

Zn-10.0% Fe-5.0% Mn-2.0% B-0.30%

CROPS: All Crops

DOSAGE:

Soil Application : 10kg/acre
Drip Irrigation : 1-2 kg/acre
Foliar Application : 3-4gm

BENEFITS:

- + Soluble in water completely, helps in quick absorption of nutrients by plants.
- + Improves crop growth and promotes higher yield.
- + Improves quality of the produce.
- + Corrects micronutrients deficiency.
- + Helps plants in absorption of other nutrients from soil.

ADJUVANTS



ALL PURPOSE SPRAY ADJUVANT

Brand Code: **WESPA-80**

COMPOSITION:

Non ionic silicon surfactant : 80.00% v/v (max.)
Inert ingredients : 20.00% v/v (min.)

CROPS: All Crops

DOSAGE:

0.25-0.50 ml per litre of spray solution.

BENEFITS:

- + It is a unique non ionic silicon based all purpose agricultural spray adjuvant.
- + It reduces surface tension when used in aqueous solution and helps the sprays spread uniformly.
- + It can be used with insecticides, fungicides, herbicides, foliar fertilizers and other foliar and soil applications on all crops to enhance the efficacy.



SPRAY ADJUVANT (Chilli Black Thrips, Cotton Sucking Pests & Paddy BPH)

Brand Code: **ORCON+**

COMPOSITION:

Non-ionic & botanical surfactants : 80.00% v/v min.
Diluents and aversive agents : 20.00% v/v max.

CROPS:

Chilli - Black Thrips
Cotton - Sucking Pests
Paddy - Brown Plant Hopper

DOSAGE: 5 to 6 ml per litre of water.

When sprayed with other insecticide 2ml per litre of water.

BENEFITS:

- + When added to pesticide sprays, it improves spray coverage and enhances the spray performance substantially.
- + The unpleasant taste left by the spray works as an aversive agent & works well when used along with sprays against Black Thrips on Chillies, Sucking pests on Cotton, Brown Plant Hopper on Paddy etc.

NOTE: The spray may leave a harmless, unpleasant taste on the outer surface of the crop for a few days.

Stop spraying 2 weeks prior to harvest.



SPRAY ADJUVANT (PESTICIDE/BACTERICIDE/ VIRUCIDE/FUNGICIDE SPRAYS)

Brand Code: **ACCON+**

COMPOSITION:

Non-ionic & botanical surfactants : 80.00% v/v min.
Diluents : 20.00% v/v max.

CROPS: All Crops

DOSAGE:

5 to 6 ml per litre of water

BENEFITS:

- + When added to sprays, it improves spray coverage and enhances the spray performance substantially.
- + Works well when used along with sprays against:
 - * Sucking pests-mealy bugs, white flies, scale insects, thrips, aphids etc.
 - * Bacterial diseases-Leaf Blight, Leaf Spot, Cankers etc.
 - * Viral diseases-Leaf curl virus & Yellow mosaic virus etc.
 - * Fungal diseases-Blast, Leaf Spot, Powdery Mildew, Early Blight, Fungal Leaf Blight etc.

NOTE: For best performance, ensure that the spray covers both the sides of the leaves.



PENETRANT-ACTIVATOR ADJUVANT

Brand Code: **SprayMax**

COMPOSITION:

Non-ionic & botanical surfactants : 80.00% v/v min.
Diluents and aversive agents : 20.00% v/v max.

CROPS: All Crops.

DOSAGE: 2-3ml per litre of spray solution.

BENEFITS:

- + It is a super spray antifeedant adjuvant for pesticides.
- + When added to pesticide sprays, it improves spray coverage and enhances the spray performance substantially. Helps the penetration of the active ingredient. The unpleasant taste left by the spray works as an aversive agent & works well when used along with sprays against sucking pests-Mealybugs, Whiteflies, Thrips, Aphids, Scale insects & other sucking pests.
- + Pests do not develop resistance.

NOTE:

The spray may leave a harmless, unpleasant taste on the outer surface of the crop for a few days.

Stop spraying 2 weeks prior to harvest.

Avoid spraying on fruit crops after fruit setting.

Wear hand gloves and a mask during spraying and mixing.

Science for Better Feed Supplements!

