
Fish bulk ISP, delete arm: 30 TE regulators against 90 expression-matched random genes (A. polyacanthus, 162 libraries)
Plain (within tissue x treatment)
median: real 393 (dotted), random 371 (dashed); Mann-Whitney p = 0.7
tasora
safb
ythdc1
morc2
dnmt3bb.1
kdm1a
tp53
tasorb
pphln1
atf7ip
dnmt3ab
ehmt2
setdb1b
mettl3
yy1a
daxx
mphosph8
chaf1a
ezh2
yy1b
atrx
smarcad1a
mov10a
runx3
znf438
rb1
dnmt1
myca
setdb1a
uhrf1
200
400
600
800
1000
1200
1400
TE families with FDR < 0.05 (of those tested)
Global TE axis removed
median: real 62.5 (dotted), random 68 (dashed); Mann-Whitney p = 0.17
atrx
ythdc1
znf438
runx3
tp53
mov10a
mphosph8
yy1a
dnmt3bb.1
morc2
myca
setdb1b
smarcad1a
tasorb
dnmt1
ezh2
tasora
dnmt3ab
atf7ip
daxx
yy1b
mettl3
safb
uhrf1
kdm1a
chaf1a
ehmt2
pphln1
rb1
setdb1a
20
40
60
80
100
120
140
TE families with FDR < 0.05 (of those tested)
1 of 30 regulators at p <= 0.05 (expected 1.5); 0 pass BH
tasora
safb
ythdc1
morc2
dnmt3bb.1
kdm1a
tp53
tasorb
pphln1
atf7ip
dnmt3ab
ehmt2
setdb1b
mettl3
yy1a
daxx
mphosph8
chaf1a
ezh2
yy1b
atrx
smarcad1a
mov10a
runx3
znf438
rb1
dnmt1
myca
setdb1a
uhrf1
0.0
0.2
0.4
0.6
0.8
1.0
empirical p against random pseudo-regulators (hits)
0 of 30 regulators at p <= 0.05 (expected 1.5); 0 pass BH
atrx
ythdc1
znf438
runx3
tp53
mov10a
mphosph8
yy1a
dnmt3bb.1
morc2
myca
setdb1b
smarcad1a
tasorb
dnmt1
ezh2
tasora
dnmt3ab
atf7ip
daxx
yy1b
mettl3
safb
uhrf1
kdm1a
chaf1a
ehmt2
pphln1
rb1
setdb1a
0.0
0.2
0.4
0.6
0.8
1.0
empirical p against random pseudo-regulators (hits)