

613

automated checks, all passing, in the 9 suites below

31

pages checked by axe-core in every role: 0 violations

25/25

deployment checks against production (read-only; 3 upload checks skipped)

17 / 24

tables / foreign keys, asserted by the audit so the ERD cannot drift

Suite	What it proves	Result
Security and functional audit npm run audit	input validation, SQL injection, authentication, authorization, XSS, uploads, location privacy, report access and editing, matching lifecycle, the table and key counts	357/357
Account lifecycle scripts/auth_lifecycle.py	registration, email verification, password reset and the sessions it ends, email change, rate limits	66/66
Multi-device sessions npm run multi-device	independent sessions: suspension, lock and unlock take effect everywhere at once; a coordinator or administrator keeps one session at a time	73/73
Sign-out privacy npm run test:signout	in a real Chrome: signing out and switching accounts leaves nothing of the last person on screen	24/24
Interface regressions npm run test:ui	in a real Chrome: moderation, registration feedback, phone menus, report actions, the edit freeze, historical labels on ruled-out pairings	44/44
Contract tests npm run test:contract	what the form sends, what the API returns and what MySQL stores agree; dates in Philippine time	24/24
Place comparison npm run test:city	how two places compare when a report has no map pin	11/11
Calendar npm run test:calendar	"today" is the Philippine date; the database speaks UTC	8/8
Matching log npm run test:matching-log	what matching writes to the log, with debugging off and on	6/6

Also: lint clean · production build green · Docker image builds clean · schema.sql imports clean on MySQL 8.0 and 9.4 and matches the migrated database table for table. The suites run against the development copy: the audit and account tests reseed and change data, so production is checked read-only by the deployment verifier and by a manual walk-through.

WHY MORE THAN ONE KIND OF TEST

FINDING 1 · ENDPOINT TESTING

A router fault no unit could show

Every handler in api/ was correct on its own, but api/index.php passed only the first two path segments to most of them, so a third was silently dropped: GET /api/matches/1/claims answered with the match. Only asking the running API for endpoints it does not have could find it. Fixed; audit cases EH-07 to EH-10.

FINDING 2 · MEASURING, NOT ONLY SCANNING

Contrast that axe-core could not see

axe reported zero violations, but it cannot judge text over a photograph. Measuring the rendered pixels behind each line of text, at four screen widths, found three paragraphs under WCAG AA, the worst at 1.17:1, on pages axe had called clean. Fixed, then re-measured: every line now passes at every width.

EVERY FIX IS PROVEN RED FIRST

A regression test is run against the old code before the fix, and must fail there. Examples from the final fixes: the edit freeze (EM-03, 04, 05, 05b, 13 failed before), and refusing a reset to the current password (RS-1a–g, RS-4a).

WHERE TO FIND IT

docs/TESTING.md lists every suite, what it needs and what it changes. The numbers on this page are read from its section 3, verified 30 September 2026.