## ■XAMPP (MAMP) とMySQL-テーブルの作成とインサート-

```
MariaDB [GEEKJOB_db] > CREATE TABLE profiles(profilesID int,name varchar(255),tel
I varchar(255),age int,birthday date);
Query OK, 0 rows affected (0.08 sec)
MariaDB [GEEKJOB db]> INSERT INTO profiles VALUES(1, 田中実, 012-345-6789, 30, 199
4-02-01);
Query OK, 1 row affected, 1 warning (0.01 sec)
MariaDB [GEEKJOB_db] > SELECT profilesID, name, tell, age, birthday FROM profiles;
+----+
| profilesID | name | tell | age | birthday |
+----+
     1 | 田中実 | -7122 | 30 | 0000-00-00 |
+----+
1 row in set (0.01 sec)
MariaDB [GEEKJOB_db]> UPDATE profiles SET tell = 012-345-6789,birthday = 1994-02
-01 WHERE profilesID = '1';
Query OK, 0 rows affected, 1 warning (0.01 sec)
Rows matched: 1 Changed: 0 Warnings: 1
MariaDB [GEEKJOB_db]> SELECT profilesID, name, tell, age, birthday FROM profiles;
+----+
| profilesID | name | tell | age | birthday |
+----+
     1 | 田中実 | -7122 | 30 | 0000-00-00 |
+----+
1 row in set (0.00 sec)
Query OK, 1 row affected (0.01 sec)
MariaDB [GEEKJOB_db] > SELECT profilesID, name, tell, age, birthday FROM profiles;
+----+
| profilesID | name | tell
                       | age | birthday |
+----+
     1 | 田中実 | -7122
                      | 30 | 0000-00-00 |
     2 | 鈴木茂 | 090-1122-3344 | 37 | 1987-08-12 |
+----+
2 rows in set (0.00 sec)
MariaDB [GEEKJOB_db]> UPDATE profiles SET tell = '012-345-6789',birthday = '1994
-02-01' WHERE profilesID = 1;
Query OK, 1 row affected (0.01 sec)
Rows matched: 1 Changed: 1 Warnings: 0
```

```
MariaDB [GEEKJOB_db] > SELECT profilesID, name, tell, age, birthday FROM profiles;
+----+
| profilesID | name | tell
                        | age | birthday |
+----+
     1 | 田中実 | 012-345-6789 | 30 | 1994-02-01 |
     2 | 鈴木茂 | 090-1122-3344 | 37 | 1987-08-12 |
+----+
2 rows in set (0.00 sec)
MariaDB [GEEKJOB_db]> INSERT INTO profiles(
 -> 1.
 -> '鈴木実',
 -> '080-5566-7788'.
 -> 24,
 -> '2000-12-24'
 -> );
MariaDB [GEEKJOB_db] > INSERT INTO profiles VALUES(
 -> 3,
 -> '鈴木実',
 -> '080-5566-7788',
 -> 24,
 -> '2000-12-24'
 -> );
Query OK, 1 row affected (0.02 sec)
MariaDB [GEEKJOB_db]> INSERT INTO profiles VALUES(
 -> 4,
 -> '佐藤 清',
 -> '012-0987-6543',
 -> 19,
 -> '2005-08-01'
 -> );
Query OK, 1 row affected (0.01 sec)
MariaDB [GEEKJOB_db]> INSERT INTO profiles VALUES(
 -> 5,
 -> '高橋 清',
 -> '090-9900-1234',
 -> 24,
 -> '2000-12-24'
 -> );
Query OK, 1 row affected (0.01 sec)
MariaDB [GEEKJOB_db]> SELECT * FROM profiles
 ->;
+----+
| profilesID | name | tell
                        | age | birthday |
+-----+
     1 | 田中実 | 012-345-6789 | 30 | 1994-02-01 |
     2 | 鈴木茂 | 090-1122-3344 | 37 | 1987-08-12 |
     3 | 鈴木実 | 080-5566-7788 | 24 | 2000-12-24 |
     4 | 佐藤 清 | 012-0987-6543 | 19 | 2005-08-01 |
```

| 5 | 高橋 清 | 090-9900-1234 | 24 | 2000-12-24 | +------

5 rows in set (0.00 sec)



※スクリーンショット