

18.4

17.1

16.4

15.2

13.0

11.8

11.0

9.0

8.0

7.0

6.0

5.2

4.0

3.0

2.1

ST2 0.5

Samples

Dunham

Wave rippled for last
90cm-1m
small irregular stroms at base
med. even laminae

laminae cross-cut (photo)
hards. dolom.
coarsely laminated stroms w/ hards
vt. grainstone; visible
grains. Coarsely laminated

Some ripples at top
med. lamifine grainstone w/
small stroms at base

some ripples at top
med. lamini. & bedded oord fine
grainstones

very! elongate stroms w/ some
as big as 20cm across (photo)
more quartz

some quartz
and then small dolomitic
stroms
grade into more irregular lamini.
small peaked stroms; smooth
med. laminae

↑ coarsens upward med. bedded
vt. grainstone


Pink marble; peggy; massive

fine grainstone; thickly bedded
hints of coarse laminae

coarse breccia
or finely laminated clasts

vt. grainstone; med. laminated
small anhydrite lambs

med.
tan quartz sand (think same as
on overside of road) in float below
deep red fine (sand?) and then white
marble Wpt 219 b.s.



Small domal inter-connected stroms, med laminae; lf. grainstone
v. thinly bedded; med. lamn.
planar lf. grainstone

Wpt 222
massive; thin bedded lf. grainstone
basely lam. lf. grainstone
med. laminated; thick bed;
irregular lamina to tufted
lamina.
v. thinly bedded. med. lamn.
low domal stroms

coarsely laminated stroms in
the grainstone possibly even
concentric?

redst. and chalky iron
rusty.

not sure if in place
? lf. yellow grainstone, small open
vugs

patches of spherical weathering and
mostly med. laminae
continue v.f. grained, isopachs.
med irregular laminae

med. laminae; irregular
subhorizontal
(look like strom laminae from below)

small domical steep sided stroms
w/ med. irreg. laminae; few sparse
spherical yellow-grey weathering -
matrix (espresso)

patches of rock look to be in
place

Wpt. 220

lf. grainstone w/ visible grains
coarse; even lamin. stroms
resemble isopachs. strom morphology
bit grainier

