MASTER EXOBIOLOGY TAXONOMY DIRECTORY

Complete Genera, Species Classification Loop, and Companion App Manual

1. ELITE OBSERVATORY & BIOINSIGHTS PROTOCOL

Elite Observatory Core combined with MattG's **BioInsights plugin** represents the absolute gold standard utility workflow for professional exobiologists. While standard interfaces reveal biological markers only after data scraping, BioInsights utilizes real-time planetary parameters to predict exact species configurations before you ever deploy orbital scanners.

• **Source Acquisition:** Secure the core environment execution deployment suite directly via the official Observatory Hub (observatory.xjph.net). Subsequently, download the accompanying BioInsights .eop extension package via the MattG Portal.
• **Installation Routine:** Ensure the base framework is initialized, then simply execute a double-click command directly upon the downloaded .eop file module. The primary core application automatically intercepts the script, logs the extension success, and creates a dedicated real-time BioInsights data reporting strip into your cockpit companion screen layouts.
• **The FSS Predictive Loop:** Ensure 'Start Monitor' is toggled active. The precise sub-second your ship tracks a world via the Full Spectrum Scanner (FSS), BioInsights interprets the planetary gravity matrix, temperature variances, and atmosphere density layers to dynamically project exact organic species. This allows commanders to bypass low-value 1-million credit Bacterium clusters entirely, steering flight vectors solely toward 96-million credit Stratum jackpots.
• **Clonal Distance Optimization:** Upon planet fallback operations, the active HUD display monitors your Artemis Genetic Sampler data container. It logs your local positions and provides real-time distance visual markers to declare when you have fully cleared the strict clonal diversity boundary gaps.

2. ON-FOOT EXOBIOLOGY GLOBAL PAYOUT MATRIX

Plant Genus	Clonal Scan Distance	Base Rescan Value	First Discovered Value (5x)
Stratum	100m - 200m	~19.3M CR	~96.5M CR
Cactoida	300m - 500m	~16.2M CR	~81.0M CR
Recepta	500m+	~16.2M CR	~81.0M CR
Tubus	500m - 800m	~16.1M CR	~80.5M CR
Radicoida	500m+	~15.5M CR	~77.5M CR
Clypeus	200m+	~10.5M CR	~52.5M CR
Frutexa	500m+	~10.3M CR	~51.5M CR
Osseus	500m+	~7.8M CR	~39.0M CR
Aleoida	500m+	~7.5M CR	~37.5M CR
Concha	200m+	~5.5M CR	~27.5M CR
Fonticulua	500m+	~5.4M CR	~27.0M CR
Fungoida	300m+	~3.2M CR	~16.0M CR
Fumerola	500m+	~3.1M CR	~15.5M CR
Tussock	200m+	~2.8M CR	~14.0M CR
Electricae	1,000m+	~1.7M CR	~8.5M CR
Bacterium	500m+	~1.0M CR	~5.0M CR

3. MORPHOLOGICAL & HABITAT SPECIES IDENTIFICATION

Stratum (The Pancake Mats)

Preferred Terrain: Flat, open sedimentary basins, smooth plains, and vast desert dunes.

Visual Identification: Large, expansive organic rugs growing perfectly flush with the sand. Highly vibrant neon pinks, cyans, and bright greens.

All Catalogued Species Variations: Araneamus (Ammonia), Cucumisis (Methane), Excutitus (Carbon Dioxide/Nitrogen), Frigus (Icy worlds), Laminamus (Sulfur Dioxide), Limaxus (Argon), Paleas (Oxygen), Tectonicas (Carbon Dioxide).

Cactoida (The Desert Pillars)

Preferred Terrain: Flat sand dunes, coarse dirt fields, and silt plains.

Visual Identification: Tall, stark vertical ribbed pillars or multi-segmented thorny columns casting elongated shadows against the ground.

All Catalogued Species Variations: Alatus (Methane), Cortex (Sulfur Dioxide), Lapis (Rocky, high-metal bodies), Peperonius (Nitrogen), Pluma (Ammonia), Vermis (Carbon Dioxide).

Recepta (The Cluster Geodes)

Preferred Terrain: Broken gravel fields, high-metal rocky debris zones, and rocky mountains.

Visual Identification: Groups of jagged, interlocking mineral-fleshed crystal clusters resembling dense sea anemones extending from surface crags.

All Catalogued Species Variations: Conditivus (Sulfur Dioxide), Deltahedronix (High-Metal Content worlds), Umbrux (Argon crater shadows).

Tubus (The Organic Straws)

Preferred Terrain: Smooth sedimentary fields and wide desert valley basins.

Visual Identification: Flocks of hollow, thin, flexible pipes or segmented straws pointing directly straight up out of loose sands.

All Catalogued Species Variations: Caelum (Nitrogen), Confectio (Methane), Dilatatio (Sulfur Dioxide), Rossetus (Ammonia), Sorbeo (Carbon Dioxide).

Radicoida (The Rare Enclave Shrubs)

Preferred Terrain: Highly restrictive, hyper-localized rocky worlds inside remote stellar sectors.

Visual Identification: Dense, knotted woody plant anchors fanning out thick, creeping subterranean networks.

All Catalogued Species Variations: Corallum (Toxic sulfur zones), Tenebris (Hyper-isolated, untagged systems).

Clypeus (The Shield Plates)

Preferred Terrain: Wide sedimentary canyon floors, dry impact basins, and tectonic lines.

Visual Identification: Giant, circular fossil-like organic plates growing tightly flush with the rock, displaying dense target growth rings.

All Catalogued Species Variations: Lacrimam (Water), Margaritus (Carbon Dioxide), Speculum (Nitrogen).

Frutexa (The Camouflaged Briars)

Preferred Terrain: High-altitude mountain slopes, hillsides, and rocky valley floors.

Visual Identification: Low-lying, tangled bramble knots and thorny brush. Notoriously difficult to spot due to matching the color of nearby rocks.

All Catalogued Species Variations: Acuminata (High-metal terrain), Flabellum (Nitrogen), Flammasis (Methane), Metallicum (Metallic basins), Sanguinea (Carbon Dioxide).

Osseus (The Petrified Ribs)

Preferred Terrain: Severe rocky hills, sharp cliff slopes, and high-altitude craters.

Visual Identification: Rigid, bone-like petrified frames resembling branching skeletal ribs or calcified tree anchors extending out of stone faces.

All Catalogued Species Variations: Cornibus (High-metal peaks), Discus (Nitrogen), Fractus (Icy crags), Pellebantus (Carbon Dioxide), Pumice (Volcanic porous rock), Spiralis (Fault zones).

Aleoida (The Giant Succulents)

Preferred Terrain: Soft sedimentary flats, open dust plains, and sand fields.

Visual Identification: Clumps of thick, fleshy, blade-like leaves expanding outward from a central floor anchor, identical to massive alien Aloe Vera.

All Catalogued Species Variations: Arcane (Remote systems), Coronamet (Nitrogen), Laminata (Carbon Dioxide), Spica (Methane), Viridis (Standard atmospheres).

Concha (The Spiral Fossils)

Preferred Terrain: Canyon beds, deep ravines, and the direct bases of rocky hills.

Visual Identification: Coiled, concentric shell structures that look like prehistoric nautilus or ammonite fossils halfway petrified inside the gravel.

All Catalogued Species Variations: Aureum (Sulfur Dioxide), Biconcavus (Nitrogen), Labiata (Carbon Dioxide), Renibus (Methane).

Fonticulua (The Geyser Cones)

Preferred Terrain: Sandy flatlands, tectonic canyon lines, and volcanic plains.

Visual Identification: Layered, upward-tapering mud cones or solid mineral vents looking like miniature active geysers with prominent toxic blowholes.

All Catalogued Species Variations: Campestris (Flatlands), Digittata (Methane), Lapida (Gravel fields), Phallida (Sulfur Dioxide), Pluma (Ammonia), Tenuis (Nitrogen).

Fungoida (The Multi-Stalk Mushrooms)

Preferred Terrain: Rugged, high-gravity mountain ranges and vertical stone cliff faces.

Visual Identification: Clusters of multiple thin, spindly stalks capped with small umbrella or disc-shaped heads extending horizontally off sheer cliffs.

All Catalogued Species Variations: Bullarum (Argon), Gelata (Carbon Dioxide), Setisis (Ammonia/Methane cliffs), Stabitis (Nitrogen shelves).

Fumerola (The Mineral Chimneys)

Preferred Terrain: Tectonic crust fractures, volcanic sulfur flats, and thermal geyser fields.

Visual Identification: Hardened, chimney-like venting tubes looking like deep-sea black smokers, occasionally venting faint trails of planetary gas.

All Catalogued Species Variations: Carbosis (Carbon Dioxide), Nitris (Nitrogen geysers).

Tussock (The Wire Grasses)

Preferred Terrain: Soft rolling sand dunes, desert hillsides, and dusty valley basins.

Visual Identification: Patches of stringy, wire-like alien grass or dense weed clumps blowing gently in the thin atmosphere.

All Catalogued Species Variations: Capillum (Carbon Dioxide), Cultratum (Nitrogen), Ignis (Methane), Ovatus (Sulfur Dioxide), Propagito (Common variety), Serratus (Ammonia), Spiculus (Argon).

Electricae (The Polar Webs)

Preferred Terrain: High-altitude plateau tables or flat rocky fields near planetary magnetic poles.

Visual Identification: Sprawling, geometric grid-like networks or crystal web mats glowing faintly with bioluminescent light in the dark.

All Catalogued Species Variations: Radialem (Nitrogen), Torum (Carbon Dioxide ice).

Bacterium (The Stain Slimes)

Preferred Terrain: The most adaptive genus; scales across completely flat sedimentary plains up to mountain peaks.

Visual Identification: Large, paper-thin, glossy organic splotches or crusty stains covering the rocks. Zero vertical height; resembles spilled milk or oil.

All Catalogued Species Variations: Alvum (Independent), Cerbrus (Nitrogen), Aurasis (Sulfur Dioxide), Informem (Methane), Nebulus (Argon), Omentum (Ammonia), Scopulus (Carbon Dioxide), Vesicula (Oxygen).