ALTERATIONS

NAVY YARD	DATE	DESCRIPTION	APP'R'D
N.Y.P.S	3-26-36	RETRACED AND CORRECTED TO 10-15-35 AND REVISED TO CONFORM WITH BU.C.&R. LETTER NO. S1-3-(4)(R1) EN7/A2-11-(271) OF 24 JAN. 1934, AND BU. C.&R. LETTER S1-3-(4)(DC) EN7/A2-11 OF 20 MARCH 1935.	[illegible] 3/26/36
N.Y.P.S	[illegible]	SEARCHLIGHT PLATFORM ON STACK DELETED. NEW BARRIERS, ARRESTING GEAR & DECK EXTENSION ADDED TO FLIGHT DECK. COMPT. A-622½-T ADDED IN HOLD & INNER BOTTOM. MISCELLANEOUS COMPT. ASSIGNMENTS AND NUMBERS MODIFIED AND OTHER MINOR CHANGES. CORRECTED TO 4/6/37	[illegible]
P.S.N.Y.	1/31/37	TOP OF PILOT HOUSE: FLAG PLOT. EXTENDED. FLIGHT DK: 40' M.B. CHANGED TO 40' M.L. MAIN DK: HATCH FR.176 P. RELOCATED TO STBD, RADIO STOREROOM CHANGED TO MOVIE BOOTH, FR.82 ℄. UPPER HALF DK: 1st LIEUT. OFF. CHANGED TO ASSEMBLY & REPAIR OFF., VF-2 SQUADRON OFF. FR.179 P. ADDED. MIDDLE HALF DK: 1ST LIEUT., NAVIGATOR, & DAMAGE CONTROL OFFICES RELOCATED. 2ND & HANGER DK: 2-30' S.W.B. FR.126 S. ADDED, D-306-T CHANGED TO D-336-T, D-201-B CHANGED TO D-201-L. 3RD. DK: PORTABLE BAT. CHARGING STATION CHANGED TO ELECT. STOREROOM, FR 132 ℄. 1ST. & 2ND. PLATF.: D-20-F CHANGED TO DIESEL OIL. THE FOLLOWING VOID COMPTS. CHANGED TO FRESH WATER BALLAST TANKS: A-22-W, A-26-W, A-38-W, A-40-W, A-52-W, A-64-W, A-66-W, A-70-W, A-72-W, A-78-W, A-454-W, A-456-W, A-458-W, A-460-W, AND A-462-W. AUTH. BU.C&R LETTER CV2/S29-8 (C&DC) OF 7 JAN. 1939. A-622½-T CHANGED TO A-914½-T & OTHER MISC'L. MINOR CHANGES.	R.T.C. 1/31/39
P.S.N.Y.	5-7-41	2 ND. PLATFORM: CHANGED A-510M TO 5/50 CAL. A.A. AMM. " D-515A TO D-515M ORDNANCE STORES. CHANGED D-512 A TO 5" A.A. AMM., D-512 M. 3RD. DECK: DELETED TRANSOMS IN C.P.O. QUARTERS. A-308L, A-309L AND A-310L. CHANGED D-343 A TO G.S.K. STORES. CHANGED D-347 A TO SHIPS SERV. STORES. 2ND. DECK: DELETED CAPSTAN ROOM. MIDDLE HALF DECK: CHANGED A-116-TL TO CREW. CHANGED D-110-A TO LAUNDRY ISSUE ROOM. UPPER HALF DECK: RELOCATED W.M. BHD. IN A-0103-A. MAIN DECK: ADDED 5" A.A. GUN ON GUN PLATFORMS FORE AND AFT. EXTENDED FORWARD GUN PLATFORM. FLIGHT DECK: RELOCATED CRASH BARRIERS. ADDED LIFE NETTINGS P. & S. SIDES. BRIDGES: CHANGED TOP OF DECK HOUSE & SALUTING GUN PLATFORM. ADDED 50 CAL. A.A. MACHINE GUNS ON TURRET TOP. AND OTHER MISCELLANEOUS MINOR CHANGES.	[illegible] 5/7/41

SERIAL Nº CV-2

U.S.S. LEXINGTON-CV2

BOOKLET OF GENERAL PLANS

NUMBER & ORDER OF PLANS	PAGE
COVER & TITLE PAGE	1
GENERAL INFORMATION	2
OUTBOARD PROFILE PORT SIDE	3
OUTBOARD PROFILE STBD. SIDE	4
INBOARD PROFILE	5
BRIDGE DECKS	6
FLIGHT DECK	7
MAIN DECK	8
UPPER HALF DECK	9
MIDDLE HALF DECK	10
SECOND AND HANGAR DECKS	11
THIRD DECK	12
INCLINED PROTECTIVE PLATFORM	13
FIRST PLATFORM	14
SECOND PLATFORM	15
HOLD	16
INNER BOTTOM	17

"RESTRICTED"

NOTE: IF COPY OF THIS BOOKLET IS DESTROYED OR CUSTODY CHANGED, THE YARD BY WHOM ISSUED SHOULD BE SO NOTIFIED

ACCOUNTABLE

Bu Ships letter Chief
11 June 1955
[illegible]
19 July 1961

PREPARED AT
NAVY YARD PUGET SOUND

RETRACED FROM BOOKLET BU.C.&R. NO. 123062 A TO I INCL. PREPARED BY: BETHLEHEM SHIPBUILDING CORP.

TRACED: Gustav J. Schmidt
CHECKED: Paul W. Cummings
SUPERVISOR: H. E. Bailey
CHIEF DRAFTSMAN: [illegible]
DATE: 3-26-36

APPR'V'D. R M Hanson CAPT. (CC) U.S.N.
PLANNING OFFICER

BU.C&R.Nº 123062

GENERAL DIMENSIONS

LENGTH BETWEEN PERPENDICULARS	850'-0"
LENGTH OVER ALL	887'-8½"
PROJECTION FORWARD OF F.P.	32'-8½"
PROJECTION AFT OF A.P.	5'-0"
BREADTH-EXTREME (AT FLYING DECK)	105'-11¼"
BREADTH-EXTREME OVER BREAK WATER ON STBD. SIDE	106'-11⅝"
MEAN DRAFT TO BOTTOM OF KEEL ON MEAN TRIAL DISPLACEMENT	27'-9 7/32"
RUDDER AXIS FOR'D OF A.P.	28'-0"
INB'D. SHAFT STRUTS FOR'D. OF A.P. (CENTERS)	57'-8"
OUT BD. " " " " "	137'-8"
PROPELLERS (INBD.) (CENTERS)	12" FOR'D OF FR.200
" (OUTBD) "	12" " " " 180

HEIGHTS ABOVE NORMAL W.L. (27'-8½" ABOVE BOTTOM OF KEEL)

MAST : TOP OF FLAGSTAFF	179'-0 9/16"
MAST : TOP OF TRUCKLIGHT	170'-6 9/16"
MAST : ℄ OF YARD ARM	160'-5 9/16"
MAST : TOP OF TRUCK LIGHT HOUSED	128'-10½"
5" FIRE CONTROL PLATFORM FOR'D.	119'-5 13/16"
5" FIRE CONTROL PLATFORM AFT	96'-5 13/16"
8" FIRE CONTROL PLATFORM FOR'D.	102'-0 13/16"
8" FIRE CONTROL PLATFORM AFT.	80'-3 13/16"
SEARCHLIGHT PLATFORM ON TRIPOD	94'-2 13/16"
SEARCHLIGHT & MACH. GUN PLATFORM ON FUNNEL	110'-1"
NAVIGATING BRIDGE	75'-4 1/16"
CONNING TOWER, PORTABLE PLATFORM	66'-3 13/16"
TOP OF FLIGHT DECK PLANKING AT STEM	47'-0 9/16"
TOP OF FLIGHT DECK PLANKING AT STERN	46'-11⅞"

COMPLEMENT

COMMANDING OFFICER	1
WARDROOM OFFICERS	42
JUNIOR OFFICERS (ENSIGN)	21
WARRANT OFFICERS	18
TOTAL SHIPS OFFICERS	82
AVIATION OFFICERS :	
WARDROOM OFFICERS	94
JUNIOR OFFICERS	21
TOTAL AVIATION OFFICERS	115
TOTAL OFFICERS	197

CREW

SERVICE BRANCH	SHIP FORCE		AVIATION		AIRCRAFT SQUADRONS AND FLAG		SUMMARY OF C.P.O. & CREW	
	C.P.O.	CREW	C.P.O.	CREW	C.P.O.	CREW	C.P.O.	CREW
SEAMAN	11	467	1	134	3	194	15	873
ARTIFICER	14	182	1		12	40	25	211
ENGINEER	24	400	–		1	1	25	440
COMMISSARY	2	26	–			4	2	33
SPECIAL	11	85	1	2	8	26	19	112
MESSMEN	-	53				43		92
AVIATION	11	46			27	167	38	208
MARINE	2	83					2	83
TOTAL							126	2047

SMALL BOATS

NO.	SIZE	MEN EACH	MEN TOTAL
4	50 FT. MOTOR LAUNCHES	190	760
5	40 FT. MOTOR BOATS	37	185
1	40 FT. MOTOR LAUNCHES	90	90
2	36 FT. MOTOR LAUNCH	70	140
2	30 FT. MOTOR LAUNCH	40	80
2	26 FT. MOTOR WHALE BOATS	22	44
2	14 FT. PUNTS		
	TOTAL CAPACITY		1299

FIRE PLUGS

PLUG Nº	DECK	SIDE	FRAME	COMPT.	PLUG Nº	DECK	SIDE	FRAME	COMPT.	PLUG Nº	DECK	SIDE	FRAME	COMPT.	PLUG Nº	DECK	SIDE	FRAME	COMPT.
6-68	HOLD	S	68	A 80 E	2-63-1	SECOND DECK	S	63-64	A 212-T	01-83	UPPER HALF	P	83-84	BOAT RECESS	03-50	FLYING DECK	S	49-50	WEATHER
6-76-1	DO.	S	76	B 1	2-63-2	DO	P	63-64	A 212-T	01-111	DO	P	111-112	DO	03-61	DO	S	61-62	DO
6-76-2	DO	P	76	B 2	2-79	DO	S	79-80	B 201	01-125	DO	P	125-126	DO	03-81	DO	S	82-82	DO
6-89-1	DO	S	88-89	B 3	2-83	DO	P	83-84	B 201	01-144-1	DO	S	144-145	DO	03-96	DO	S	96-97	DO
6-89-2	DO	P	88-89	B 4	2-88	DO	S	88-89	B 201	01-144-2	DO	P	144-145	DO	03-111	DO	S	111-112	DO
6-91-1	DO	S	91-92	B 5	2-94	DO	P	94-95	B 201	01-158	DO	S	158-159	C-0105 T	03-126	DO	S	126-127	DO
6-91-2	DO	P	91-92	B 6	2-96	DO	P	96-97	B 208-T	01-159	DO	P	159-160	C-0104 T					
6-103-1	DO	S	102-103	B 7	2-107	DO	P	107-108	B 214-T	01-172	DO	P	172-173	C-0106 L					
6-103-2	DO	P	102-103	B 8	2-121-1	DO	S	121-122	B 201	01-173	DO	S	173-174	C-0107 L					
6-105-1	DO	S	105	B 9	2-121-2	DO	P	121-122	B 201	01-186	DO	S	186-187	D-0101 E					
6-105-2	DO	P	105	B 10	2-124	DO	P	124-125	B 218-T	01-187	DO	P	187-188	D-0102 E					
6-117-1	DO	S	116-117	B 11	2-138	DO	P	138-139	B-224-T	01-200	DO	P	200-201	D-0103 T					
6-117-2	DO	P	116-117	B 12	2-144	DO	S	144-145	B-201	02-9	MAIN DECK	S	9-10	A-0201-E					
6-119-1	DO	S	119-120	B 13	2-145	DO	P	145-146	C-208-T	02-26	DO	S	27-27	A-0203 L					
6-119-2	DO	P	119-120	B 14	2-161	DO	P	161-162	B-201	02-31	DO	S	31-32	WEATHER					
6-132-1	DO	S	131-132	B 15	2-170-1	DO	S	170-171	B-201	02-37	DO	P	37-38	A-0204 L					
6-132-2	DO	P	131-132	B 16	2-170-2	DO	P	170-171	B-201	02-39	DO	P	39-40	WEATHER					
4-49	FIRST PLATFORM	S	49-50	A-426-T	2-186-1	DO	S	186-187	D-201-B	02-47	DO	P	47-48	DO.					
4-50	DO	P	49-50	A-426-T	2-186-2	DO	P	186-187	D-201-B	02-48	DO	P	48-49	A-0205 L					
4-61-1	DO	P	61-62	A-443-T	1-23	MIDDLE HALF	S	23-24	A-107-L	02-55	DO	P	54-55	WEATHER					
4-61-2	DO	S	61-62	A-444-T	1-36	DO	P	36-37	A-108-L	02-57	DO	S	57-58	A0207 M					
3-48	THIRD DECK	S	48-49	309-L	1-48	DO	P	48-49	A-109-L	02-62	DO	P	62-63	A-0206 L					
3-40	DO	P	40-41	A-308-L	1-61	DO	S	61-62	A-111-L	02-63	DO	S	63-64	A-0206 L					
3-66-1	DO	S	66-67	A-312-E	1-63	DO	P	63-64	A-111-L	02-82	DO	S	82-83	B-0203 TL					
3-66-2	DO	P	66-67	A-312-E	1-79	DO	P	79-80	B-102-L	02-83	DO	P	83-84	BOAT RECESS					
3-79-1	DO	S	79-80	B-1	1-113	DO	P	113-114	B-112-L	02-95	DO	P	95-96	DO.					
3-79-2	DO	P	79-80	B-306-T	1-124	DO	P	124-125	B-114-L	02-112-1	DO	S	112-113	B-0209-L					
3-89	DO	S	89-90	B-3	1-144-2	DO	P	144-145	C-104-TL	02-112-2	DO	P	112-113	BOAT RECESS					
3-93	DO	P	93	B-324-T	1-144-1	DO	S	144-145	C-103 TL	02-124	DO	S	124-125	B0212 L					
3-105	DO	S	105-106	B-9	1-159	DO	P	159-160	C-110-L	02-126	DO	P	126-127	BOAT R.					
3-121	DO	P	121	C-322-T	1-162	DO	S	162-163	C101 ML	02-134-1	DO	S	134-135	B0219 M					
3-133	DO	S	133-134	D-301-A	1-170	DO	P	170-171	C110 L	02-134-2	DO	P	134-135	BOAT RECESS					
3-137	DO	P	137-138	D-301-A	1-171	DO	S	171-172	C107 L	02-142	DO	P	142-143	DO					
3-143-2	DO	P	143-144	D-301-A	1-186	DO	S	186-187	D-103-E	02-144	DO	S	144-145	DO					
3-143-1	DO	S	143-144	D-301-A	1-187-1	DO	P	187-188	D-102-E	02-158	DO	S	158-159	C0205 T					
3-160-2	DO	P	160-161	D-322-A	1-187-2	DO	P	187-188	B-201	02-159	DO	P	159-160	C0206 T					
3-160-1	DO	S	160-161	D-322-A	1-201	DO	P	201-202	D-108-T	02-168	DO	S	168-169	WEATHER					
3-170	DO	P	170-171	D-322-A	01-26	UPPER HALF	S	26-27	A-0111-L	02-172	DO	P	172-173	DO.					
3-173	DO	S	173-174	D-340-E	01-37	DO	P	37-38	A-0112-L	02-186	DO	P	186-187	DO					
3-176	DO.	P	176-177	D-340-E	01-47	DO	P	47-48	A-0113-L	02-187	DO	S	187-188	D0201-L					
2-37	SECOND DECK	P	37-38	A-207-L	01-63-1	DO	S	63-64	A-0115 TL	02-194	DO	S	193-194	WEATHER					
2-49	DO.	S	49-50	A-210-L	01-63-2	DO	P	63-64	A-0115-TL	02-203	DO	P	203-204	D0202-L					

RECAPITULATION OF FIRE PLUGS

HOLD	17
FIRST PLATFORM	4
THIRD DECK	19
SECOND DECK	21
MIDDLE HALF DECK	18
UPPER HALF DECK	17
MAIN DECK	30
FLYING DECK	6
TOTAL	132

U.S.S. LEXINGTON
GENERAL INFORMATION

U. S. S. LEXINGTON
OUTBOARD PROFILE POR
SCALE: $\frac{1}{16}$" = 1'-0"

U.S.S. LEXINGTON
OUTBOARD PROFILE STARBOARD
SCALE : $\frac{1}{16}$" = 1'-0"

U.S.S. LEXINGTON
INBOARD PROFILE
SCALE: 1/16" = 1'-0"



A.A. MACH. GUN & SEARCH LIGHT PLATFORM



5" FIRING CONTROL STATION

FLYING OFF DECK STATION № 4



TOP OF 8" FIRING CONTROL STATION



SECONDARY CONNING STATION



8" FIRING CONTROL STATION



SALUTING GUN PLATFORM



TOP OF DECK HOUSE



NAVIGATING BRIDGE

RADIO
COMPASS STATION
UNDER FORD 8" CONTROL STA.



COMMUNICATION PLATFORM



SEARCHLIGHT PLATFORM



METEOROLOGICAL PLAT.



FLAG PLOTTING STATION
TOP OF PILOT HOUSE



LOWER TOP
FORWARD 8" FIRE CONTROL STATION



TOP OF LOWER TOP



UPPER TOP
FORWARD 5" FIRE CONTROL STATION

U.S.S. LEXINGTON
BRIDGE DECKS
SCALE: $\frac{1}{16}$" = 1'-0"

U. S. S. LEXINGTON
FLIGHT DECK
SCALE: $\frac{1}{16}'' = 1'-0''$

U.S.S. LEXINGTON
MAIN DECK
SCALE: 1/16" = 1'-0"

U. S. S. LEXINGTON
UPPER HALF DECK

SCALE: $\frac{1}{16}$" = 1'-0"

U.S.S. LEXINGTON
MIDDLE HALF DECK
SCALE: $\frac{1}{16}$" = 1'-0"