
## **ORGANIZACIÓN DE CARPETAS**



## **RELOG.PHP**

```
reloj.php

1 <?php
2
3 date_default_timezone_set('America/Bogota');
4 echo date('H:i:s');
5 ?>
6
```

#### **INDEX.HTML**

```
index.html
<!DOCTYPE html>
<html lang="en">
  <meta charset="UTF-8" />
  <meta name="viewport" content="width=device-width, initial-scale=1.0"/>
  <title>Reloj Digital</title>
  <link href="https://fonts.googleapis.com/css2?family=0rbitron:wght@500&display=s)</pre>
      margin: 0;
      height: 100vh;
      display: flex;
      justify-content: center;
      align-items: center;
      background: linear-gradient(135deg, #0f2027, #203a43, #2c5364);
      font-family: 'Orbitron', sans-serif;
    .clock {
      color: #00ffe7;
      text-shadow: 0 0 20px rgba(0, 255, 231, 0.7), 0 0 40px rgba(0, 255, 231, 0.5
      transition: all 0.3s ease;
      padding: 20px 40px;
      border: 3px solid #00ffe7;
      border-radius: 15px;
      background-color: rgba(0, 0, 0, 0.3);
  <div class="clock" id="clock">Cargando...</div>
 <script>
```

## **DOCKER-COMPOSE.YML**

```
docker-compose.yml
version: '3.8'
services:
 web:
    image: nginx:latest
    ports:
      - "8080:80"
    volumes:
      - ./web:/usr/share/nginx/html
      - ./nginx.conf:/etc/nginx/conf.d/default.conf
    depends on:
      - php
  php:
   build:
      context: .
      dockerfile: Dockerfile
    volumes:
      - ./web:/usr/share/nginx/html
    depends_on:
      - db
  db:
    image: mysql:5.7
    restart: always
    environment:
      MYSQL ROOT PASSWORD: root
      MYSQL DATABASE: reloj db
      MYSQL_USER: user
      MYSQL_PASSWORD: password
    ports:
      - "3306:3306"
    volumes:
```

## **NGINX.CONF**

```
X
   nginx.conf
listen 80;
server_name localhost;
root /usr/share/nginx/html;
index index.php index.html;
location / {
   try files $uri $uri/ =404;
location ~ \.php$ {
    include fastcgi_params;
    fastogi pass php:9000;
    fastcgi_index index.php;
    fastcgi_param SCRIPT_FILENAME $document_root$fastcgi_script_name;
```

#### COMANDO docker-compose up -d PARA LEVANTAS LOS CONTENEDORES

```
PS C:\mis_contenedores\kevin> docker-compose up -d
docker-compose : time="2025-05-03100:54:09-05:00" level=warning msg="C:\mis_contenedores\kevin\\docker-compose.yml: the attribute
version is obsolete, it will be ignored, please remove it to avoid potential confusion"
En linea: 1 Carácter: 1
+ docker-compose up -d
+ CategoryInfo : NotSpecified: (time="2025-05-0...tial confusion":String) [], RemoteException
+ FullyQualifiedErrorId: NativeCommandError

web Pulling
db Pulling
db Pulling
web Pulled
db Pulled
compose now can delegate build to bake for better performances
Just set COMPOSE_BAKE=true
#D building with "desktop-linux" instance using docker driver
#1 [php internal] load build definition from Dockerfile
#1 transferring dockerfile: 92B 0.1s done
#1 DONE 0.2s

#2 [php internal] load metadata for docker.io/library/php:8.1-fpm
#2 DONE 0.1s

#3 [php internal] load dockerignore
#3 transferring context: 0.0s
#3 Transferring context: 2b 0.0s done
#3 DONE 0.1s


#4 [php 1/2] FROM docker.io/library/php:8.1-fpm@sha256:9711445cf92fbdeb42c4396ce4ad40Sead54f38ff876d1093ec0abad98c75a16
#4 resolve docker.io/library/php:8.1-fpm@sha256:9711445cf92fbdeb42c4396ce4ad40Sead54f38ff876d1093ec0abad98c75a16
#4 [php 1/2] FROM docker.io/library/php:8.1-fpm@sha256:9711445cf92fbdeb42c4396ce4ad40Sead54f38ff876d1093ec0abad98c75a16
#4 [php 1/2] FROM docker.io/library/php:8.1-fpm@sha256:9711445cf92fbdeb42c4396ce4ad40Sead54f38ff876d1093ec0abad98c75a16
#4 [php 1/2] FROM docker.io/library/php:8.1-fpm@sha256:9711445cf92fbdeb42c4396ce4ad40Sead54f38ff876d1093ec0abad98c75a16
#5 [php auth] library/php:pull token for registry-1.docker.io
#5 DONE 0.0s
```

## Docker ps

```
PS C:\mis_contenedores\kevin>
PORTS
NAMES

NA
```

# Resultado



## Ver\_horas.php

#### **Dockerfile**

```
nginx.conf ver_horas.php

FROM php:8.1-fpm

RUN docker-php-ext-install mysqli
```

# init\_db.sql

```
nginx.conf ver_horas.php init_db.sql

CREATE TABLE IF NOT EXISTS horas (

id INT AUTO_INCREMENT PRIMARY KEY,

hora TIME NOT NULL, fecha DATE NOT NULL

i);
```

## Docker-compose-yml

```
docker
version: '3.8'
services:
 web:
    image: nginx:latest
    ports:
      - "8080:80"
    volumes:
      - ./web:/usr/share/nginx/html
      - ./nginx.conf:/etc/nginx/conf.d/default.conf
    depends on:
      - php
  php:
    build:
      context: .
      dockerfile: Dockerfile
    volumes:
      - ./web:/usr/share/nginx/html
    depends_on:
      - db
  db:
    image: mysql:5.7
    restart: always
    environment:
      MYSQL ROOT PASSWORD: root
      MYSQL_DATABASE: reloj_db
      MYSQL USER: user
      MYSQL PASSWORD: password
    ports:
      - "3306:3306"
```

## test\_db.php

```
test_db.php
    date default timezone set('America/Bogota');
     $db = 'reloj_db';
     $pass = 'password';
     $conn = new mysqli($host, $user, $pass, $db);
     if ($conn->connect error) {
        die("Error de conexión: " . $conn->connect_error);
    $stmt = $conn->prepare("INSERT INTO horas (hora, fecha) VALUES (?, ?)");
$\stmt->\text{bind_param("ss", $hora, $fecha);}
    $stmt->execute();
    $stmt->close();
    echo $hora;
    $conn->close();
```

#### Subjendo los contenedores

```
PS C:\mis_contenedores\appwebdocker> docker-compose up --build -d
time="2025-04-05T14:11:33-05:00" level=warning msg="C:\\mis_contenedores\\docker-compose.yml: the attribute
`version` is obsolete, it will be ignored, please remove it to avoid potential confusion"
  √web Pulled

✓db Pulled

√ 1c56c3d4ce74 Pull complete

√43d05e938198 Pull complete

√064b2d298fba Pull complete

√20e4dcae4c69 Pull complete

    ✓ae71319cb779 Pull complete

√90986bb8de6e Pull complete

    √6b95a940e7b6 Pull complete
    √ffc89e9dfd88 Pull complete

√e9f03a1c24ce Pull complete

    √68c3898c2015 Pull complete

√df9a4d85569b Pull complete

 compose now can delegate build to bake for better performances
Just set COMPOSE_BAKE=true
[+] Building 27.5s (8/8) FINISHED
=> [php internal] load build definition from Dockerfile
                                                                                                                     docker:desktop-linux
     [php internal] load metadata for docker.io/library/php:8.1-fpm
[php internal] load .dockerignore
     > transferring context: 2B [php 1/2] FROM docker.io/library/php:8.1-fpm@sha256:9711445cf92fbdeb42c4396ce4ad405ead54f38ff876
                                                                                                                                           0.0s
     => resolve docker.io/library/php:8.1-fpm@sha256:9711445cf92fbdeb42c4396ce4ad405ead54f38ff876d109 [php auth] library/php:pull token for registry-1.docker.io
                                                                                                                                          0.05
 => => naming to docker.io/library/mis_contenedores-php:latest
=> => unpacking to docker.io/library/mis_contenedores-php:latest
    [php] resolving provenance for metadata file

√php


 ✓ Network mis_contenedores_default
 Volume "mis_contenedores_db_data"
Container mis_contenedores-db-1


✓ Container mis_contenedores-php-1

✓ Container mis_contenedores-web-1

 S C:\mis_contenedores\appwebdocker> 🕳
```

# Verificar los resultados





00:58:35

