


🚩 Flag 0 — Create Your Feature Branch

Objective: Create a new feature branch before adding multiple screens.

Create:

feature/multi-screen-navigation

Screenshot:



```
Counting objects: 100% (5/5), done.
Delta compression using up to 12 threads
Compressing objects: 100% (3/3), done.
Writing objects: 100% (3/3), 72.32 KiB | 3.44 MiB/s, done.
Total 3 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
To https://github.com/Kebs-deck/IT314AB_Villacorte.git
   b763d57..8d1c846  feature/conditional-ui -> feature/conditional-ui
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git branch
* feature/conditional-ui
  feature/exam
  feature/student-interactions
  feature/student-list
  main
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git branch feature/multi-screen-navigation
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git branch
* feature/conditional-ui
  feature/exam
  feature/multi-screen-navigation
  feature/student-interactions
  feature/student-list
  main
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git switch feature/multi-screen-navigation
Switched to branch 'feature/multi-screen-navigation'
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git branch
  feature/conditional-ui
  feature/exam
* feature/multi-screen-navigation
  feature/student-interactions
  feature/student-list
```

- Terminal showing your current branch

🚩 Flag 1 — Create the Student List Screen

Objective: Move your Student Directory into its own screen.


Create a dedicated **Student List Screen** containing your existing student list.

Research how Flutter creates separate screens using **Widget** classes.

Test

The Student Directory should function as its own screen.

Screenshot:



- Student List Screen

```

child: Padding(
  padding: const EdgeInsets.all(20.0),
  child: Column(
    children: [
      const Text(
        'Student Directory',
        style: TextStyle(
          fontSize: 22,
          fontWeight: FontWeight.bold,
          color: Color.fromARGB(255, 152, 0, 169),
        ), // TextStyle
      ), // Text

      const SizedBox(height: 10),

      const Text(
        'View the list of students.',
        style: TextStyle(
          fontSize: 16,
        ), // TextStyle
      ), // Text

      const SizedBox(height: 15),

      ElevatedButton.icon(
        onPressed: () {
          Navigator.push(
            context,
            MaterialPageRoute(
              builder: (context) {
                return const StudentListScreen();
              },
            ), // MaterialPageRoute
          );
        },
      ),
    ],
  ),
);

```

```

icon: const Icon(
  Icons.people,
), // Icon
label: const Text(
  'Open Student List',
), // Text
style: ElevatedButton.styleFrom(
  side: const BorderSide(
    color: Color.fromARGB(255, 152, 0, 169),
    width: 2,
  ), // BorderSide
),

```

- Student List screen code
- Application showing the screen

🚩 Flag 2 — Create the Student Details Screen

Objective: Create a separate screen for viewing a student's information.

When a student is selected, navigate:

Student List → Student Details

Research Flutter's **Navigator** and how to move between screens.

Test

1. Select a student.
2. Open the Student Details Screen. (No data displayed yet)
3. Return to the Student List using back navigation.

Screenshot:



Recmar Atis

BSMT

Playing Basketball

Active

Year Level: 2

Age: 24

Student ID: 123001

Email: recmargahi@gmail.com

Favorite Subject: Mathematics

♡ Favorite

✎ Edit

🗑 Delete

- Student List Screen



Student Details Screen

Student Details

- Student Details Screen

```

child: GestureDetector(
  onTap: () {
    Navigator.push(
      context,
      MaterialPageRoute(
        builder: (context) {
          return const StudentDetailsScreen();
        },
      ), // MaterialPageRoute
    );
  },
)

```

- Navigation code

🚩 Flag 3 — Pass Student Data

Objective: Pass the selected student's data to the Student Details Screen.

The Details Screen should display the correct information for the selected student.

Display relevant information such as:

- Name
- Student ID
- Course
- Status
- Other existing student data

Research how data can be passed between Flutter screens.

Test

Selecting different students should display their corresponding information.

Student A → Student A's Details

Student B → Student B's Details

Screenshot:



- Selected student
- Student Details

```
Navigator.push(  
  context,  
  MaterialPageRoute(  
    builder: (context) {  
      return StudentDetailsScreen(  
        friend: friends[index],  
      ); // StudentDetailsScreen  
    },  
  ), // MaterialPageRoute
```

- Data-passing code

🚩 Flag 4 — Edit with a Modal

Objective: Allow administrators to edit student information without creating another screen.

Add an **Edit** action to the Student Details Screen.

When selected, display an editing interface using a **modal**, such as a dialog or bottom sheet.

Research Flutter's:


- `showDialog`
- `showModalBottomSheet`

You may choose whichever approach is appropriate for your design.

Test

1. Open Student Details.
2. Select Edit.
3. An editing modal should appear.
4. The modal should display the appropriate student's information.
5. Close or submit the modal.

Screenshot:



Recmar Atis

Student ID: 123001

Course: BSMT

Status: Active

Year Level: 2

Age: 24

Hobby: Playing Basketball

Email: recmargahi@gmail.com

Favorite Subject: Mathematics

 Edit

- Student Details Screen

← Student Details Screen



Edit Student

Name

Recmar Atis

Course

BSMT

Student ID

123001

Close

Email: recmargahi@gmail.com

Favorite Subject: Mathematics

 Edit

- Edit modal

```

ElevatedButton.icon(
  onPressed: () {
    showDialog(
      context: context,
      builder: (context) {
        return AlertDialog(
          title: const Text(
            'Edit Student',
          ), // Text
          content: Column(
            mainAxisAlignment: MainAxisAlignment.min,
            children: [
              TextField(
                decoration: const InputDecoration(
                  labelText: 'Name',
                ), // InputDecoration
                controller: TextEditingController(
                  text: friend.name,
                ), // TextEditingController

```

- Modal code

🚩 Flag 5 — Create the Add Student Screen

Objective: Create a separate screen for adding a new student.

Add an action from the Student List that navigates to:

Student List → Add Student

Create the **Add Student Screen**.

For now, focus on creating the screen and navigation structure.

Test

Selecting Add Student should open the Add Student Screen.

Screenshot:



Student List Screen

+ Add Student



Recmar Atis

BSMT

Playing Basketball

Active

Year Level: 2

Age: 24

Student ID: 123001

Email: recmargahi@gmail.com

Favorite Subject: Mathematics



Favorite



Edit



Delete

- Student List with Add action



Add Student Screen



Add Student

Input for students data

Student input fields

- Add Student Screen

```
child: ElevatedButton.icon(
  onPressed: () {
    Navigator.push(
      context,
      MaterialPageRoute(
        builder: (context) {
          return const AddStudentScreen();
        },
      ), // MaterialPageRoute
    );
  },
  icon: const Icon(
    Icons.person_add,
  ), // Icon
  label: const Text(
    'Add Student',
  ), // Text
  style: ElevatedButton.styleFrom(
    side: const BorderSide(
      color: Color.fromARGB(255, 152, 0, 169),
      width: 2,
    ), // BorderSide
  ),
);
```

- Navigation code

🚩 Flag 6 — Prepare the Add Student Screen

Objective: Prepare the Add Student Screen for future functionality.


Organize the screen so it is ready to receive student input.

Do not implement the student input fields yet.

The screen should simply exist as a separate destination.

Your application should now have:

Student List



Test

You should be able to navigate between the appropriate screens without placing everything on one screen.

Screenshot:



Student List Screen

Year Level: 2

Age: 24

Student ID: 123001

Email: recmargahi@gmail.com

Favorite Subject: Mathematics



Favorite



Edit



Delete



Larfie Atis

BSMARE

Playing Basketball

Active

Year Level: 3

Age: 21

- Student List



Student Details Screen



Larfie Atis

Student ID: 123002

Course: BSMARe

Status: Active

Year Level: 3

Age: 21

Hobby: Playing Basketball

Email: larfiethefluff@gmail.com

Favorite Subject: Science



Edit

- Student Details



Student Details Screen



Edit Student

Name

Larfie Atis

Course

BSMARE

Student ID

123002

Close


Email: larfiethefluff@gmail.com

Favorite Subject: Science



Edit

- Edit Modal



- Add Student Screen

🚩 Flag 7 — Connect the Routes

Objective: Organize the application's screens using Flutter routes.

Create routes for the major screens:

/student-list
/student-details
/add-student

Research:

- Named routes
- `Navigator.pushNamed`
- Passing arguments through routes

The **Edit Modal** should not be a route.

Test

Verify that:

- Student List opens correctly.
- Student Details opens correctly.
- The correct student data is passed.
- Add Student opens correctly.
- Edit opens as a modal from Student Details.

Screenshot:

```
routes: {
  '/student-list': (context) {
    return const StudentListScreen();
  },
  '/student-details': (context) {
    final friend =
      ModalRoute.of(context)?.settings.arguments as Friend;

    return StudentDetailsScreen(
      friend: friend,
    ); // StudentDetailsScreen
  },
  '/add-student': (context) {
    return const AddStudentScreen();
  },
},
```

- Route configuration

```
ElevatedButton.icon(
  onPressed: () {
    Navigator.pushNamed(
      context,
      '/student-list',
    );
  },
```

- Navigation using routes

```
class StudentDetailsScreen extends StatelessWidget {
  const StudentDetailsScreen({
    super.key,
    required this.friend,
  });

  final Friend friend;
```

```

Text(
  friend.name,
  style: const TextStyle(
    fontSize: 26,
    fontWeight: FontWeight.bold,
  ), // TextStyle
  textAlign: TextAlign.center,
), // Text

const SizedBox(height: 15),

Text(
  'Student ID: ${friend.studentId}',
  style: const TextStyle(
    fontSize: 18,
  ), // TextStyle
), // Text

const SizedBox(height: 10),


Text(
  'Course: ${friend.course}',
  style: const TextStyle(
    fontSize: 18,
  ), // TextStyle
), // Text

const SizedBox(height: 10),

if (friend.active)
  const Text(
    'Status: Active',
    style: TextStyle(
      color: Colors.green,
      fontWeight: FontWeight.bold,
      fontSize: 18,
    ), // TextStyle
  ),

```

- Student Details receiving student data

A screenshot of a modal form titled "Edit Student". The form has a light purple background and rounded corners. It contains three input fields, each with a label and a value: "Name" with "Recmar Atis", "Course" with "BSMT", and "Student ID" with "123001". Each input field is followed by a horizontal line. A "Close" button is located at the bottom right of the modal.

Edit Student

Name
Recmar Atis

Course
BSMT

Student ID
123001

Close

- Edit modal

🚩 Flag 8 — Save Your Progress

Objective: Commit and push your completed Multi-Screen Student Directory.

Use a proper Git commit message.

Branch:

`feature/multi-screen-navigation`

Screenshot:

```
Windows PowerShell
Capture The Flag 7_multi-screen-navigation.pdf

nothing added to commit but untracked files present (use "git add" to track)
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git branch
  feature/conditional-ui
  feature/exam
* feature/multi-screen-navigation
  feature/student-interactions
  feature/student-list
  main
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git add .
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git commit -m "feat: multi-screen-navigation pdf"
[feature/multi-screen-navigation f0ebc78] feat: multi-screen-navigation pdf
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 Capture The Flag 7_multi-screen-navigation.pdf
PS C:\Users\kevin\IT314\IT314AB_Villacorte> git push origin feature/multi-screen-navigation
Enumerating objects: 6, done.
Counting objects: 100% (6/6), done.
Delta compression using up to 12 threads
Compressing objects: 100% (5/5), done.
Writing objects: 100% (5/5), 715.38 KiB | 15.22 MiB/s, done.
Total 5 (delta 2), reused 0 (delta 0), pack-reused 0 (from 0)
remote: Resolving deltas: 100% (2/2), completed with 1 local object.
remote:
remote: Create a pull request for 'feature/multi-screen-navigation' on GitHub by visiting:
remote:   https://github.com/Kebs-deck/IT314AB_Villacorte/pull/new/feature/multi-screen-navigation
remote:
To https://github.com/Kebs-deck/IT314AB_Villacorte.git
 * [new branch]      feature/multi-screen-navigation -> feature/multi-screen-navigation
PS C:\Users\kevin\IT314\IT314AB_Villacorte> |
```

- Successful commit
- Current branch
- Terminal showing the commit