
NPC:
Caching
CONV
Input
Think
Output
Update State
Extract Relevant Info
To DB
Conv limit → Min Max
Game end
Main:
User
Offices
Caching
CONV
Intern
Search
DB
DB
10k
R
t

Lie → State → Summary → Was it a lie → Does player know

Yes → Coverup

No → Continue

State : messages : list
personality : str
running Summ : str
Last message : int
Sus score : str
mental state : dict
lies told : str
secrets : list
other npcs



Agents

1. Officer
2. 3 NPCs



Object DB

Officer

class off

Routing → Conv

Search → Q

RAG

Regulation

1) NPC conv limit
2) Relevant Ques
3)

Agentic

NPC

class NPC

State : messages : list
personality — : str
running Summ : str
Last message : str
Sus score * : int
mental state : str
lies told — : dict
secrets — : str
others npcs : list

is_llm-exceeded — bool

DB

1) NPC data

personality — : str
running Summ : str
Last message : str
Sus score * : int
mental state : str
lies told — : dict
secrets — : str

2)

Arjun

Action

- 42
- Nationalist
- Sns of Bell & Graves.
- Poison Book

Evidence:

- Belongings

Motive

Grf

Bell

A ~~Crime~~

- False res
- Smuggling
- Actotine trial
- Funding

Evidences

- Posts
- Storage
- Ledger

Motive

RS

Graves

A ~~Crime~~

- Money launder
- Murder
- Cap

Evidence

- Ledgers
- Belongings.

Mot

$