Appendix A · Reference card

The codes and terms used in the brief, the template and the trust map. The Blueprint Template holds the step-by-step guidance for each artefact. Appendix C shows what good work looks like — by band, by contrast and as a self-check.

Glossary

Term	Meaning
A · H+A · H	In A1 these say who acts: the agent alone, an agent with a human, or a human only. In A2 and A3 they say who is allowed to decide: A, the agent decides alone within a threshold; H+A, the agent proposes and a named human approves; H, a human decides and the agent never does.
The 5 systems	Record, Context, Insight, Agency and Engagement. Tag every step of your loop to one. The Week 7 lecture deck's five swap Record for a “system of work” (out-of-the-box workflows); use the workshop's five here.
Context test	You don't have a data problem; you have a context problem. Context is data that is connected (linked to the right customer and to the other sources), timely (current enough for the decision), governed (someone owns it and controls access) and understood (its fields mean the same thing to people and agents).
Problem statement	Who is affected, what goes wrong, what it costs — estimated, with the arithmetic shown — and what a resolved outcome looks like.
Assumptions log	One line per assumption: what you assumed, why it is reasonable, and how you would check it. It sits in A1.
Value and threshold	You decide what Value means in your process and set the approval threshold, with a one-line reason. Anything above it goes to a named approver, and that check lives in a rule or workflow step, never in the agent's instructions.
Exception path	What the process does when the main path cannot carry on. You need at least three: missing or conflicting data, a rule that says H, and a person who does not respond in time.
Memory	Retrieval, episodic or in-context (Week 8). Say what the agent keeps between runs, for how long and who can see it; episodic memory raises retention and compliance questions.
Observability and kill switch	What is logged about an agent's behaviour, who watches it, and who can stop it. An agent that runs on its own needs both (Week 8).
Trust boundary	A dashed line around what your organisation controls. Every arrow that crosses it needs a check.
Hotspot · S, D, C, P	A step where trust can fail, labelled by the question that fails there; ask all four at every step. S · See: who, or which agent, can see this data? (Data reaches someone whose role does not entitle them to it.) D · Decide: who makes the call, and can they be fooled? (A spoofed or injected instruction talks the agent into an action.) C · Change: who can alter the rules, the data or the agent? (An update quietly changes what the agent does.) P · Prove: what record shows what happened, and does anyone read it? (Nobody can say which records were exposed.)

Term	Meaning
Guardrail	A control on a hotspot, recorded with its layer, owner, human role and the evidence it leaves.
Owner · P, O, P+O	No scenario is solved in one layer. P if the platform already provides the control and you switch it on; O if your organisation must design, run and review it; P+O if both. The platform covers most of L2, L3 and L5, so L1 and L4 are yours to design.
Never alone	The one decision your agent must never make without a human (Weeks 9 and 10).
Known gap	The risk your design still leaves open — said honestly, not “no risk left” — and what, if anything, catches it.
At scale	Volume up ten times: the guardrail that breaks first — usually the one that needs a person to look at everything — and how you would move it from H to H+A without losing the control.
Deep dive	The full guardrail design for your top-scoring hotspot: every control on it, at least two layers, the escalation path, and the evidence each control leaves.
Tabletop test	Walking five test cases your team writes through your design on paper, with predictions written first.
Instructing note	A note or message, written into a test case, that tries to tell the agent what to do. Notes are data, never instructions.
Autonomy ladder	Shadow: the agent drafts; a human does and decides everything (H). Supervised: the agent proposes; a named human approves every action (H+A). Guided: the agent acts alone within thresholds; humans review the exceptions and a sample (A within thresholds, H+A above). Autonomous: the agent acts alone and is audited afterwards (A).
Readiness level	Your organisation's score on the Week 10 readiness check: 11 questions across data, actionability, security and strategy, each scored 1 to 4 (the question table is in the Blueprint Template, A5). The levels are at the end of this appendix.
Kill criteria	Set before launch: what you would have to see to stop.

Security layers, L1 to L5

Layer	Covers
L1 Guardrails	Limits built in and enforced at runtime: preventive at build time, enforced while the agent acts, refined from live use.
L2 Trust layer	Permission-aware retrieval · grounding to only what the task needs · prompt-injection defence · output screening · feedback · audit trail.
L3 Model ecosystem	Approved models and plug-ins only, vetted before they run · zero data retention.
L4 Responsible AI	Safety and red-team testing · human review of what matters · policies, named owners and reviews.

Layer	Covers
L5 Infrastructure & identity	Encryption in transit and at rest · data residency · zero trust · keys and log-ins.

The 10/10 checklist from Week 10 — wording adapted for a written pack

Part	Tick 1	Tick 2
01 Breach & owner	The victim's own words at the top	One named business role as owner — not “IT” or “the team”
02 Path & decision rights	The full path, from trigger to telling the customer	Every step tagged A, H+A or H
03 Boundary & hotspots	Trust boundary drawn; every crossing checked	At least three hotspots, each labelled S, D, C or P
04 Guardrails	Each hotspot: control, layer, owner, human role, evidence	At least two security layers used across the board
05 Red-team & honesty	“Never alone”, “Known gap” and “At scale” written down	Ready to trace any attack — on the page: one attack traced from where it enters to where it is stopped, with the record that proves it

Readiness levels (Week 10)

Readiness level	Points	What it allows
1 · Explorer	11–22	Foundational gap: clean up the data and legacy workflows before launching agents.
2 · Enabled	23–32	Ready for a pilot: start with a read-only agent that answers questions but doesn't take actions yet.
3 · Agentic	33–40	High readiness: ready for autonomous action use cases, such as processing refunds.
4 · Autonomous	41–44	Leader: ready for multi-agent orchestration across functions.

Appendix B · Regulation: where to start

Starting points, not a complete list. Check the current text before you rely on any of them.

All industries	What it means for your design
PDPA	Consent, purpose and protection for personal data. A notifiable data breach must be reported to the PDPC within three calendar days of assessing it (Part 6A).

All industries	What it means for your design
IMDA Model AI Governance Framework for Agentic AI	Guidance, not law (January 2026, updated May 2026). Four dimensions: bound the risks upfront, keep humans meaningfully accountable, put technical controls in place, and enable end users to act responsibly.

	Industry	Sector starting point
A	Airlines	Consumer Protection (Fair Trading) Act, which covers unfair practices towards consumers.
B	Retail	PDPA consent and purpose limitation, and the Do Not Call provisions for marketing messages.
C	TeleCom	IMDA codes of practice under the Telecommunications Act, including telecom cybersecurity and infrastructure resilience.
D	Banking	MAS Guidelines on Artificial Intelligence Risk Management (issued 7 October 2026), which build on MAS's FEAT principles.
E	Education	Private Education Act 2009 — administered by the Skills and Workforce Development Agency (SWDA) since 1 July 2026.
F	Consumer Goods	Singapore Food Agency labelling requirements for prepacked food, revised from 30 January 2026.
G	Healthcare	MOH and HSA's AI in Healthcare Guidelines (AIHGle 2.0, March 2026), and the Healthcare Services Act.
H	Utility	Cybersecurity Act duties for critical information infrastructure (energy is a designated sector), and the Energy Market Authority's licence conditions and codes of practice.

Appendix C · What good looks like

Three ways to check your work against Rubric 3 without a model answer to copy: what each band looks like on paper, weak against strong, and a self-check for A2 and A4.

C1 · The bands on paper

Rubric 3's four bands, read for a design project. Scores: Not Yet 1–3 · Developing 4–5 · Proficient 6–8 · Excellent 9–10. The official descriptors are in the course outline, Appendix Rubric 3. A design with nothing in its A column tops out at Proficient in Agentic System Design.

Criterion	Not Yet	Developing	Proficient	Excellent
Problem Framing & Analytical Insight · 20%	The problem is unclear or misunderstood; figures are missing or unsupported; the analysis is not linked to the case.	A1 is there, but the problem statement or baseline is generic, assumptions are thin, and data problems are listed without saying what they mean for the process.	A1 is complete and tied to the scenario: a clear problem statement, estimates with stated assumptions, a data map that names likely problems and admits what does not exist, and root causes linked to the design.	As Proficient, and precisely scoped: the scenario's facts and the team's estimates build a compelling, checkable evidence base, and the analysis reveals a non-obvious pattern or trade-off.
Agentic System Design · 25%	No usable blueprint: agents lack roles, triggers or decision rights, and no case can be walked through it.	A blueprint exists, but agent roles overlap or decision logic has gaps; the walk-throughs break, and the breaks are not fixed.	Distinct agent roles, triggers and decision boundaries; handoffs between agents and to people work; the walk-throughs show multi-step cases handled with reasonable reliability.	Clear autonomy boundaries, fallbacks and human escalation paths; at least one A step decided alone within a threshold, with a tabletop case showing it handled correctly; the walk-throughs show edge cases handled, including the instructing note; an agent could be added or removed without redrawing everything.
Decision Logic & Recommendations · 15%	No thresholds or rollout, or ones that do not follow from the analysis.	Recommendations are generic or only partly supported, or there are gaps between the analysis and the actions — for example, thresholds stated but not located.	Every threshold is numeric, owned and enforced at a named rule or step; each A5 choice traces back to A1–A3 and fits the case.	As Proficient, plus a rollout sequenced by dependency, with its trade-offs named, covering the first win and the move to scale.
Governance, Risk & Responsible AI · 20%	No risks or governance considered; no awareness of organisational, regulatory or ethical constraints.	Some awareness of risk — hotspots without owned guardrails, say — but little depth; responsible AI is mentioned but superficial; regulation is absent or generic.	The four-part trust map across the whole process: every hotspot has an owned, layer-tagged guardrail with a human role and evidence, and oversight of the agents is designed in; organisational readiness and PDPA shape the design; responsible AI is applied, not just stated.	All ten checklist ticks; at least two layers across the board and two on the deep-dive hotspot; audit trails and data sovereignty covered; risk tier and regulation drive a design choice; bias, change management and buy-in addressed; responsible AI built in, not added on.
Communication: Content & Structure · 10%	A reader cannot tell what the process does or why it matters.	The parts are there, but the pack and video jump around and lose the thread.	Pack and video tell one clear story, from the disruption through the design to the value.	A senior stakeholder could follow the what, why and how without help.
Communication: Delivery & Professionalism · 10%	Audio or screen hard to follow; little sign of preparation.	Watchable, but the pacing is uneven or the walk-through is hard to follow.	Clear, well paced and organised: audio clear, screen readable, and it shows preparation and rehearsal.	Polished, confident and engaging, with natural pacing — like a briefing to executives.

C2 · Weak against strong

Each pair shows the difference between a hope and a design. The strong versions are patterns, not answers: write your own from your scenario.

Where	Weak — a hope	Strong — a design
Threshold	The agent will not exceed the limit.	The approval step routes anything above the threshold to a named approver; the agent has no tool to act above it.
Owner	IT owns it, or the team reviews it.	One named business role owns it and reviews a weekly sample — the head of customer care, say.
Estimate	This will save a lot of time.	About 200 cases a week × 15 minutes ≈ 50 hours a week (assumption 3, checked by timing ten cases).
Exception path	If something goes wrong, escalate.	If the record has no contact detail, step 4 stops, logs "no contact" and hands the case to a named role within one working day.
Data map	Customer data: available.	Contact details from the customer profile: likely duplicates and stale emails, so the process checks before sending — it fails "connected".
Test case	A customer complains.	The record the agents would see — two profiles for one person, one with an old email — with the expected decision right and outcome written before the walk.
Evidence	We will monitor the agent.	Every refusal is written to the decision log, and a named role reads a one-in-ten sample each Friday.
Kill criteria	We will stop if it goes badly.	Stop if more than one action in twenty is reversed in a month, or if approvers stop overriding anything at all.

C3 · Self-check before you submit

Tick each line for your own pack. If a line is not true, fix the design, not the wording.

A2 · Process Blueprint	A4 · Tabletop Test
☐ Every main-path step has one lane, one decision right (A, H+A or H) and the record it writes.	☐ Five test cases, written as the records or messages the agents would see, before any walk-through.
☐ Every handoff says what passes across and who receives it.	☐ The mix includes an A, an H+A, an H, a note that tries to instruct the agent, and a data problem.
☐ Three exception paths — missing or conflicting data, a rule that says H, a person who does not respond in time — each ending with a named role or a record.	☐ Each case has its prediction — decision right and outcome — written first.
☐ Every threshold has a number, an owner_role and the rule or step that enforces it — never the agent's instructions.	☐ Each walk-through names who acts, the data read, the rule applied, the decision right and the record written.
☐ Every agent card names its data and tools (least access), its memory, and who watches it and can stop it.	☐ Any case that broke the design shows the change and the second walk, and the result line is filled in.