



CODE

I/O



STDIN

Input for the program (Optional)

Output:

customer_id	customer_name	city
email		
1	Rahul	Bangalore
rahul@gmail.com		
2	Ananya	Chennai
ananya@gmail.com		
3	Arjun	Mumbai
arjun@gmail.com		
4	Priya	Delhi
priya@gmail.com		
5	Sneha	Bangalore
sneha@gmail.com		

product_name	category	price
Laptop	Electronics	55000.0
Smartphone	Electronics	25000.0





CODE

I/O



STDIN

Input for the program (Optional)

Output:

```
| 2 | Ananya | Chennai |
ananya@gmail.com |
| 3 | Arjun | Mumbai |
arjun@gmail.com |
| 4 | Priya | Delhi |
priya@gmail.com |
| 5 | Sneha | Bangalore |
sneha@gmail.com |
```

product_name	category	price
Laptop	Electronics	55000.0
Smartphone	Electronics	25000.0

```
| product_name | total_quantity_sold |
total_revenue |
| Laptop | 2 |
110000.0 |
| Smartphone | 3 | 75000.0 |
| Headphones | 5 | 15000.0 |
| Shoes | 2 | 4000.0 |
| Backpack | 1 | 1500.0 |
```





STDIN

Input for the program (Optional)

Output:

priya@gmail.com			
5	Sneha	Bangalore	
sneha@gmail.com			

product_name	category	price
Laptop	Electronics	55000.0
Smartphone	Electronics	25000.0

product_name	total_quantity_sold	total_revenue
Laptop	2	110000.0
Smartphone	3	75000.0
Headphones	5	15000.0
Shoes	2	4000.0
Backpack	1	1500.0

average_revenue_per_user
41100.0





CODE

I/O



STDIN

Input for the program (Optional)

Output:

product_name	category	price
Laptop	Electronics	55000.0
Smartphone	Electronics	25000.0

product_name	total_quantity_sold	total_revenue
Laptop	2	110000.0
Smartphone	3	75000.0
Headphones	5	15000.0
Shoes	2	4000.0
Backpack	1	1500.0

average_revenue_per_user
41100.0

product_name	price
Laptop	55000.0
Smartphone	25000.0





CODE

I/O



STDIN

Input for the program (Optional)

Output:

average_revenue_per_user
41100.0

product_name	price
Laptop	55000.0
Smartphone	25000.0

customer_name	city	order_id	quantity
Ananya	Chennai	1002	2
Ananya	Chennai	1007	2
Arjun	Mumbai	1003	3
Arjun	Mumbai	1008	1
Priya	Delhi	1005	1
Rahul	Bangalore	1001	1
Rahul	Bangalore	1004	2
Sneha	Bangalore	1006	1





CODE

I/O



STDIN

Input for the program (Optional)

Output:

Priya	Delhi	1005	1
Rahul	Bangalore	1001	1
Rahul	Bangalore	1004	2
Sneha	Bangalore	1006	1
customer_name	city	order_id	quantity
Ananya	Chennai	1002	2
Ananya	Chennai	1007	2
Arjun	Mumbai	1003	3
Arjun	Mumbai	1008	1
Priya	Delhi	1005	1
Rahul	Bangalore	1001	1
Rahul	Bangalore	1004	2
Sneha	Bangalore	1006	1





CODE

I/O



STDIN

Input for the program (Optional)

Output:

Priya	Delhi	1005	1
Rahul	Bangalore	1001	1
Rahul	Bangalore	1004	2
Sneha	Bangalore	1006	1
customer_name	city	product_name	
quantity	price	revenue	
Rahul	Bangalore	Laptop	1
55000.0	55000.0		
Ananya	Chennai	Smartphone	2
25000.0	50000.0		
Arjun	Mumbai	Headphones	3
3000.0	9000.0		
Rahul	Bangalore	Shoes	2
2000.0	4000.0		
Priya	Delhi	Backpack	1
1500.0	1500.0		
Sneha	Bangalore	Smartphone	1
25000.0	25000.0		
Ananya	Chennai	Headphones	2
3000.0	6000.0		
Arjun	Mumbai	Laptop	1
55000.0	55000.0		





CODE

I/O



STDIN

Input for the program (Optional)

Output:

Rahul	Bangalore	1004	2
Sneha	Bangalore	1006	1

customer_name	city	product_name	quantity	price	revenue
Rahul	Bangalore	Laptop	1	55000.0	55000.0
Ananya	Chennai	Smartphone	2	25000.0	50000.0
Arjun	Mumbai	Headphones	3	3000.0	9000.0
Rahul	Bangalore	Shoes	2	2000.0	4000.0
Priya	Delhi	Backpack	1	1500.0	1500.0
Sneha	Bangalore	Smartphone	1	25000.0	25000.0
Ananya	Chennai	Headphones	2	3000.0	6000.0
Arjun	Mumbai	Laptop	1	55000.0	55000.0

QUERY PLAN

```
--SEARCH orders USING INDEX  
idx_orders_customer (customer_id=?)
```

