DBMS

Ex 1 :Creation of table and DML operations

ORACLE Application Express

| Home | Application Builder ▼ | SQL Workshop ▼ | Team Development |

Home > SQL Workshop > **SQL Commands**

☑ Autocommit   Rows   [10 ▼]   🖊 ✎   (Save)   (Run)

```
delete from my_employee
where id = 4 ;
```

Results Explain Describe Saved SQL History

1 row(s) deleted.

0.00 seconds

ORACLE Application Express

| Home | Application Builder ▼ | SQL Workshop ▼ | Team Development ▼ | Administration ▼ |

Home > SQL Workshop > **SQL Commands**

☑ Autocommit   Rows   [10 ▼]   🖊 ✎   (Save) (Run)

```
commit ;
```

Results Explain Describe Saved SQL History

Commit statement not applicable. All statements are automatically committed.

ORACLE® Application Express

| Home | Application Builder ▼ | SQL Workshop ▼ | Team Developme |

Home > SQL Workshop > SQL Commands

☑ Autocommit   Rows [10 ▾] ✎ ✐   (Save) (Run)

```
update my_employee
set last_name = 'Drexler'
where id = 3;
```

Results Explain Describe Saved SQL History

1 row(s) updated.

0.00 seconds

ORACLE® Application Express

| Home | Application Builder ▼ | SQL Workshop ▼ | Team Develop |

Home > SQL Workshop > SQL Commands

☑ Autocommit   Rows [10 ▾] ✎ ✐   (Save) (Run)

```
update my_employee
set salary = 1000
where salary<900;
```

Results Explain Describe Saved SQL History

2 row(s) updated.

0.00 seconds