```
Index.html
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<meta name="viewport" content=width=device-width, initial-scale=1.0">
<title>HTML Project</title>
</head>
<body>
<!--Header(start)-->
<font face="Lucida Bright" size="6" color="yellow">
<b> P.KEERTHANA BCA</b>
</font>
<a href="#home" style="text-decoration:none">
<font face="Brush Script" size="5" color=00FF00>
Home
</font>
</a>
<a href="#about" style="text-decoration:none">
<font face="Brush Script" size="5" color=00FF00>
About
</font>
</a>
1
<a href="#projects" style="text-decoration:none">
<font face="Brush Script" size="5" color=00FF00>
Projects
</font>
</a>
1
<a href="#achievements" style="text-decoration:none">
<font face="Brush Script" size="5" color=00FF00>
Achievements
</font>
```

```
</a>
1
<a href="#contact" style="text-decoration:none">
<font face="Brush Script" size="5" color=00FF00>
Contact
</font>
</a>
<!--Header(end)-->
<!--Home(start)-->
<table id="home" border="0" width="100%"
cellpadding="20" cellspacing="0" bgcolor="F0E68C">
<table border="0" cellpadding="15"
cellspacing="0" width="90%" align="center">
<h3>
<font face="Times New Roman" size="6" color="blue">
<marquee>Hi Visitor! Welcome</marquee>
</font>
</h3>
<h2>
<font face="Brush Script" size="6 color="#4CAF50">
<!-- Freelance Programmer -->
</font>
</h2>
<!--Home(end)-->
<!--About(start)-->
<font face="Brush Script" size="7"color="FF0000">
About Me
</font>
<hr color="FF0000" width="90">
```

```
<img src="img.png">
<font face="Brush Script" size="4"color="800000">
Thanks for your interest, here is a quick story of me and this website.
<hr color="F0E68C">
Sandeep Jain An IIT Roorkee alumnus and founder of P.KEERTHANA BCA He loves to solve programming
problems in most efficient ways. Apart from P.KEERTHANA BCA, She worked with DE Shaw and Co. as a
software developer and JIIT Noida as an assistant professor.
<hr color="F0E68C">
I do my work mainly in C-Language, C++ and JAVA. C++ and Data Structure & Algorithm are my stronger
section. Besides these I know Web Development, LINUX and database as well
<hr color="F0E68C">
This website is basically one of my Web Development project which is built using HTML only. Here one can
also find ideas for projects in different languages. Thanks again for reading this, because of people like ou,
it exists and prospers!
<hr color="F0E68C">
Cheers,
<br>
<b>GeeksForGeeks.</b>
</font>
<hr color="F0E68C">
<hr color="F0E68C">
<hr color="F0E68C">
<!--About(end)-->
<!--Projects(start)-->
<font face="Brush Script" size="7"color="800000">
Projects
</font>
<hr color="800000" width="90">
<font face="Times New Roman" size="5" color="black">
ul>
BMI Calculator
<a href="#" style="text-decoration:none">
\supset
```

```
</a>
<hr color="DDA0DD">
Calculator
<a href="#" style="text-decoration:none"color="#c2c0c3">
\supset
</a>
<hr color="DDA0DD">
Calendar
<a href="#" style="text-decoration:none">
\mathsf{C}
</a>
<hr color="DDA0DD">
ChatBot
<a href="#" style="text-decoration:none">
\supset
</a>
<hr color="DDA0DD">
Contact Saver
<a href="#" style="text-decoration:none">
\supset
</a>
<hr color="DDA0DD">
Daily Quiz
<a href="#" style="text-decoration:none">
\subset
</a>
<hr color="DDA0DD">
Emplyoyee Record System
<a href="#" style="text-decoration:none">
\mathsf{C}
</a>
<hr color="DDA0DD">
Guess the Number-Game
<a href="#" style="text-decoration:none">
\mathsf{C}
</a>
<hr color="DDA0DD">
Random Password Generator
```

```
<a href="#" style="text-decoration:none">
\mathsf{C}
</a>
<hr color="DDA0DD">
Stone Paper Scissor
<a href="#" style="text-decoration:none">
\supset
</a>
<hr color="DDA0DD">
Tic Tac Toe
<a href="#" style="text-decoration:none">
\mathsf{C}
</a>
<hr color="DDA0DD">
Tic Tac Toe(GUI)
<a href="#" style="text-decoration:none">
\supset
</a>
<hr color="DDA0DD">
ToDo App
<a href="#" style="text-decoration:none">
⊃ </a>
<hr color="DDA0DD">
Travel Management System
<a href="#" style="text-decoration:none"> ⊃
</a>
<hr color="DDA0DD">
<hr color="DDA0DD">
<hr color="DDA0DD">
<hr color="DDA0DD">
</font>
<img src="img.png" alt="Project" width="75%">
<!--Projects(end)-->
<!--Achievement(start)-->
```

```
<font face="Brush Script" size="7" color="FF1493">
Achievements
<hr color="FF1493" width="100">
</font>
<font face="Brush Script" size="5" color="DC143C">
ul>
<br/><b>Intern at GeeksforGeeks.</b>
December, 2020 - Present.
Write technical articles on programming related topics.
<hr color="00BFFF">
<hr color="00BFFF">
<hr color="00BFFF">
<b>Microsoft Learn Student Ambassador.</b>
August, 2020 - Present.
Conducted events and workshops on different technologies.
<hr color="00BFFF">
<hr color="00BFFF">
<hr color="00BFFF">
<b>Mentored HackTX.</b>
October,2020.
Selected from Microsoft as Student ambassador where I mentored students in their projects.
<hr color="00BFFF">
```

```
<hr color="00BFFF">
<hr color="00BFFF">
<hr color="00BFFF">
<hr color="00BFFF">
</font>
<!--Achievement(end)-->
<!--Contact(start)-->
<font face="Brush Script" size="7" color="black">
Contact
</font>
<hr color="black" width="90">
<hr color="black">
<font face="Verdana" size="4"color="#ffffff">
Name
</font>
<font face="Verdana" size="4"color="#ffffff">
<input type="text" size="40">
</font>
<font face="Verdana" size="4"color="#ffffff">
Email
</font>
<font face="Verdana" size="4"color="#ffffff">
<input type="email" size="40">
</font>
```

```
<font face="Verdana" size="4"color="#ffffff">
</font>
<font face="Verdana" size="4"color="#ffffff">
<input type="number" size="12">
</font>
<font face="Verdana" size="4"color="#ffffff">
Message
</font>
<font face="Verdana" size="4"color="#ffffff">
<textarea rows="5"
cols="37">
</textarea>
</font>
<buty><button type="Submit"></br>
<font face="Verdana"size="4" color="black">
<b>Submit</b>
</font>
</button>
<hr color="black">
<hr color="black">
<!--Contact(end)-->
<!--Footer1(start)-->
```

```
<b>LinkedIn</b>
<a href="#" style="text-decoration:none">
\supset
</a>
<b>GitHub</b>
<a href="#" style="text-decoration:none">
\supset
</a>
Ι
<b>HackerRank</b>
<a href="#" style="text-decoration:none">
\Box
</a>
<b>GeeksforGeeks</b>
<a href="#" style="text-decoration:none">
\Box
</a>
<b>Twitter</b>
<a href="#" style="text-decoration:none">
\supset
</a>
Τ
<b>Instagram</b>
<a href="#" style="text-decoration:none">
```

 $\supset$ 

```
</a>
<b>Email</b>
<a href="#" style="text-decoration:none">
\Box
</a>
<b>Website</b>
<a href="#" style="text-decoration:none">
\supset
</a>
<!--Footer1(end)-->
<!--Footer2(start)-->
<font face="Verdana"color="#4CAF50" size="5">
©Copyright 2050 by nobody.
All rights reserved.
</font>
<font face="arial" color="black" size="5">
<a href="#header" style="text-decoration:none">
<font face="Verdana" color="#4CAF50" size="6">
<b>TOP</b>
</font>
</a>
</font>
<!--Footer2(end)-->
</body>
</html>
```