

```
const mysql = require("mysql2");

const connection = mysql.createConnection({
    host: "localhost",
    user: "root",
    password: "info123"
});

connection.connect((err) => {
    if (err) {
        console.log(err);
        return;
    }

    console.log("Connected!");

    connection.query("CREATE DATABASE shopping", (err, result) => {
        if (err) throw err;
        console.log("Database Created");
    });
});
```

```
PS C:\Users\keert\shopping> npm install mysql2
PS C:\Users\keert\shopping> node dbshop.js
Connected
Database Created
ResultSetHeader {
  fieldCount: 0,
  affectedRows: 1,
  insertId: 0,
  info: '',
  serverStatus: 2,
  warningStatus: 0,
  changedRows: 0
}
```



```
mysql> CREATE DATABASE shopping
    -> ;
Query OK, 1 row affected (0.04 se

mysql> show databases;
+--------------------+
| Database           |
+--------------------+
| alexa              |
| appon              |
| customers          |
| eastpoint          |
| information_schema |
| mysql              |
| performance_schema |
| shopping           |
| sys                |
+--------------------+
9 rows in set (0.00 sec)
```




```
mysql> use shopping
Database changed
mysql> CREATE TABLE product (
    ->     pname VARCHAR(25),
    ->     category VARCHAR(25),
    ->     price INT
    -> );
Query OK, 0 rows affected (0.06 sec)

mysql> CREATE TABLE customer (
    ->     cname VARCHAR(25),
    ->     address VARCHAR(25)
    -> );
Query OK, 0 rows affected (0.04 sec)
```

```
mysql> show tables;
+----------------------+
| Tables_in_shopping |
+----------------------+
| customer           |
| product            |
+----------------------+
2 rows in set (0.01 sec)

mysql> DESC product;
+----------+-------------+------+-----+---------+-------+
| Field    | Type        | Null | Key | Default | Extra |
+----------+-------------+------+-----+---------+-------+
| pname    | varchar(25) | YES  |     | NULL    |       |
| category | varchar(25) | YES  |     | NULL    |       |
| price    | int         | YES  |     | NULL    |       |
+----------+-------------+------+-----+---------+-------+
3 rows in set (0.02 sec)
```




```
mysql> select * from product;
+---------+----------+-------+
| pname   | category | price |
+---------+----------+-------+
| pizza   | food     |   200 |
| dabeli  | food     |    80 |
| noodles | food     |   300 |
+---------+----------+-------+
3 rows in set (0.00 sec)
```

```
mysql> select * from customer;
+--------+---------+
| cname  | address |
+--------+---------+
| chirag | gujrat  |
| golu   | up      |
| amit   | bihar   |
+--------+---------+
3 rows in set (0.00 sec)

mysql> 
```



```javascript
const mysql = require("mysql2");

var connection = mysql.createConnection({
    host: "localhost",
    user: "root",
    password: "info123",
    database: "shopping2"
});

connection.connect(function (err) {
    connection.query("select * from product", function (err, result, fields) {
        if (err) throw err;
        console.log(result);
    });
});

connection.connect(function (err) {
    connection.query("select * from customer", function (err, result, fields) {
        if (err) throw err;
        console.log(result);
    });
});

module.exports = connection;
```

```
PS C:\Users\keert\shopping> node dbshop.js
[
  { pname: 'pizza', category: 'food', price: 200 },
  { pname: 'dabeli', category: 'food', price: 80 },
  { pname: 'noodles', category: 'food', price: 300 }
]
[
  { cname: 'chirag', address: 'gujrat' },
  { cname: 'golu', address: 'up' },
  { cname: 'amit', address: 'bihar' }
]
```



```javascript
const mysql = require("mysql2");

var connection = mysql.createConnection({
    host: "localhost",
    user: "root",
    password: "info123",
    database: "shopping2"
});

connection.connect(function (err) {
    connection.query(
        "delete from product where price=80",
        function (err, result, fields) {
            if (err) throw err;
            console.log(result);
        }
    );
});

connection.connect(function (err) {
    connection.query(
        "delete from customer where cname='golu'",
        function (err, result, fields) {
            if (err) throw err;
            console.log(result);
        }
    );
});

module.exports = connection;
```

```
PS C:\Users\keert\shopping> node dbshop.js
  affectedRows: 1,
  insertId: 0,
  info: '',
  serverStatus: 34,
```


mysql> select * from customer;
+--------+---------+
| cname | address |
+--------+---------+
| chirag | gujrat |
| amit | bihar |
+--------+---------+
2 rows in set (0.00 sec)
mysql>


index.js
dbshop.js
SHOPPING > dbshop.js > connection.connect() callback > connection.query("select cname from customer") callback
const mysql = require("mysql2");
var connection = mysql.createConnection({
host: "localhost",
user: "root",
password: "info123",
database: "shopping2"
});
connection.connect(function (err) {
connection.query(
"select pname, price from product",
function (err, result, fields) {
if (err) throw err;
console.log(result);
}
);
});
connection.connect(function (err) {
connection.query(
"select cname from customer",
function (err, result, fields) {
if (err) throw err;
console.log(result);
}
);
});
PROBLEMS
OUTPUT
DEBUG CONSOLE
TERMINAL
PORTS
PS C:\Users\keert\shopping> node dbshop.js
Node.js v24.18.0
PS C:\Users\keert\shopping> node dbshop.js
[{ pname: 'pizza', price: 200 }, { pname: 'noodles', price: 300 }]
[{ cname: 'chirag' }, { cname: 'amit' }]