

```
mysql> alter table student add primary key (reg_no);  
Query OK, 0 rows affected (0.05 sec)  
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe student;
```

Field	Type	Null	Key	Default	Extra
reg_no	int	NO	PRI	NULL	
name	varchar(10)	YES		NULL	
gender	varchar(10)	YES		NULL	
dob	int	YES		NULL	
mobile_number	int	YES		NULL	
city	varchar(10)	YES		NULL	

```
6 rows in set (0.00 sec)
```

29°C
Partly cloudy



Search



ENG
US



22:20
27-07-2026

```
mysql> alter table faculty add primary key (fac_no);
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe faculty;
```

Field	Type	Null	Key	Default	Extra
fac_no	int	NO	PRI	NULL	
fac_name	varchar(20)	YES		NULL	
gender	varchar(10)	YES		NULL	
dob	int	YES		NULL	
doj	int	YES		NULL	
mobile_no	int	YES		NULL	
dept	varchar(20)	YES		NULL	

```
7 rows in set (0.00 sec)
```

```
mysql> alter table faculty add constraint chk_gender check(gender in ('male','female'));
Query OK, 0 rows affected (0.06 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe faculty;
```

Field	Type	Null	Key	Default	Extra
fac_no	int	NO	PRI	NULL	
fac_name	varchar(20)	YES		NULL	
gender	varchar(10)	YES		NULL	
dob	int	YES		NULL	
doj	int	YES		NULL	
mobile_no	int	YES		NULL	



```
mysql> alter table department add primary key (dep_no);
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe department;
```

Field	Type	Null	Key	Default	Extra
dep_no	int	NO	PRI	NULL	
dep_name	varchar(20)	YES		NULL	
dep_head	varchar(10)	YES		NULL	

```
3 rows in set (0.00 sec)
```

```
mysql> alter table course add primary key (course_no);
Query OK, 0 rows affected (0.03 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe course;
```

Field	Type	Null	Key	Default	Extra
course_no	int	NO	PRI	NULL	
course_desc	varchar(30)	YES		NULL	
course_type	varchar(10)	YES		NULL	
sem_no	int	YES		NULL	
hall_no	int	YES		NULL	
fac_no	int	YES		NULL	

```
6 rows in set (0.00 sec)
```

```
mysql> alter table course add constraint chk_sem check(sem_no between 1 and 6);
```

```
mysql> alter table course add constraint chk_sem check(sem_no between 1 and 6);
Query OK, 0 rows affected (0.04 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe course;
```

Field	Type	Null	Key	Default	Extra
course_no	int	NO	PRI	NULL	
course_desc	varchar(30)	YES		NULL	
course_type	varchar(10)	YES		NULL	
sem_no	int	YES		NULL	
hall_no	int	YES		NULL	
fac_no	int	YES		NULL	

```
6 rows in set (0.00 sec)
```

```
mysql> alter table student add constraint uq_name unique (name);
Query OK, 0 rows affected (0.38 sec)
Records: 0 Duplicates: 0 Warnings: 0
```

```
mysql> describe student;
```

Field	Type	Null	Key	Default	Extra
reg_no	int	NO	PRI	NULL	
name	varchar(10)	YES	UNI	NULL	
gender	varchar(10)	YES		NULL	
dob	int	YES		NULL	
mobile_number	int	YES		NULL	
city	varchar(10)	YES		NULL	

```
6 rows in set (0.00 sec)
```

