

ubuntu command - Google Sea Instances | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Instances

EC2

Dashboard AWS Global View Events Instances Instances Instance Types Launch Templates Spot Requests Savings Plans Reserved Instances Dedicated Hosts Capacity Reservations

Images AMIs AMI Catalog

Elastic Block Store Volumes

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ Rainy days ahead 34°C

Search

Instances (3) Info

Find Instance by attribute or tag (case-sensitive)

All states ▾

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IP
Keerthi	i-0e030a2fd79d84fcf	Stopped	t3.micro	-	View alarms +	ap-south-1a	-
Devops	i-0ec261b0a7be1639e	Stopped	t3.micro	-	View alarms +	ap-south-1a	-
git	i-0a1dc0075e975a2aa	Stopped	t3.micro	Initializing	View alarms +	ap-south-1a	-

Select an instance

14:09 09-10-2025

ubuntu command - Google Search + Launch an instance | EC2 | ap-south-1

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] | Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

EC2 > Instances > Launch an instance

ⓘ It seems like you may be new to launching instances in EC2. Take a walkthrough to learn about EC2, how to launch instances and about best practices

[Take a walkthrough](#) [Do not show me this message again.](#)

Launch an instance Info

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags Info

Name Add additional tags

Application and OS Images (Amazon Machine Image) Info

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Summary

Number of instances Info

1

Software Image (AMI)
Amazon Linux 2023 AMI 2023.9.2... [read more](#)
ami-0f9708d1cd2cfee41

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

Cancel Launch instance

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Rainy days ahead 34°C

Search

14:09 09-10-2025

ubuntu command - Google Search | Launch an instance | EC2 | ap-south-1 | +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] | Asia Pacific (Mumbai) | Account ID: 2589-9389-4541 | Keerthi

EC2 > Instances > Launch an instance

Create key pair

Key pair name
Key pairs allow you to connect to your instance securely.
 The name can include up to 255 ASCII characters. It can't include leading or trailing spaces.

Key pair type
 RSA RSA encrypted private and public key pair
 ED25519 ED25519 encrypted private and public key pair

Private key file format
 .pem For use with OpenSSH
 .ppk For use with PuTTY

Summary

Number of instances | Info

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd64...read more
ami-02d26659fd82cf299

Virtual server type (instance type)
micro

Network security group
new security group

Storage (volumes)
Volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

When prompted, store the private key in a secure and accessible location on your computer. You will need it later to connect to your instance. [Learn more](#)

[Cancel](#) [Create key pair](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Rainy days ahead 34°C

Cloud Shell Search File Explorer Task View Google Chrome Microsoft Edge Microsoft Word 14:10 09-10-2025

ubuntu command - Google Search | Launch an instance | EC2 | ap-south-1 | +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] | Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

EC2 > Instances > Launch an instance

Success
Successfully initiated launch of instance (i-04903d6f73d732a7c)

▶ [Launch log](#)

Next Steps

What would you like to do next with this instance, for example "create alarm" or "create backup"

1 2 3 4 5 6 >

Create billing usage alerts
To manage costs and avoid surprise bills, set up email notifications for billing usage thresholds.
[Create billing alerts](#)

Connect to your instance
Once your instance is running, log into it from your local computer.
[Connect to instance](#)
[Learn more](#)

Connect an RDS database
Configure the connection between an EC2 instance and a database to allow traffic flow between them.
[Connect an RDS database](#)
[Create a new RDS database](#)
[Learn more](#)

Create EBS snapshot policy
Create a policy that automates the creation, retention, and deletion of EBS snapshots.
[Create EBS snapshot policy](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Rainy days ahead 34°C

Search

14:10 09-10-2025

ubuntu command - Google Search | Launch an instance | EC2 | ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 > Instances > Launch an instance

Launch an instance [Info](#)

Amazon EC2 allows you to create virtual machines, or instances, that run on the AWS Cloud. Quickly get started by following the simple steps below.

Name and tags [Info](#)

Name
slavejenkins [Add additional tags](#)

▼ Application and OS Images (Amazon Machine Image) [Info](#)

An AMI contains the operating system, application server, and applications for your instance. If you don't see a suitable AMI below, use the search field or choose [Browse more AMIs](#).

Search our full catalog including 1000s of application and OS images

Recents Quick Start

Amazon Linux macOS Ubuntu Windows Red Hat SUSE Linux Debian [Browse more AMIs](#)
Including AMIs from AWS, Marketplace and

Summary

Number of instances [Info](#)
1

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd64... [read more](#)
ami-02d26659fd82cf299

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Hot days ahead 34°C ENG IN 14:11 09-10-2025

ubuntu command - Google Search | Launch an instance | EC2 | ap-south-1 | +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#LaunchInstances:

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] | Asia Pacific (Mumbai) | Account ID: 2589-9389-4541 | Keerthi

EC2 > Instances > Launch an instance

t3.micro Free tier eligible

Family: t3 2 vCPU 1 GiB Memory Current generation: true
On-Demand Linux base pricing: 0.0112 USD per Hour On-Demand SUSE base pricing: 0.0112 USD per Hour
On-Demand Windows base pricing: 0.0204 USD per Hour
On-Demand Ubuntu Pro base pricing: 0.0147 USD per Hour On-Demand RHEL base pricing: 0.04 USD per Hour

All generations Compare instance types

Additional costs apply for AMIs with pre-installed software

Key pair (login) Info

You can use a key pair to securely connect to your instance. Ensure that you have access to the selected key pair before you launch the instance.

Key pair name - required

jenkins

Network settings Info

Network Info

vpc-05e9cb097e26538b7

Subnet Info

No preference (Default subnet in any availability zone)

Auto-assign public IP Info

Enable

Summary

Number of instances [Info](#)

1

Software Image (AMI)
Canonical, Ubuntu, 24.04, amd64... [read more](#)
ami-02d26659fd82cf299

Virtual server type (instance type)
t3.micro

Firewall (security group)
New security group

Storage (volumes)
1 volume(s) - 8 GiB

[Cancel](#) [Launch instance](#) [Preview code](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Hot days ahead 34°C

9+ 34°C

Search

14:11 09-10-2025

ubuntu command - Google Search | Connect to instance | EC2 | ap-south-1 | +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ConnectToInstance:instanceId=i-04903d6f73d732a7c

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] | Account ID: 2589-9389-4541 | Keerthi | Asia Pacific (Mumbai)

EC2 > Instances > i-04903d6f73d732a7c > Connect to instance

EC2 Instance Connect | Session Manager | SSH client | EC2 serial console

Instance ID
 i-04903d6f73d732a7c (masterjenkins)

Connection type

Connect using a Public IP
Connect using a public IPv4 or IPv6 address

Connect using a Private IP
Connect using a private IP address and a VPC endpoint

Public IPv4 address
 13.201.224.64

IPv6 address

Username
Enter the username defined in the AMI used to launch the instance. If you didn't define a custom username, use the default username, ubuntu.

ubuntu

Note: In most cases, the default username, ubuntu, is correct. However, read your AMI usage instructions to check if the AMI owner has changed the default AMI username.

[Cancel](#) [Connect](#)

https://ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh?region=ap-south-1&co... | Web Services, Inc. or its affiliates. | Privacy | Terms | Cookie preferences

Hot days ahead 34°C |  Search |      

14:11 | ENG IN | 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 Keerthi Asia Pacific (Mumbai)

```
ubuntu@ip-172-31-13-139:~$ sudo apt update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Get:5 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:6 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe Translation-en [5982 kB]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Components [3871 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 c-n-f Metadata [301 kB]
Get:9 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [269 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse Translation-en [118 kB]
Get:11 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]
Get:12 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 c-n-f Metadata [8328 B]
Get:13 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1490 kB]
Get:14 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [287 kB]
Get:15 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]
Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [15.3 kB]
Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1487 kB]
Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [300 kB]
Get:19 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [377 kB]
Get:20 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [31.1 kB]
Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [2068 kB]
Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [467 kB]
Get:23 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:24 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 c-n-f Metadata [544 B]
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Hot days ahead 34°C ENG IN 14:13 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | [Search](#) [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Get:38 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 c-n-f Metadata [116 B]
Get:39 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212 B]
Get:40 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata [116 B]
Get:41 http://security.ubuntu.com/ubuntu noble-security/main amd64 Packages [1213 kB]
Get:42 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [202 kB]
Get:43 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.5 kB]
Get:44 http://security.ubuntu.com/ubuntu noble-security/main amd64 c-n-f Metadata [8748 B]
Get:45 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [882 kB]
Get:46 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [196 kB]
Get:47 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [52.2 kB]
Get:48 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [18.1 kB]
Get:49 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [1967 kB]
Get:50 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [448 kB]
Get:51 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:52 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 c-n-f Metadata [520 B]
Get:53 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [28.0 kB]
Get:54 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [5844 B]
Get:55 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Get:56 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [384 B]
Fetched 37.9 MB in 6s (6229 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
52 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-13-139:~$
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

[CloudShell](#) [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates.

[Privacy](#) [Terms](#) [Cookie preferences](#)

9+ Hot weather Now



14:13 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆ 🔍 🗃 📁 🖼 :

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Keerthi | Asia Pacific (Mumbai) | ☰

```
Reading state information... Done
52 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-13-139:~$ sudo apt install fontconfig openjdk-21-jre
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
adwaita-icon-theme alsa-topology-conf alsa-ucm-conf at-spi2-common at-spi2-core ca-certificates-java dconf-gsettings-backend dconf-service fontconfig-config
fonts-dejavu-core fonts-dejavu-extra fonts-dejavu-mono gsettings-desktop-schemas gtk-update-icon-cache hicolor-icon-theme humanity-icon-theme java-common
libasound2-data libasound2t64 libatk-bridge2.0-0t64 libatk-wrapper-java libatk-wrapper-jni libatk1.0-0t64 libatspi2.0-0t64 libavahi-client3
libavahi-common-data libavahi-common3 libcairo-gobject2 libcairo2 libcolord2 libcurl2t64 libdatriel libdconf1 libdeflate0 libdrm-amdgpu1 libdrm-intel1 libepoxy0
libfontconfig1 libgbm1 libgdk-pixbuf-2.0-0 libgdk-pixbuf2.0-bin libgdk-pixbuf2.0-common libgif7 libgl1 libgl1-mesa-dri libglvnd0 libglx-mesa0 libglx0
libgraphite2-3 libgtk-3-0t64 libgtk-3-bin libgtk-3-common libharfbuzz0b libice6 libjbig0 libjpeg-turbo8 libjpeg8 liblcms2-2 liblrc4 libllvm20 libpango-1.0-0
libpangocairo-1.0-0 libpangoft2-1.0-0 libpcimacros0 libpcslite1 libpixman-1-0 librsvg2-2 librsvg2-common libsharpypuv0 libsm6 libthai-data libthai0 libtiff6
libvulkan1 libwayland-client0 libwayland-cursor0 libwayland-egl1 libwayland-server0 libwebp7 libx11-xcb1 libxaw7 libxcb-dri3-0 libxcb-glx0 libxcb-present0
libxcb-randr0 libxcb-render0 libxcb-shape0 libxcb-shm0 libxcb-sync1 libxcb-xfixes0 libcomposite1 libcursor1 libxdamage1 libxfixes3 libxf86dga1 libxf86vm1 mesa-libgallium mesa-vulkan-drivers
openjdk-21-jre-headless session-migration ubuntu-mono x11-common x11-utils
Suggested packages:
default-jre alsa-utils libasound2-plugins colord cups-common gvfs liblcms2-utils pscsd librsvg2-bin libnss-mdns fonts-ipafont-gothic fonts-ipafont-mincho
fonts-wqy-microhei | fonts-wqy-zenhei fonts-indic mesa-utils
Recommended packages:
luit
The following NEW packages will be installed:
adwaita-icon-theme alsa-topology-conf alsa-ucm-conf at-spi2-common at-spi2-core ca-certificates-java dconf-gsettings-backend dconf-service fontconfig
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

[CloudShell](#) [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates.

[Privacy](#) [Terms](#) [Cookie preferences](#)

9+ Hot weather Now



14:14 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | [Search](#) [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
libvulkan1 libwayland-client0 libwayland-cursor0 libwayland-egl1 libwayland-server0 libwebp7 libx11-xcb1 libxaw7 libxcb-dri3-0 libxcb-glx0 libxcb-present0 libxcb-randr0 libxcb-render0 libxcb-shape0 libxcb-shm0 libxcb-sync1 libxcb-xfixes0 libcomposite1 libcursor1 libxdamage1 libxfixes3 libxft2 libxi6 libxinerama1 libxkbfile1 libxmu6 libxpm4 libxrandr2 libxrender1 libxshmfence1 libxt6t64 libxtst6 libxv1 libxf86dga1 libxf86vm1 mesa-libgallium mesa-vulkan-drivers openjdk-21-jre-headless session-migration ubuntu-mono x11-common x11-utils
Suggested packages:
 default-jre alsound2-plugins colord cups-common gvfs liblcms2-utils pcscd librsvg2-bin libnss-mdns fonts-ipafont-gothic fonts-ipafont-mincho fonts-wqy-microhei | fonts-wqy-zenhei fonts-indic mesa-utils
Recommended packages:
 luit
The following NEW packages will be installed:
 adwaita-icon-theme alsound2-conf alsound2-data libavahi-client libavahi-common libavahi-common-data libavahi-common3 libcairo-gobject2 libcairo2 libcolor2 libcurl2 libdatriel libdconf1 libdeflate0 libdrm-amdgpu1 libdrm-intel1 libepoxy0 libfontconfig1 libgbm1 libgdk-pixbuf2.0-0 libgdk-pixbuf2.0-bin libgdk-pixbuf2.0-common libgif7 libgl1 libgl1-mesa-dri libglvnd0 libglx-mesa0 libglx0 libgraphite2-3 libgtk-3-0t64 libgtk-3-bin libgtk-3-common libharfbuzz0b libice6 libjbig0 libjpeg-turbo8 libjpeg8 liblcms2-2 liblrc4 libllvm20 libpango-1.0-0 libpangocairo-1.0-0 libpangoft2-1.0-0 libpcieaccess0 libpcslite1 libpixman-1-0 librsvg2-2 librsvg2-common libsharpuyuv0 libsm6 libthai-data libthai0 libtiff6 libvulkan1 libwayland-client0 libwayland-cursor0 libwayland-egl1 libwayland-server0 libwebp7 libx11-xcb1 libxaw7 libxcb-dri3-0 libxcb-glx0 libxcb-present0 libxcb-randr0 libxcb-render0 libxcb-shape0 libxcb-shm0 libxcb-sync1 libxcb-xfixes0 libcomposite1 libcursor1 libxdamage1 libxfixes3 libxft2 libxi6 libxinerama1 libxkbfile1 libxmu6 libxpm4 libxrandr2 libxrender1 libxshmfence1 libxt6t64 libxtst6 libxv1 libxf86dga1 libxf86vm1 mesa-libgallium mesa-vulkan-drivers openjdk-21-jre openjdk-21-jre-headless session-migration ubuntu-mono x11-common x11-utils
0 upgraded, 117 newly installed, 0 to remove and 52 not upgraded.
Need to get 122 MB of archives.
After this operation, 568 MB of additional disk space will be used.
Do you want to continue? [Y/n] 
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

[CloudShell](#) [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates.

[Privacy](#) [Terms](#) [Cookie preferences](#)

9+ Hot weather Now



14:14 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
libavahi-common-data libavahi-common3 libcairo-gobject2 libcairo2 libcolord2 libcurls2t64 libdatrie1 libdconf1 libdeflate0 libdrm-amdgpu1 libdrm-intel1 libepoxy0 libfontconfig1 libgbm1 libgdk-pixbuf-2.0-0 libgdk-pixbuf2.0-bin libgdk-pixbuf2.0-common libgif7 libgl1 libgl1-mesa-dri libglvnd0 libglx-mesa0 libglx0 libgraphite2-3 libgtk-3-0t64 libgtk-3-bin libgtk-3-common libharfbuzz0b libice6 libjbig0 libjpeg-turbo8 libjpeg8 liblcms2-2 liblrc4 libllvm20 libpango-1.0-0 libpangocairo-1.0-0 libpangoft2-1.0-0 libpcaccess0 libpcslite1 libpixman-1-0 librsvg2-2 librsvg2-common libsharpypuv0 libsm6 libthai-data libthai0 libtiff6 libvulkan1 libwayland-client0 libwayland-cursor0 libwayland-egl1 libwayland-server0 libwebp7 libx11-xcb1 libxaw7 libxcb-dri3-0 libxcb-glx0 libxcb-present0 libxcb-randr0 libxcb-render0 libxcb-shape0 libxcb-shm0 libxcb-sync1 libxcb-xfixes0 libcomposite1 libxcursor1 libxdamage1 libxfixed3 libxft2 libxi6 libxinerama1 libxkbfile1 libxmu6 libxpm4 libxrandr2 libxrender1 libxshmfence1 libxt6t64 libxtst6 libxv1 libxxf86dga1 libxxf86vm1 mesa-libgallium mesa-vulkan-drivers openjdk-21-jre openjdk-21-jre-headless session-migration ubuntu-mono x11-common x11-utils
```

0 upgraded, 117 newly installed, 0 to remove and 52 not upgraded.
Need to get 122 MB of archives.
After this operation, 568 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libgdk-pixbuf2.0-common all 2.42.10+dfsg-3ubuntu3.2 [8192 B]
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libjpeg-turbo8 amd64 2.1.5-2ubuntu2 [150 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libjpeg8 amd64 8c-2ubuntu11 [2148 B]
Get:4 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libdeflate0 amd64 1.19-1build1.1 [43.9 kB]
Get:5 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libjbig0 amd64 2.1-6.1ubuntu2 [29.7 kB]
Get:6 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 liblrc4 amd64 4.0.0+ds-4ubuntu2 [179 kB]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libsharpypuv0 amd64 1.3.2-0.4build3 [15.8 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libwebp7 amd64 1.3.2-0.4build3 [230 kB]
Get:9 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libtiff6 amd64 4.5.1+git230720-4ubuntu2.4 [199 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libgdk-pixbuf-2.0-0 amd64 2.42.10+dfsg-3ubuntu3.2 [147 kB]
Get:11 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 gtk-update-icon-cache amd64 3.24.41-4ubuntu1.3 [51.9 kB]
Get:12 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 hicolor-icon-theme all 0.17-2 [9976 B]
Get:13 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 humanity-icon-theme all 0.6.16 [1282 kB]

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

9+ Feels hotter Now



14:15 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | [Search](#) [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Setting up ubuntu-mono (24.04-0ubuntu1) ...
Processing triggers for man-db (2.12.0-4build2) ...
Processing triggers for libglib2.0-0t64:amd64 (2.80.0-6ubuntu3.4) ...
Setting up at-spi2-core (2.52.0-1build1) ...
Processing triggers for sgml-base (1.31) ...
Setting up libfontconfig1:amd64 (2.15.0-1.1ubuntu2) ...
Setting up fontconfig (2.15.0-1.1ubuntu2) ...
Regenerating fonts cache... done.
Setting up libxft2:amd64 (2.3.6-1build1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
Setting up libpango-1.0-0:amd64 (1.52.1+ds-1build1) ...
Setting up libcairo2:amd64 (1.18.0-3build1) ...
Setting up x11-utils (7.7+6build2) ...
Setting up libcairo-gobject2:amd64 (1.18.0-3build1) ...
Setting up libatk-wrapper-java (0.40.0-3build2) ...
Setting up libpangofc2-1.0-0:amd64 (1.52.1+ds-1build1) ...
Setting up libpangocairo-1.0-0:amd64 (1.52.1+ds-1build1) ...
Setting up libatk-wrapper-java-jni:amd64 (0.40.0-3build2) ...
Setting up librsvg2-2:amd64 (2.58.0+dfsg-1build1) ...
Setting up libgtk-3-0t64:amd64 (3.24.41-4ubuntu1.3) ...
Setting up librsvg2-common:amd64 (2.58.0+dfsg-1build1) ...
Setting up libgtk-3-bin (3.24.41-4ubuntu1.3) ...
Processing triggers for ca-certificates-java (20240118) ...

Progress: [ 98%] [#####

```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ Feels hotter Now ENG IN 14:15 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Adding debian:e-Szigno_Root_CA_2017.pem
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:emSign_ECC_Root_CA_-_C3.pem
Adding debian:emSign_ECC_Root_CA_-_G3.pem
Adding debian:emSign_Root_CA_-_C1.pem
Adding debian:emSign_Root_CA_-_G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.8+9~us1~0ubuntu1~24.04.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-13-139:~$
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

[CloudShell](#) Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

9+ Feels hotter
Now



14:15
ENG IN
09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌂ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Adding debian:emSign_Root_CA_-C1.pem
Adding debian:emSign_Root_CA_-G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.8+9~us1~Ubuntu1~24.04.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-13-139:~$ java --version
openjdk 21.0.8 2025-07-15
OpenJDK Runtime Environment (build 21.0.8+9-Ubuntu-0ubuntu124.04.1)
OpenJDK 64-Bit Server VM (build 21.0.8+9-Ubuntu-0ubuntu124.04.1, mixed mode, sharing)
ubuntu@ip-172-31-13-139:~$
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ NIFTY +0.40% 14:17

ENG IN 09-10-2025

ubuntu command - Google Search Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Instances

Instances (1/5) Info Last updated 8 minutes ago Connect Instance state Actions Launch instances

Find Instance by attribute or tag (case-sensitive) All states

Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IP
slavejenkins	i-02d4479dbdcee9b96	Running	t3.micro	Initializing	View alarms +	ap-south-1b	ec2-65-2-
masterjenkins	i-04903d6f73d732a7c	Running	t3.micro	Initializing	View alarms +	ap-south-1b	ec2-13-20-
Keerthi	i-0e030a2fd79d84cf	Stopped	t3.micro	-	View alarms +	ap-south-1a	-
Devops	i-0ec261b0a7be1639e	Stopped	t3.micro	-	View alarms +	ap-south-1a	-

i-02d4479dbdcee9b96 (slavejenkins)

Details Status and alarms Monitoring Security Networking Storage Tags

Instance summary Info

Instance details Info

AMI ID ami-02d26659fd82cf299	Monitoring disabled	Platform details Linux/UNIX
AMI name	Allowed images	Termination protection

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ AFG - BAN Game score ENG IN 14:19 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-02d4479dbdcee9b96&osUser=ubuntu&sshPort=22&addre... ☆ 🔍 ↻ 🔍

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] | Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
ubuntu@ip-172-31-1-16:~$ sudo apt update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Get:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease [126 kB]
Get:4 http://security.ubuntu.com/ubuntu noble-security InRelease [126 kB]
Get:5 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Packages [15.0 MB]
Get:6 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe Translation-en [5982 kB]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 Components [3871 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 c-n-f Metadata [301 kB]
Get:9 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Packages [269 kB]
Get:10 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse Translation-en [118 kB]
Get:11 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 Components [35.0 kB]
Get:12 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble/multiverse amd64 c-n-f Metadata [8328 B]
Get:13 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1490 kB]
Get:14 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main Translation-en [287 kB]
Get:15 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Components [175 kB]
Get:16 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 c-n-f Metadata [15.3 kB]
Get:17 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1487 kB]
Get:18 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe Translation-en [300 kB]
Get:19 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Components [377 kB]
Get:20 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 c-n-f Metadata [31.1 kB]
Get:21 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Packages [2068 kB]
Get:22 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted Translation-en [467 kB]
Get:23 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 Components [212 B]
Get:24 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/restricted amd64 c-n-f Metadata [544 B]
```

i-02d4479dbdcee9b96 (slavejenkins)

Public IPs: 65.2.63.241 Private IPs: 172.31.1.16

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ Air: Moderate Today 🔍 ENG IN 14:20 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-02d4479dbdcee9b96&osUser=ubuntu&sshPort=22&address=

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Get:51 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:52 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 c-n-f Metadata [520 B]
Get:53 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [28.0 kB]
Get:54 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [5844 B]
Get:55 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Get:56 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [384 B]
Fetched 37.9 MB in 6s (6169 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
52 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-1-16:~$ sudo apt install fontconfig openjdk-21-jre
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
adwaita-icon-theme alsamixer alsavu-conf alsavu-common at-spi2-common at-spi2-core ca-certificates-java dconf-gsettings-backend dconf-service fontconfig-config
fonts-dejavu-core fonts-dejavu-extra fonts-dejavu-mono gsettings-desktop-schemas gtk-update-icon-cache hicolor-icon-theme humanity-icon-theme java-common
libasound2-data libasound2t64 libatk-bridge2.0-0t64 libatk-wrapper-java libatk-wrapper-jni libatk1.0-0t64 libatspi2.0-0t64 libavahi-client3
libavahi-common-data libavahi-common3 libcairo-gobject2 libcairo2 libcolor2 libcups2t64 libdatriel libdconf1 libdeflate libdrm-amdgpu libdrm-intel libepoxy0
libfontconfig1 libgbm1 libgdk-pixbuf2.0-0 libgdk-pixbuf2.0-bin libgdk-pixbuf2.0-common libgf7 libgl1 libgl1-mesa-dri libglvnd0 libglx-mesa0 libglx0
libgraphite2-3 libgtk-3-0t64 libgtk-3-bin libgtk-3-common libharfbuzz0b libice6 libjbig0 libjpeg-turbo8 libjpeg8 liblcms2-2 liblrc4 liblvm20 libpango-1.0-0
libpangocairo-1.0-0 libpangoft2-1.0-0 libpciaccess0 libpcslite1 libpixman-1-0 librsvg2-2 librsvg2-common libsharpuyuv0 libsm6 libthai-data libthai0 libtiff6
libvulkan1 libwayland-client0 libwayland-cursor0 libwayland-egl1 libwayland-server0 libwebp7 libx11-xcb1 libxaw7 libxcb-dri3-0 libxcb-glx0 libxcb-present0
libxcb-randr0 libxcb-render0 libxcb-shape0 libxcb-shm0 libxcb-sync1 libxcb-xfixes0 libcomposite1 libcursor1 libxdamage1 libxfixes3 libxft2 libxi6 libxinerama1
```

i-02d4479dbdcee9b96 (slavejenkins)

Public IPs: 65.2.63.241 Private IPs: 172.31.1.16

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ 34°C Mostly sunny ENG IN 14:21 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-02d4479dbdcee9b96&osUser=ubuntu&sshPort=22&address=

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | [Search](#) [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
libvulkan1 libwayland-client0 libwayland-cursor0 libwayland-egl1 libwayland-server0 libwebp7 libx11-xcb1 libxaw7 libxcb-dri3-0 libxcb-glx0 libxcb-present0  
libxcb-randr0 libxcb-render0 libxcb-shape0 libxcb-shm0 libxcb-sync1 libxcb-xfixes0 libcomposite1 libcursor1 libxdamage1 libxfixed3 libxft2 libxi6 libxinerama1  
libxkbfile1 libxml2 libxpm4 libxrandr2 libxrender1 libxshmfence1 libxt6t64 libxtst6 libxv1 libxxf86dga1 libxxf86vm1 mesa-libgallium mesa-vulkan-drivers  
openjdk-21-jre-headless session-migration ubuntu-mono x11-common x11-utils
```

Suggested packages:

```
default-jre alsound2-plugins colord cups-common gvfs liblcms2-utils pcscd librsvg2-bin libnss-mdns fonts-ipafont-gothic fonts-ipafont-mincho  
fonts-wqy-microhei | fonts-wqy-zenhei fonts-indic mesa-utils
```

Recommended packages:

```
luit
```

The following NEW packages will be installed:

```
adwaita-icon-theme alsound2-conf alsound2-data libavahi-client libavahi-common libavahi-common-data libavahi-common3 libcairo-gobject2 libcolor2 libcurl2  
libdatriel libdeflate0 libdrm-amdgpu1 libdrm-intel1 libepoxy0 libfontconfig1 libgbm1 libgdk-pixbuf2.0-0 libgdk-pixbuf2.0-bin libgdk-pixbuf2.0-common  
libgif7 libgl1 libgl1-mesa-dri libglvnd0 libglx-mesa0 libglx0 libgraphite2-3 libgtk-3-0t64 libgtk-3-bin libgtk-3-common libharfbuzz0b libice6 libjbig0  
libjpeg-turbo8 libjpeg8 liblcms2-2 liblrc4 libllvm20 libpango-1.0-0 libpangocairo-1.0-0 libpangoft2-1.0-0 libpcieaccess0 libpcslite1 libpixman-1-0  
librsvg2-2 librsvg2-common libsharpuyuv0 libsm6 libthai-data libthai0 libtiff6 libvulkan1 libwayland-client0 libwayland-cursor0 libwayland-egl1  
libwayland-server0 libwebp7 libx11-xcb1 libxaw7 libxcb-dri3-0 libxcb-glx0 libxcb-present0 libxcb-randr0 libxcb-render0 libxcb-shm0 libxcb-sync1  
libxcb-xfixes0 libcomposite1 libcursor1 libxdamage1 libxfixed3 libxft2 libxi6 libxinerama1 libxkbfile1 libxml2 libxpm4 libxrandr2 libxrender1  
libxshmfence1 libxt6t64 libxtst6 libxv1 libxxf86dga1 libxxf86vm1 mesa-libgallium mesa-vulkan-drivers openjdk-21-jre  
openjdk-21-jre-headless session-migration ubuntu-mono x11-common x11-utils
```

0 upgraded, 117 newly installed, 0 to remove and 52 not upgraded.

Need to get 122 MB of archives.

After this operation, 568 MB of additional disk space will be used.

Do you want to continue? [Y/n] y

i-02d4479dbdcee9b96 (slavejenkins)

Public IPs: 65.2.63.241 Private IPs: 172.31.1.16

[CloudShell](#) [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates.

[Privacy](#) [Terms](#) [Cookie preferences](#)

9+ 34°C
Mostly sunny



14:21 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-02d4479dbdcee9b96&osUser=ubuntu&sshPort=22&address=

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | [Search](#) [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Adding debian:e-Szigno_Root_CA_2017.pem
Adding debian:ePKI_Root_Certification_Authority.pem
Adding debian:emSign_ECC_Root_CA_-_C3.pem
Adding debian:emSign_ECC_Root_CA_-_G3.pem
Adding debian:emSign_Root_CA_-_C1.pem
Adding debian:emSign_Root_CA_-_G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.8+9~us1-0ubuntu1~24.04.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-1-16:~$
```

i-02d4479dbdcee9b96 (slavejenkins)

Public IPs: 65.2.63.241 Private IPs: 172.31.1.16

[CloudShell](#) [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates.

[Privacy](#) [Terms](#) [Cookie preferences](#)

9+ 34°C
Mostly sunny



14:22
ENG IN
09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌂ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-02d4479dbdcee9b96&osUser=ubuntu&sshPort=22&address=

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Adding debian:emSign_Root_CA_-C1.pem
Adding debian:emSign_Root_CA_-G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.8+9~us1~Ubuntu1~24.04.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-1-16:~$ java --version
openjdk 21.0.8 2025-07-15
OpenJDK Runtime Environment (build 21.0.8+9-Ubuntu-0ubuntu124.04.1)
OpenJDK 64-Bit Server VM (build 21.0.8+9-Ubuntu-0ubuntu124.04.1, mixed mode, sharing)
ubuntu@ip-172-31-1-16:~$
```

i-02d4479dbdcee9b96 (slavejenkins)

Public IPs: 65.2.63.241 Private IPs: 172.31.1.16

[CloudShell](#) [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates.

[Privacy](#) [Terms](#) [Cookie preferences](#)

9+ 34°C
Mostly sunny



14:23
ENG IN
09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌂ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Adding debian:emSign_Root_CA_-C1.pem
Adding debian:emSign_Root_CA_-G1.pem
Adding debian:vTrus_ECC_Root_CA.pem
Adding debian:vTrus_Root_CA.pem
done.
Setting up openjdk-21-jre:amd64 (21.0.8+9~us1~Ubuntu1~24.04.1) ...
Processing triggers for libc-bin (2.39-0ubuntu8.5) ...
Processing triggers for libgdk-pixbuf-2.0-0:amd64 (2.42.10+dfsg-3ubuntu3.2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-13-139:~$ java --version
openjdk 21.0.8 2025-07-15
OpenJDK Runtime Environment (build 21.0.8+9-Ubuntu-0ubuntu124.04.1)
OpenJDK 64-Bit Server VM (build 21.0.8+9-Ubuntu-0ubuntu124.04.1, mixed mode, sharing)
ubuntu@ip-172-31-13-139:~$
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

9+ 34°C
Mostly sunny



14:24 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
ubuntu@ip-172-31-13-139:~$ sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
--2025-10-09 08:58:47-- https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.210.133, 2a04:4e42:31::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.210.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3175 (3.1K) [application/pgp-keys]
Saving to: '/etc/apt/keyrings/jenkins-keyring.asc'

/etc/apt/keyrings/jenkins-keyring.asc      100%[=====] 3.10K --.-KB/s   in 0s

2025-10-09 08:58:47 (14.3 MB/s) - '/etc/apt/keyrings/jenkins-keyring.asc' saved [3175/3175]

ubuntu@ip-172-31-13-139:~$ █
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

9+ 34°C
Mostly sunny



14:28 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌍ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆ ⌂ ⌄ ⌅ ⌇ :

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
ubuntu@ip-172-31-13-139:~$ sudo wget -O /etc/apt/keyrings/jenkins-keyring.asc https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
--2025-10-09 08:58:47-- https://pkg.jenkins.io/debian-stable/jenkins.io-2023.key
Resolving pkg.jenkins.io (pkg.jenkins.io)... 151.101.210.133, 2a04:4e42:31::645
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.210.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3175 (3.1K) [application/pgp-keys]
Saving to: '/etc/apt/keyrings/jenkins-keyring.asc'

/etc/apt/keyrings/jenkins-keyring.asc      100%[=====] 3.10K --.-KB/s in 0s

2025-10-09 08:58:47 (14.3 MB/s) - '/etc/apt/keyrings/jenkins-keyring.asc' saved [3175/3175]

ubuntu@ip-172-31-13-139:~$ echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc] https://pkg.jenkins.io/debian-stable binary/" | sudo tee /etc/apt/sources.list.d/jenkins.list > /dev/null
ubuntu@ip-172-31-13-139:~$
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

[CloudShell](#) [Feedback](#)

© 2025, Amazon Web Services, Inc. or its affiliates.

[Privacy](#) [Terms](#) [Cookie preferences](#)



14:33 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌂ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆ 🔍 ↻ ↴ ↵

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Connecting to pkg.jenkins.io (pkg.jenkins.io)|151.101.210.133|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 3175 (3.1K) [application/pgp-keys]
Saving to: '/etc/apt/keyrings/jenkins-keyring.asc'

/etc/apt/keyrings/jenkins-keyring.asc    100%[=====] 3.10K --.-KB/s   in 0s

2025-10-09 08:58:47 (14.3 MB/s) - '/etc/apt/keyrings/jenkins-keyring.asc' saved [3175/3175]

ubuntu@ip-172-31-13-139:~$ echo "deb [signed-by=/etc/apt/keyrings/jenkins-keyring.asc]" https://pkg.jenkins.io/debian-stable binary/ | sudo tee /etc/apt/sources.list.d/jenkins.list > /dev/null
ubuntu@ip-172-31-13-139:~$ sudo apt-get update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Ign:4 https://pkg.jenkins.io/debian-stable binary/ InRelease
Get:5 https://pkg.jenkins.io/debian-stable binary/ Release [2044 B]
Get:6 https://pkg.jenkins.io/debian-stable binary/ Release.gpg [833 B]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1490 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1487 kB]
Hit:9 http://security.ubuntu.com/ubuntu noble-security InRelease
Get:10 https://pkg.jenkins.io/debian-stable binary/ Packages [29.7 kB]
Fetched 3135 kB in 1s (4705 kB/s)
Reading package lists... Done
ubuntu@ip-172-31-13-139:~$
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

9+ 34°C
Mostly sunny



14:33 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
ubuntu@ip-172-31-13-139:~$ sudo apt-get update
Hit:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Get:2 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease [126 kB]
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Ign:4 https://pkg.jenkins.io/debian-stable binary/ InRelease
Get:5 https://pkg.jenkins.io/debian-stable binary/ Release [2044 B]
Get:6 https://pkg.jenkins.io/debian-stable binary/ Release.gpg [833 B]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1490 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1487 kB]
Hit:9 http://security.ubuntu.com/ubuntu noble-security InRelease
Get:10 https://pkg.jenkins.io/debian-stable binary/ Packages [29.7 kB]
Fetched 3135 kB in 1s (4705 kB/s)
Reading package lists... Done
ubuntu@ip-172-31-13-139:~$ sudo apt-get install jenkins
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  net-tools
The following NEW packages will be installed:
  jenkins net-tools
0 upgraded, 2 newly installed, 0 to remove and 52 not upgraded.
Need to get 87.3 MB of archives.
After this operation, 88.4 MB of additional disk space will be used.
Do you want to continue? [Y/n] ■
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

9+ 34°C
Mostly sunny



14:34 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌘ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Hit:3 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Ign:4 https://pkg.jenkins.io/debian-stable binary/ InRelease
Get:5 https://pkg.jenkins.io/debian-stable binary/ Release [2044 B]
Get:6 https://pkg.jenkins.io/debian-stable binary/ Release.gpg [833 B]
Get:7 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 Packages [1490 kB]
Get:8 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/universe amd64 Packages [1487 kB]
Hit:9 http://security.ubuntu.com/ubuntu noble-security InRelease
Get:10 https://pkg.jenkins.io/debian-stable binary/ Packages [29.7 kB]
Fetched 3135 kB in 1s (4705 kB/s)
Reading package lists... Done
ubuntu@ip-172-31-13-139:~$ sudo apt-get install jenkins
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  net-tools
The following NEW packages will be installed:
  jenkins net-tools
0 upgraded, 2 newly installed, 0 to remove and 52 not upgraded.
Need to get 87.3 MB of archives.
After this operation, 88.4 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://ap-south-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 net-tools amd64 2.10-0.1ubuntu4.4 [204 kB]
Get:2 https://pkg.jenkins.io/debian-stable binary/ jenkins 2.516.3 [87.1 MB]
14% [2 jenkins 3883 kB/87.1 MB 4%]
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ 34°C Mostly sunny ENG IN 14:34 09-10-2025

Fetched 87.3 MB in 3s (26.6 MB/s)
Selecting previously unselected package net-tools.
(Reading database ... 86468 files and directories currently installed.)
Preparing to unpack .../net-tools_2.10-0.1ubuntu4.4_amd64.deb ...
Unpacking net-tools (2.10-0.1ubuntu4.4) ...
Selecting previously unselected package jenkins.
Preparing to unpack .../jenkins_2.516.3_all.deb ...
Unpacking jenkins (2.516.3) ...
Setting up net-tools (2.10-0.1ubuntu4.4) ...
Setting up jenkins (2.516.3) ...
Created symlink /etc/systemd/system/multi-user.target.wants/jenkins.service → /usr/lib/systemd/system/jenkins.service.
Processing triggers for man-db (2.12.0-4build2) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-13-139:~\$

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

Privacy Terms Cookie preferences

9+ 34°C
Mostly sunny



14:34 ENG IN 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌂ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.

```
ubuntu@ip-172-31-13-139:~$ sudo service jenkins status
● jenkins.service - Jenkins Continuous Integration Server
  Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)
  Active: active (running) since Thu 2025-10-09 09:04:49 UTC; 31s ago
    Main PID: 5211 (java)
      Tasks: 42 (limit: 1008)
     Memory: 304.8M (peak: 320.1M)
       CPU: 18.761s
      CGroup: /system.slice/jenkins.service
              └─5211 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]>
Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]> ****
Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]> ****
Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]> ****
Oct 09 09:04:49 ip-172-31-13-139 jenkins[5211]: 2025-10-09 09:04:49.592+0000 [id=33]           INFO      jenkins.InitReactorRunner$1#onAttained: Completed initialization
Oct 09 09:04:49 ip-172-31-13-139 jenkins[5211]: 2025-10-09 09:04:49.619+0000 [id=24]           INFO      hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up and running
Oct 09 09:04:49 ip-172-31-13-139 systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.
Oct 09 09:04:51 ip-172-31-13-139 jenkins[5211]: 2025-10-09 09:04:51.371+0000 [id=50]           INFO      h.m.DownloadService$Downloadable#load: Obtained the updated data
Oct 09 09:04:51 ip-172-31-13-139 jenkins[5211]: 2025-10-09 09:04:51.373+0000 [id=50]           INFO      hudson.util.Retriger#start: Performed the action check updates
lines 1-20/20 (END)
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ 34°C Mostly sunny ENG IN 14:35 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

← → ⌂ ap-south-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=ap-south-1&connType=standard&instanceId=i-04903d6f73d732a7c&osUser=ubuntu&sshPort=22&address... ☆

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] | Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.

```
ubuntu@ip-172-31-13-139:~$ sudo service jenkins status
● jenkins.service - Jenkins Continuous Integration Server
  Loaded: loaded (/usr/lib/systemd/system/jenkins.service; enabled; preset: enabled)
  Active: active (running) since Thu 2025-10-09 09:04:49 UTC; 31s ago
    Main PID: 5211 (java)
      Tasks: 42 (limit: 1008)
     Memory: 304.8M (peak: 320.1M)
        CPU: 18.761s
       CGroup: /system.slice/jenkins.service
               └─5211 /usr/bin/java -Djava.awt.headless=true -jar /usr/share/java/jenkins.war --webroot=/var/cache/jenkins/war --httpPort=8080

Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]> This may also be found at: /var/lib/jenkins/secrets/initialAdminPassword
Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]>
Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]> ****
Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]> ****
Oct 09 09:04:43 ip-172-31-13-139 jenkins[5211]: [LF]> ****
Oct 09 09:04:49 ip-172-31-13-139 jenkins[5211]: 2025-10-09 09:04:49.592+0000 [id=33]           INFO      jenkins.InitReactorRunner$1#onAttained: Completed initializati
Oct 09 09:04:49 ip-172-31-13-139 jenkins[5211]: 2025-10-09 09:04:49.619+0000 [id=24]           INFO      hudson.lifecycle.Lifecycle#onReady: Jenkins is fully up and ru
Oct 09 09:04:49 ip-172-31-13-139 systemd[1]: Started jenkins.service - Jenkins Continuous Integration Server.
Oct 09 09:04:51 ip-172-31-13-139 jenkins[5211]: 2025-10-09 09:04:51.371+0000 [id=50]           INFO      h.m.DownloadService$Downloadable#load: Obtained the updated da
Oct 09 09:04:51 ip-172-31-13-139 jenkins[5211]: 2025-10-09 09:04:51.373+0000 [id=50]           INFO      hudson.util.Retrier#start: Performed the action check updates >
ubuntu@ip-172-31-13-139:~$
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ 34°C ENG IN 14:37
Mostly sunny

Search

14:37 09-10-2025

ubuntu command - Google Search Instances | EC2 | ap-south-1 EC2 Instance Connect | ap-south-1 EC2 Instance Connect | ap-south-1 +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#Instances:

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 Instances

EC2 Instances (1/5) Info Last updated less than a minute ago Connect Instance state Actions Launch instances

Find Instance by attribute or tag (case-sensitive) All states

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IP
<input type="checkbox"/>	slavejenkins	i-02d4479dbdcee9b96	Running	t3.micro	3/3 checks passed	View alarms	ap-south-1b	ec2-65-2-
<input checked="" type="checkbox"/>	masterjenkins	i-04903d6f73d732a7c	Running	t3.micro	3/3 checks passed	View alarms	ap-south-1b	ec2-13-20-
<input type="checkbox"/>	Keerthi	i-0e030a2fd79d84fcf	Stopped	t3.micro	-	View alarms	ap-south-1a	-
<input type="checkbox"/>	Devops	i-0ec261b0a7be1639e	Stopped	t3.micro	-	View alarms	ap-south-1a	-

i-04903d6f73d732a7c (masterjenkins)

Details Status and alarms Monitoring Security Networking Storage Tags

▼ Security details

IAM Role Owner ID Launch time

- 258993894541 Thu Oct 09 2025 14:10:20 GMT+0530 (India Standard Time)

Security groups

sg-008300eee6b930462 (launch-wizard-6)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ 34°C ENG IN 14:39 Mostly sunny 09-10-2025

ubuntu command - Google Search | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#SecurityGroup:securityGroupId=sg-008300eee6b930462

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] | Account ID: 2589-9389-4541 | Keerthi | Asia Pacific (Mumbai)

EC2 > Security Groups > sg-008300eee6b930462 - launch-wizard-6

sg-008300eee6b930462 - launch-wizard-6

Details

Security group name	sg-008300eee6b930462	Description	Created 2025-10-09T08:39:35.457Z
Owner	258993894541	Inbound rules count	1 Permission entry
		Outbound rules count	1 Permission entry

Inbound rules | Outbound rules | Sharing - new | VPC associations - new | Tags

Inbound rules (1)

Name	Security group rule ID	IP version	Type	Protocol	Port range
-	sgr-0fe7352ff5560486b	IPv4	SSH	TCP	22

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

34°C Mostly sunny ENG IN 14:39 09-10-2025

ubuntu command - Google Search | ModifyInboundSecurityGroupRules | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ModifyInboundSecurityGroupRules:securityGroupId=sg-008300eee6b930462

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 > Security Groups > sg-008300eee6b930462 - launch-wizard-6 > Edit inbound rules

Edit inbound rules [Info](#)

Inbound rules control the incoming traffic that's allowed to reach the instance.

Security group rule ID	Type Info	Protocol Info	Port range	Source Info	Description - optional Info
sgr-0fe7352ff5560486b	SSH	TCP	22	Custom	0.0.0.0/0 X

[Add rule](#)

⚠ Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

[Cancel](#) [Preview changes](#) [Save rules](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ 34°C Mostly sunny ENG IN 14:39 09-10-2025

ubuntu command - Google Search | ModifyInboundSecurityGroupRules | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | +

ap-south-1.console.aws.amazon.com/ec2/home?region=ap-south-1#ModifyInboundSecurityGroupRules:securityGroupId=sg-008300eee6b930462

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

EC2 > Security Groups > sg-008300eee6b930462 - launch-wizard-6 > Edit inbound rules

Edit inbound rules [Info](#)

Inbound rules control the incoming traffic that's allowed to reach the instance.

Security group rule ID	Type Info	Protocol Info	Port range	Source Info	Description - optional Info
sgr-0fe7352ff5560486b	SSH	TCP	22	Custom	0.0.0.0/0 X
-	Custom TCP	TCP	8080	Anywh...	0.0.0.0/0 X


[Add rule](#)

⚠ Rules with source of 0.0.0.0/0 or ::/0 allow all IP addresses to access your instance. We recommend setting security group rules to allow access from known IP addresses only. X

[Cancel](#) [Preview changes](#) [Save rules](#)

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

9+ 34°C Mostly sunny ENG IN 14:39 09-10-2025



ubuntu command - Google Sea | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | Sign in - Jenkins

Not secure 13.201.224.64:8080/login?from=%2F

Set Google Chrome as your default browser and pin it to your taskbar Set as default

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

```
/var/lib/jenkins/secrets/initialAdminPassword
```

Please copy the password from either location and paste it below.

Administrator password

Continue



ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | Sign in - Jenkins

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

aws | Search [Alt+S] Account ID: 2589-9389-4541 Keerthi

* Management: <https://landscape.canonical.com>
* Support: <https://ubuntu.com/pro>

System information as of Thu Oct 9 09:11:55 UTC 2025

```
System load: 0.19 Temperature: -273.1 C
Usage of /: 41.6% of 6.71GB Processes: 116
Memory usage: 58% Users logged in: 0
Swap usage: 0% IPv4 address for ens5: 172.31.13.139
```

Expanded Security Maintenance for Applications is not enabled.

47 updates can be applied immediately.
35 of these updates are standard security updates.
To see these additional updates run: apt list --upgradable

Enable ESM Apps to receive additional future security updates.
See <https://ubuntu.com/esm> or run: sudo pro status

```
Last login: Thu Oct 9 08:55:55 2025 from 13.233.177.5
ubuntu@ip-172-31-13-139:~$ sudo cat /var/lib/jenkins/secrets/initialAdminPassword
ac65a17da0584305a91624df36eddf10
ubuntu@ip-172-31-13-139:~$
```

i-04903d6f73d732a7c (masterjenkins)

Public IPs: 13.201.224.64 Private IPs: 172.31.13.139

[CloudShell](#) Feedback

© 2025, Amazon Web Services, Inc. or its affiliates.

[Privacy](#) [Terms](#) [Cookie preferences](#)

9+ 34°C
Mostly sunny



14:42 ENG IN 09-10-2025

Getting Started

Unlock Jenkins

To ensure Jenkins is securely set up by the administrator, a password has been written to the log ([not sure where to find it?](#)) and this file on the server:

```
/var/lib/jenkins/secrets/initialAdminPassword
```

Please copy the password from either location and paste it below.

Administrator password

```
.....|
```

Continue

ubuntu command - Google Sea | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | EC2 Instance Connect | ap-south-1 | Setup Wizard - Jenkins

Not secure 13.201.224.64:8080

Set Google Chrome as your default browser and pin it to your taskbar Set as default

Getting Started

Customize Jenkins

Plugins extend Jenkins with additional features to support many different needs.

Install suggested plugins

Install plugins the Jenkins community finds most useful.

Select plugins to install

Select and install plugins most suitable for your needs.

Jenkins 2.516.3

13.201.224.64:8080/#

9+ 34°C
Mostly sunny

Search



ENG
IN



14:44

09-10-2025

Getting Started

Getting Started

Folders

OWASP Markup Formatter

Build Timeout

Credentials Binding

** commons-lang3 v3.x Jenkins API

Timestamper

Workspace Cleanup

Ant

Gradle

Pipeline

GitHub Branch Source

Pipeline: GitHub Groovy Libraries

Pipeline Graph View

Git

SSH Build Agents

Matrix Authorization Strategy

LDAP


Email Extension

Mailer

Dark Theme

** - required dependency

Jenkins 2.516.3



Getting Started


Getting Started

✓ Folders	✓ OWASP Markup Formatter	⌚ Build Timeout	⌚ Credentials Binding
⌚ Timestamper	⌚ Workspace Cleanup	⌚ Ant	⌚ Gradle
⌚ Pipeline	⌚ GitHub Branch Source	⌚ Pipeline: GitHub Groovy Libraries	⌚ Pipeline Graph View
⌚ Git	⌚ SSH Build Agents	⌚ Matrix Authorization Strategy	⌚ LDAP
⌚ Email Extension	⌚ Mailer	⌚ Dark Theme	

** commons-lang3 v3.x Jenkins API
** Ionicons API
Folders
OWASP Markup Formatter
** ASM API

** - required dependency

Jenkins 2.516.3



Getting Started

Getting Started

✓ Folders	✓ OWASP Markup Formatter	✓ Build Timeout	✓ Credentials Binding
✓ Timestamper	✓ Workspace Cleanup	✓ Ant	✓ Gradle
✓ Pipeline	✓ GitHub Branch Source	⌚ Pipeline: GitHub Groovy Libraries	⌚ Pipeline Graph View
✓ Git	⌚ SSH Build Agents	⌚ Matrix Authorization Strategy	⌚ LDAP
⌚ Email Extension	✓ Mailer	⌚ Dark Theme	

```
** Pipeline: Declarative Extension Points API  
** Jakarta Mail API  
** Instance Identity  
Mailer  
** Branch API  
** Pipeline: Multibranch  
** Pipeline: Stage Tags Metadata  
** Pipeline: Input Step  
** Pipeline: Basic Steps  
** Pipeline: Declarative  
Pipeline  
** Java JSON Web Token (JWT)  
** GitHub API  
** Mina SSHD API :: Common  
** Mina SSHD API :: Core  
** Gson API  
** Git client  
Git  
** GitHub  
GitHub Branch Source  
** - required dependency
```

Jenkins 2.516.3

Getting Started

Create First Admin User

Username

Password


Confirm password

Full name

Jenkins 2.516.3

Skip and continue as admin

Save and Continue



14:48
09-10-2025

Getting Started

Username

Password

Confirm password

Full name

E-mail address

Jenkins 2.516.3

Skip and continue as admin

Save and Continue

Getting Started

Instance Configuration

Jenkins URL:

http://13.201.224.64:8080/

The Jenkins URL is used to provide the root URL for absolute links to various Jenkins resources. That means this value is required for proper operation of many Jenkins features including email notifications, PR status updates, and the `BUILD_URL` environment variable provided to build steps.

The proposed default value shown is **not saved yet** and is generated from the current request, if possible. The best practice is to set this value to the URL that users are expected to use. This will avoid confusion when sharing or viewing links.

Jenkins 2.516.3

Not now

Save and Finish



Getting Started

Jenkins is ready!

Your Jenkins setup is complete.

[Start using Jenkins](#)

Jenkins 2.516.3



Search



ENG
IN



14:49
09-10-2025