

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 ▾ Keerthi

```
ubuntu@ip-172-31-32-34:~$ sudo apt install git -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
git is already the newest version (1:2.43.0-1ubuntu7.3).
git set to manually installed.
0 upgraded, 0 newly installed, 0 to remove and 52 not upgraded.
ubuntu@ip-172-31-32-34:~$ git --version
git version 2.43.0
ubuntu@ip-172-31-32-34:~$ mkdir git-devops
ubuntu@ip-172-31-32-34:~$ ls
git-devops
ubuntu@ip-172-31-32-34:~$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/.git/
ubuntu@ip-172-31-32-34:~$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Haze ENG IN 11:50 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 ▾ Keerthi

```
Last login: Thu Oct  9 06:17:13 2025 from 13.233.177.5
ubuntu@ip-172-31-32-34:~$ ls
git-devops
ubuntu@ip-172-31-32-34:~$ cd git-devops
-bash: cd: git-devops: No such file or directory
ubuntu@ip-172-31-32-34:~$ git init
Reinitialized existing Git repository in /home/ubuntu/.git/
ubuntu@ip-172-31-32-34:~$ ls
git-devops
ubuntu@ip-172-31-32-34:~$ cd git-devops
ubuntu@ip-172-31-32-34:~/git-devops$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/git-devops/.git/
ubuntu@ip-172-31-32-34:~/git-devops$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

30°C Haze ENG IN 11:55 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
ubuntu@ip-172-31-32-34:~$ cd git-devops
ubuntu@ip-172-31-32-34:~/git-devops$ git init
hint: Using 'master' as the name for the initial branch. This default branch name
hint: is subject to change. To configure the initial branch name to use in all
hint: of your new repositories, which will suppress this warning, call:
hint:
hint:   git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint:   git branch -m <name>
Initialized empty Git repository in /home/ubuntu/git-devops/.git/
ubuntu@ip-172-31-32-34:~/git-devops$ ls -lra
total 12
drwxr-x--- 6 ubuntu ubuntu 4096 Oct  9 06:22 ..
drwxrwxr-x  3 ubuntu ubuntu 4096 Oct  9 06:24 .
drwxrwxr-x  7 ubuntu ubuntu 4096 Oct  9 06:24 .git
ubuntu@ip-172-31-32-34:~/git-devops$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Light rain In the afternoon

Search

11:58 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
hint: of your new repositories, which will suppress this warning, call:
hint:
hint: git config --global init.defaultBranch <name>
hint:
hint: Names commonly chosen instead of 'master' are 'main', 'trunk' and
hint: 'development'. The just-created branch can be renamed via this command:
hint:
hint: git branch -m <name>
Initialized empty Git repository in /home/ubuntu/git-devops/.git/
ubuntu@ip-172-31-32-34:~/git-devops$ ls -lra
total 12
drwxr-x--- 6 ubuntu ubuntu 4096 Oct  9 06:22 ..
drwxrwxr-x  3 ubuntu ubuntu 4096 Oct  9 06:24 .
drwxrwxr-x  7 ubuntu ubuntu 4096 Oct  9 06:24 .git
ubuntu@ip-172-31-32-34:~/git-devops$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
ubuntu@ip-172-31-32-34:~/git-devops$ touch file1.txt
ubuntu@ip-172-31-32-34:~/git-devops$ touch file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$ ls
file1.txt  file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Rainy days ahead 32°C ENG IN 12:00 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 ▾ Keerthi

```
drwxr-x--- 6 ubuntu ubuntu 4096 Oct  9 06:22 ..
drwxrwxr-x  3 ubuntu ubuntu 4096 Oct  9 06:24 .
drwxrwxr-x  7 ubuntu ubuntu 4096 Oct  9 06:24 .git
ubuntu@ip-172-31-32-34:~/git-devops$ git status
On branch master

No commits yet

nothing to commit (create/copy files and use "git add" to track)
ubuntu@ip-172-31-32-34:~/git-devops$ touch file1.txt
ubuntu@ip-172-31-32-34:~/git-devops$ touch file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$ ls
file1.txt  file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$ git add .
ubuntu@ip-172-31-32-34:~/git-devops$ git status
On branch master

No commits yet

Changes to be committed:
(use "git rm --cached <file>..." to unstage)
  new file:   file1.txt
  new file:   file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Rainy days ahead 32°C ENG IN 12:00 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 ▾ Keerthi

Changes to be committed:  
(use "git rm --cached <file>..." to unstage)  
new file: file1.txt  
new file: file2.txt

```
ubuntu@ip-172-31-32-34:~/git-devops$ git commit -m "first commit"
[master (root-commit) e46e25e] first commit
Committer: Ubuntu <ubuntu@ip-172-31-32-34.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

    git config --global --edit

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Rainy days ahead 32°C ENG IN 12:01 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Your profile | [GitHub] Please verify your devi... | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
new file:  file1.txt
new file:  file2.txt

ubuntu@ip-172-31-32-34:~/git-devops$ git commit -m "first commit"
[master (root-commit) e46e25e] first commit
Committer: Ubuntu <ubuntu@ip-172-31-32-34.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

  git config --global --edit

After doing this, you may fix the identity used for this commit with:

  git commit --amend --reset-author

2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$ git remote add origin https://github.com/Keerthi16122004/git-devops.git
ubuntu@ip-172-31-32-34:~/git-devops$ git push origin master
Username for 'https://github.com': keerthi16122004
Password for 'https://keerthi16122004@github.com': 
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

8 AFG - BAN Game score ENG IN 12:06 09-10-2025

A screenshot of a Microsoft Edge browser window showing the GitHub profile settings page for user 'Keerthi16122004'. The page is titled 'Public profile'.

The left sidebar shows navigation links:

- Public profile (selected)
- Account
- Appearance
- Accessibility
- Notifications

Below the sidebar, there are sections for 'Access' (Billing and licensing, Emails, Password and authentication, Sessions, SSH and GPG keys, Organizations, Enterprises, Moderation) and 'Code, planning, and automation'.

The main content area includes fields for Name, Public email (Select a verified email to display), Bio (Tell us a little bit about yourself), Pronouns (Don't specify), and URL.

A circular profile picture placeholder is shown, with an 'Edit' button below it. A message at the top right says 'Go to your personal profile'.

The browser's address bar shows 'github.com/settings/profile'. The taskbar at the bottom includes icons for File Explorer, Task View, File, Print, and Edge.

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Your profile | [GitHub] Please verify your dev | +

github.com/settings/profile

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

≡ [Link to social profile](#)

[Saved replies](#)

[Security](#)

[Code security](#)

[Integrations](#)

[Applications](#)

[Scheduled reminders](#)

[Archives](#)

[Security log](#)

[Sponsorship log](#)

[Developer settings](#)

**Company**

You can @mention your company's GitHub organization to link it.

**Location**

**Display current local time**  
Other users will see the time difference from their local time.

**ORCID iD**

ORCID provides a persistent identifier – an ORCID iD – that distinguishes you from other researchers. Learn more at [ORCID.org](#).

[Connect your ORCID iD](#)

All of the fields on this page are optional and can be deleted at any time, and by filling them out, you're giving us consent to share this data wherever your user profile appears. Please see our [privacy statement](#) to learn more about how we use this information.

[Update profile](#)

## Contributions & activity

**Make profile private and hide activity**  
Enabling this will hide your contributions and activity from your GitHub profile and from social features like followers, stars, feeds, leaderboards and releases.

**Include private contributions on my profile**

8 AFG - BAN Game score

Search

ENG IN 12:06 09-10-2025

A screenshot of a Google Chrome browser window showing the GitHub profile settings page. The address bar shows the URL `github.com/settings/profile`. The main content area displays the user's profile information, including fields for Company and Location, and options for displaying current local time and connecting an ORCID iD. A sidebar on the left lists various GitHub features like Saved replies, Security, and Developer settings. At the bottom, there are sections for Contributions & activity and a link to the apps page.

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Your profile | [GitHub] Please verify your dev | +

github.com/settings/profile

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

Company

You can @mention your company's GitHub organization to link it.

Location

[Display current local time](#)  
Other users will see the time difference from their local time.

ORCID iD

ORCID provides a persistent identifier – an ORCID iD – that distinguishes you from other researchers. Learn more at [ORCID.org](#).

[Connect your ORCID iD](#)

All of the fields on this page are optional and can be deleted at any time, and by filling them out, you're giving us consent to share this data wherever your user profile appears. Please see our [privacy statement](#) to learn more about how we use this information.

[Update profile](#)

Contributions & activity

[Make profile private and hide activity](#)  
Enabling this will hide your contributions and activity from your GitHub profile and from social features like followers, stars, feeds, leaderboards and releases.

[Include private contributions on my profile](#)

https://github.com/settings/apps

8 Air: Moderate Today

Search

ENG IN 12:06 09-10-2025

The screenshot shows a browser window with multiple tabs open at the top. The active tab is 'github.com/settings/apps'. The main content area displays the 'GitHub Apps' section of the GitHub settings. A prominent message reads 'No GitHub Apps' with a subtext: 'Want to build something that integrates with and extends GitHub? Register a new GitHub App to get started developing on the GitHub API.' Below this message are two buttons: a green 'New GitHub App' button and a blue 'View documentation' link. At the bottom of the page, there is a footer with links to GitHub's Terms, Privacy, Security, Status, Community, Docs, Contact, and Manage cookies, along with a 'Do not share my personal information' checkbox.

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | GitHub Apps | [GitHub] Please verify your dev... | +

github.com/settings/apps

Set Google Chrome as your default browser and pin it to your taskbar [Set as default](#)

Settings / Developer Settings

Type  to search

GitHub Apps

OAuth Apps

Personal access tokens

No GitHub Apps

Want to build something that integrates with and extends GitHub? Register a new GitHub App to get started developing on the GitHub API.

New GitHub App

View documentation

© 2025 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

Air: Moderate Today

Search

ENG IN 12:07 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Personal Access Tokens (Classic) | [GitHub] Please verify your dev | +

github.com/settings/tokens

Set Google Chrome as your default browser and pin it to your taskbar Set as default

Settings / Developer Settings

Personal access tokens (classic)

GitHub Apps

OAuth Apps

Personal access tokens

Fine-grained tokens

Tokens (classic)

No personal access token created

Need an API token for scripts or testing? Generate a personal access token for quick access to the GitHub API.

Generate new token ▾

GitHub API

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to [authenticate to the API over Basic Authentication](#).

https://github.com/settings/tokens

© 2025 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

Air: Moderate Today

Search

ENG IN 09-10-2025 12:07

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | New Personal Access Token (Classic) | [GitHub] Please verify your device | +

github.com/settings/tokens/new

Set Google Chrome as your default browser and pin it to your taskbar Set as default

Settings / Developer Settings

New personal access token (classic)

Personal access tokens (classic) function like ordinary OAuth access tokens. They can be used instead of a password for Git over HTTPS, or can be used to authenticate to the API over Basic Authentication.

Note: keerthigit

What's this token for?

Expiration: Select date \* Custom 15-10-2025

The token will expire on the selected date.

Select scopes:

Scopes define the access for personal tokens. [Read more about OAuth scopes.](#)

|   |                                      |
|---|--------------------------------------|
| <input checked="" type="checkbox"/> <b>repo</b> | Full control of private repositories |
| <input type="checkbox"/> <b>repostatus</b>      | Access commit status                 |
| <input type="checkbox"/> <b>repo_deployment</b> | Access deployment status             |
| <input type="checkbox"/> <b>public_repo</b>     | Access public repositories           |
| <input type="checkbox"/> <b>repo:invite</b>     | Access repository invitations        |
| <input type="checkbox"/> <b>security_events</b> | Read and write security events       |
| <input type="checkbox"/> <b>workflow</b>        | Update GitHub Action workflows       |

Very high UV Now

Search

12:08 09-10-2025 ENG IN

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | New Personal Access Token (Create) | [GitHub] Please verify your device | +

github.com/settings/tokens/new

Set Google Chrome as your default browser and pin it to your taskbar Set as default

|  |   |
|--|---|
| <input type="checkbox"/> <b>audit_log</b>                    | Full control of audit log                                     |
| <input type="checkbox"/> <b>read:audit_log</b>               | Read access of audit log                                      |
| <input type="checkbox"/> <b>codespace</b>                    | Full control of codespaces                                    |
| <input type="checkbox"/> <b>codespace:secrets</b>            | Ability to create, read, update, and delete codespace secrets |
| <input type="checkbox"/> <b>copilot</b>                      | Full control of GitHub Copilot settings and seat assignments  |
| <input type="checkbox"/> <b>manage_billing:copilot</b>       | View and edit Copilot Business seat assignments               |
| <input type="checkbox"/> <b>write:network_configurations</b> | Write org hosted compute network configurations               |
| <input type="checkbox"/> <b>readnetwork_configurations</b>   | Read org hosted compute network configurations                |
| <input type="checkbox"/> <b>project</b>                      | Full control of projects                                      |
| <input type="checkbox"/> <b>read:project</b>                 | Read access of projects                                       |
| <input type="checkbox"/> <b>admin:gpg_key</b>                | Full control of public user GPG keys                          |
| <input type="checkbox"/> <b>write:gpg_key</b>                | Write public user GPG keys                                    |
| <input type="checkbox"/> <b>read:gpg_key</b>                 | Read public user GPG keys                                     |
| <input type="checkbox"/> <b>admin:ssh_signing_key</b>        | Full control of public user SSH signing keys                  |
| <input type="checkbox"/> <b>write:ssh_signing_key</b>        | Write public user SSH signing keys                            |
| <input type="checkbox"/> <b>read:ssh_signing_key</b>         | Read public user SSH signing keys                             |

**Generate token** **Cancel**

© 2025 GitHub, Inc. Terms Privacy Security Status Community Docs Contact Manage cookies Do not share my personal information

Very high UV Now

12:08 09-10-2025 ENG IN

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Personal Access Tokens (Classic) | [GitHub] Please verify your device | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 ▾ Keerthi

```
following command and follow the instructions in your editor to edit your configuration file:

git config --global --edit

After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$ git remote add origin https://github.com/Keerthi16122004/git-devops.git
ubuntu@ip-172-31-32-34:~/git-devops$ git push origin master
Username for 'https://github.com': keerthi16122004
Password for 'https://keerthi16122004@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 235 bytes | 235.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Keerthi16122004/git-devops.git
 * [new branch]      master -> master
ubuntu@ip-172-31-32-34:~/git-devops$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

Very high UV Now ENG IN 12:08 09-10-2025

The screenshot shows a browser window with multiple tabs open. The active tab is for a GitHub repository named 'git-devops' owned by 'Keerthi16122004'. The repository has a single commit from 'Ubuntu' titled 'first commit' with file additions 'file1.txt' and 'file2.txt'. The repository is public and has 0 stars, 0 forks, and 0 releases. A green 'Add a README' button is visible. The browser's taskbar at the bottom shows various pinned icons.

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Keerthi16122004/git-devops | [GitHub] Please verify your devi | +

github.com/Keerthi16122004/git-devops

Set Google Chrome as your default browser and pin it to your taskbar Set as default

Keerthi16122004 / git-devops

Type to search

Code Issues Pull requests Actions Projects Wiki Security Insights Settings

git-devops Public

master 1 Branch 0 Tags

Go to file Add file Code

About

No description, website, or topics provided.

Activity 1 Commit

0 stars 0 watching 0 forks

Releases

No releases published Create a new release

Packages

No packages published Publish your first package

Add a README

Trending videos Avatar: Fire and...

Search

ENG IN 12:09 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Keerthi16122004/git-devops | [GitHub] Please verify your dev... | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
2 files changed, 0 insertions(+), 0 deletions(-)
create mode 100644 file1.txt
create mode 100644 file2.txt
ubuntu@ip-172-31-32-34:~/git-devops$ git remote add origin https://github.com/Keerthi16122004/git-devops.git
ubuntu@ip-172-31-32-34:~/git-devops$ git push origin master
Username for 'https://github.com': keerthi16122004
Password for 'https://keerthi16122004@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 235 bytes | 235.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Keerthi16122004/git-devops.git
 * [new branch] master -> master
ubuntu@ip-172-31-32-34:~/git-devops$ git clone ~
ubuntu@ip-172-31-32-34:~/git-devops$ git clone https://github.com/Keerthi16122004/git-devops.git
Cloning into 'git-devops'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:10 09-10-2025



```
ubuntu@ip-172-31-32-34:~/git-devops$ git remote add origin https://github.com/Keerthi16122004/git-devops.git
ubuntu@ip-172-31-32-34:~/git-devops$ git push origin master
Username for 'https://github.com': keerthi16122004
Password for 'https://keerthi16122004@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 235 bytes | 235.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Keerthi16122004/git-devops.git
 * [new branch]      master -> master
ubuntu@ip-172-31-32-34:~/git-devops$ git clone ^c
ubuntu@ip-172-31-32-34:~/git-devops$ git clone https://github.com/Keerthi16122004/git-devops.git
Cloning into 'git-devops'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-32-34:~/git-devops$ git pull https://github.com/Keerthi16122004/git-devops.git
From https://github.com/Keerthi16122004/git-devops
 * branch      HEAD      -> FETCH_HEAD
Already up to date.
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34



ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Keerthi16122004/git-devops | [GitHub] Please verify your devi... | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
To https://github.com/Keerthi16122004/git-devops.git
 * [new branch]      master -> master
ubuntu@ip-172-31-32-34:~/git-devops$ git clone ^C
ubuntu@ip-172-31-32-34:~/git-devops$ git clone https://github.com/Keerthi16122004/git-devops.git
Cloning into 'git-devops'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-32-34:~/git-devops$ git pull https://github.com/Keerthi16122004/git-devops.git
From https://github.com/Keerthi16122004/git-devops
 * branch            HEAD      -> FETCH_HEAD
Already up to date.
ubuntu@ip-172-31-32-34:~/git-devops$ cd
ubuntu@ip-172-31-32-34:~$ mkdir clonerepo
ubuntu@ip-172-31-32-34:~$ cd clonerepo
ubuntu@ip-172-31-32-34:~/clonerepo$ git clone https://github.com/Keerthi16122004/git-devops.git
Cloning into 'git-devops'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-32-34:~/clonerepo$
```

**i-0a1dc0075e975a2aa (git)**

PublicIPs: 43.205.255.122 PrivateIPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:13 09-10-2025

The screenshot shows a web browser with several tabs open. The tabs include:

- ubuntu command - Google Search
- Instances | EC2 | ap-south-1
- EC2 Instance Connect | ap-south-1
- Keerthi16122004/git-devops
- [GitHub] Please verify your devi

The main content area displays a terminal session on an AWS EC2 instance. The session shows the following commands and output:

```
Cloning into 'git-devops'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-32-34:~/git-devops$ git pull https://github.com/Keerthi16122004/git-devops.git
From https://github.com/Keerthi16122004/git-devops
 * branch      HEAD      -> FETCH_HEAD
Already up to date.
ubuntu@ip-172-31-32-34:~/git-devops$ cd
ubuntu@ip-172-31-32-34:~$ mkdir clonerepo
ubuntu@ip-172-31-32-34:~$ cd clonerepo
ubuntu@ip-172-31-32-34:~/clonerepo$ git clone https://github.com/Keerthi16122004/git-devops.git
Cloning into 'git-devops'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-32-34:~/clonerepo$ ls -ltr
total 4
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 git-devops
ubuntu@ip-172-31-32-34:~/clonerepo$ cd git-devops
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$
```

Below the terminal window, there is a summary section:

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34



ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Keerthi16122004/git-devops | [GitHub] Please verify your dev... | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
ubuntu@ip-172-31-32-34:~$ mkdir clonerepo
ubuntu@ip-172-31-32-34:~$ cd clonerepo
ubuntu@ip-172-31-32-34:~/clonerepo$ git clone https://github.com/Keerthi16122004/git-devops.git
Cloning into 'git-devops'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-32-34:~/clonerepo$ ls -ltr
total 4
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 git-devops
ubuntu@ip-172-31-32-34:~/clonerepo$ cd git-devops
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ ls -ltr
total 0
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file1.txt
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ ls -lra
total 12
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 ..
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file1.txt
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 .
drwxrwxr-x 8 ubuntu ubuntu 4096 Oct  9 06:43 .git
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34



ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Keerthi16122004/git-devops | [GitHub] Please verify your devi... | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

AWS Search [Alt+S] Account ID: 2589-9389-4541 ▾ Keerthi

```
remote: Counting objects: 100% (3/3), done.
remote: Compressing objects: 100% (2/2), done.
remote: Total 3 (delta 0), reused 3 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (3/3), done.
ubuntu@ip-172-31-32-34:~/clonerepo$ ls -l
total 4
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 git-devops
ubuntu@ip-172-31-32-34:~/clonerepo$ cd git-devops
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ ls -ltr
total 0
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file1.txt
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ ls -lra
total 12
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 ..
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file1.txt
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 .
drwxrwxr-x 8 ubuntu ubuntu 4096 Oct  9 06:43 .git
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:15 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Keerthi16122004/git-devops | [GitHub] Please verify your devi... | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 ▾ Keerthi

```
total 4
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 git-devops
ubuntu@ip-172-31-32-34:~/clonerepo$ cd git-devops
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ ls -ltr
total 0
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file1.txt
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ ls -lra
total 12
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 ..
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file2.txt
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct  9 06:43 file1.txt
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct  9 06:43 .
drwxrwxr-x 8 ubuntu ubuntu 4096 Oct  9 06:43 .git
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ git status
On branch master
Your branch is up to date with 'origin/master'.

nothing to commit, working tree clean
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ cd ../../git-devops/
ubuntu@ip-172-31-32-34:~/git-devops$ cd ../../git-devops/
-bash: cd: ../../git-devops/: No such file or directory
ubuntu@ip-172-31-32-34:~/git-devops$ cd ../../git-devops
-bash: cd: ../../git-devops: No such file or directory
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34



ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Keerthi16122004/git-devops | [GitHub] Please verify your devi... | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
Your branch is up to date with 'origin/master'.
```

```
nothing to commit, working tree clean
ubuntu@ip-172-31-32-34:~/clonerepo/git-devops$ cd ../../git-devops
ubuntu@ip-172-31-32-34:~/git-devops$ cd ../../git-devops/
-bash: cd: ../../git-devops/: No such file or directory
ubuntu@ip-172-31-32-34:~/git-devops$ cd ../../git-devops/
-bash: cd: ../../git-devops: No such file or directory
ubuntu@ip-172-31-32-34:~/git-devops$ touch file3.txt
ubuntu@ip-172-31-32-34:~/git-devops$ git add .
warning: adding embedded git repository: git-devops
hint: You've added another git repository inside your current repository.
hint: Clones of the outer repository will not contain the contents of
hint: the embedded repository and will not know how to obtain it.
hint: If you meant to add a submodule, use:
hint:
hint:   git submodule add <url> git-devops
hint:
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached git-devops
hint:
hint: See "git help submodule" for more information.
ubuntu@ip-172-31-32-34:~/git-devops$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:19 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Keerthi16122004/git-devops | [GitHub] Please verify your devi... | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 ▾ Keerthi

```
hint: If you added this path by mistake, you can remove it from the
hint: index with:
hint:
hint:   git rm --cached git-devops
hint:
hint: See "git help submodule" for more information.
ubuntu@ip-172-31-32-34:~/git-devops$ git commit -m "second"
[master 6a1905b) second
Committer: Ubuntu <ubuntu@ip-172-31-32-34.ap-south-1.compute.internal>
Your name and email address were configured automatically based
on your username and hostname. Please check that they are accurate.
You can suppress this message by setting them explicitly. Run the
following command and follow the instructions in your editor to edit
your configuration file:

  git config --global --edit

After doing this, you may fix the identity used for this commit with:

  git commit --amend --reset-author

2 files changed, 1 insertion(+)
create mode 100644 file3.txt
create mode 160000 git-devops
ubuntu@ip-172-31-32-34:~/git-devops$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:20 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Edit Personal Access Token (CloudWatch Metrics) | [GitHub] Please verify your device | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

You can suppress this message by setting them explicitly. Run the following command and follow the instructions in your editor to edit your configuration file:

```
git config --global --edit
```

After doing this, you may fix the identity used for this commit with:

```
git commit --amend --reset-author
```

```
2 files changed, 1 insertion(+)
create mode 100644 file3.txt
create mode 160000 git-devops
ubuntu@ip-172-31-32-34:~/git-devops$ git push origin master
Username for 'https://github.com': Keerthi16122004
Password for 'https://Keerthi16122004@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 295 bytes | 295.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Keerthi16122004/git-devops.git
  e46c25e..6a1905b master -> master
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:22 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Edit Personal Access Token (CloudWatch Metrics) | [GitHub] Please verify your device | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 ▾ Keerthi

```
After doing this, you may fix the identity used for this commit with:
git commit --amend --reset-author

2 files changed, 1 insertion(+)
create mode 100644 file3.txt
create mode 160000 git-devops
ubuntu@ip-172-31-32-34:~/git-devops$ git push origin master
Username for 'https://github.com': Keerthi16122004
Password for 'https://Keerthi16122004@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 295 bytes | 295.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Keerthi16122004/git-devops.git
  e46e25e..6a1905b master -> master
ubuntu@ip-172-31-32-34:~/git-devops$ ls -ltr
total 4
-rw-rw-r-- 1 ubuntu ubuntu    0 Oct  9 06:29 file1.txt
-rw-rw-r-- 1 ubuntu ubuntu    0 Oct  9 06:29 file2.txt
drwxrwxr-x  3 ubuntu ubuntu 4096 Oct  9 06:40 git-devops
-rw-rw-r-- 1 ubuntu ubuntu    0 Oct  9 06:49 file3.txt
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:22 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Edit Personal Access Token (CloudWatch Metrics) | [GitHub] Please verify your device | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
2 files changed, 1 insertion(+)
create mode 100644 file3.txt
create mode 160000 git-devops
ubuntu@ip-172-31-32-34:~/git-devops$ git push origin master
Username for 'https://github.com': Keerthi16122004
Password for 'https://Keerthi16122004@github.com':
Enumerating objects: 3, done.
Counting objects: 100% (3/3), done.
Delta compression using up to 2 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (2/2), 295 bytes | 295.00 KiB/s, done.
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0
To https://github.com/Keerthi16122004/git-devops.git
 e46e25e..6a1905b master -> master
ubuntu@ip-172-31-32-34:~/git-devops$ ls -ltr
total 4
-rw-rw-r-- 1 ubuntu ubuntu    0 Oct  9 06:29 file1.txt
-rw-rw-r-- 1 ubuntu ubuntu    0 Oct  9 06:29 file2.txt
drwxrwxr-x  3 ubuntu ubuntu 4096 Oct  9 06:40 git-devops
-rw-rw-r-- 1 ubuntu ubuntu    0 Oct  9 06:49 file3.txt
ubuntu@ip-172-31-32-34:~/git-devops$ git branch featureA
ubuntu@ip-172-31-32-34:~/git-devops$ git branch
  featureA
* master
ubuntu@ip-172-31-32-34:~/git-devops$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:23 09-10-2025

```
ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Edit Personal Access Token (CloudWatch Metrics) | [GitHub] Please verify your device | +
```

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 ▾ Keerthi

```
Password for 'https://Keerthi16122004@github.com':  
Enumerating objects: 3, done.  
Counting objects: 100% (3/3), done.  
Delta compression using up to 2 threads  
Compressing objects: 100% (2/2), done.  
Writing objects: 100% (2/2), 295 bytes | 295.00 KiB/s, done.  
Total 2 (delta 0), reused 0 (delta 0), pack-reused 0  
To https://github.com/Keerthi16122004/git-devops.git  
 e46e25e..6a1905b master -> master  
ubuntu@ip-172-31-32-34:~/git-devops$ ls -ltr  
total 4  
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 9 06:29 file1.txt  
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 9 06:29 file2.txt  
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct 9 06:40 git-devops  
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 9 06:49 file3.txt  
ubuntu@ip-172-31-32-34:~/git-devops$ git branch featureA  
ubuntu@ip-172-31-32-34:~/git-devops$ git branch  
* featureA  
* master  
ubuntu@ip-172-31-32-34:~/git-devops$ git checkout featureA  
Switched to branch 'featureA'  
ubuntu@ip-172-31-32-34:~/git-devops$ git branch  
* featureA  
* master  
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:24 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Edit Personal Access Token (CloudWatch Metrics) | [GitHub] Please verify your device | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S]

Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 9 06:29 file2.txt
drwxrwxr-x 3 ubuntu ubuntu 4096 Oct 9 06:40 git-devops
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 9 06:49 file3.txt
ubuntu@ip-172-31-32-34:~/git-devops$ git branch featureA
ubuntu@ip-172-31-32-34:~/git-devops$ git branch
  featureA
* master
ubuntu@ip-172-31-32-34:~/git-devops$ git checkout featureA
Switched to branch 'featureA'
ubuntu@ip-172-31-32-34:~/git-devops$ git branch
* featureA
  master
ubuntu@ip-172-31-32-34:~/git-devops$ git log
commit 6a1905b5291db0d10c07019691ee32ae379667a8 (HEAD -> featureA, origin/master, master)
Author: Ubuntu <ubuntu@ip-172-31-32-34.ap-south-1.compute.internal>
Date:   Thu Oct 9 06:50:00 2025 +0000

    second

commit e46e25edcd9a036d7f768d328f8b0448c17fc215
Author: Ubuntu <ubuntu@ip-172-31-32-34.ap-south-1.compute.internal>
Date:   Thu Oct 9 06:31:21 2025 +0000

    first commit
ubuntu@ip-172-31-32-34:~/git-devops$
```

i-0a1dc0075e975a2aa (git)

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:24 09-10-2025

ubuntu command - Google Search | Instances | EC2 | ap-south-1 | EC2 Instance Connect | ap-south-1 | Edit Personal Access Token (CloudWatch Metrics) | [GitHub] Please verify your device | +

Set Google Chrome as your default browser and pin it to your taskbar Set as default

aws | Search [Alt+S] Account ID: 2589-9389-4541 | Asia Pacific (Mumbai) | Keerthi

```
-rw-rw-r-- 1 ubuntu ubuntu 0 Oct 9 06:49 file3.txt
ubuntu@ip-172-31-32-34:~/git-devops$ git branch featureA
ubuntu@ip-172-31-32-34:~/git-devops$ git branch
  featureA
* master
ubuntu@ip-172-31-32-34:~/git-devops$ git checkout featureA
Switched to branch 'featureA'
ubuntu@ip-172-31-32-34:~/git-devops$ git branch
* featureA
  master
ubuntu@ip-172-31-32-34:~/git-devops$ git log
commit 6a1905b5291db0d10c07019691ee32ae379667a8 (HEAD -> featureA, origin/master, master)
Author: Ubuntu <ubuntu@ip-172-31-32-34.ap-south-1.compute.internal>
Date:   Thu Oct 9 06:50:00 2025 +0000

    second

commit e46e25edcd9a036d7f766d328f8b0448c17fc215
Author: Ubuntu <ubuntu@ip-172-31-32-34.ap-south-1.compute.internal>
Date:   Thu Oct 9 06:31:21 2025 +0000

    first commit
ubuntu@ip-172-31-32-34:~/git-devops$ git merge featureA
Already up to date.
ubuntu@ip-172-31-32-34:~/git-devops$
```

**i-0a1dc0075e975a2aa (git)**

Public IPs: 43.205.255.122 Private IPs: 172.31.32.34

CloudShell Feedback © 2025, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

32°C Sunny ENG IN 12:24 09-10-2025