Java Static Initializer Block ★



Your Java Static Initializer Block submission got 10.00 points.

re Tw

Tweet

×

You are now 5 points away from the 3rd star for your java badge.

Try the next challenge | Try a Random Challenge

Problem Submissions Leaderboard Editorial 🖰

Static initialization blocks are executed when the class is loaded, and you can initialize static variables in those blocks.

It's time to test your knowledge of Static initialization blocks. You can read about it here.

You are given a class Solution with a main method. Complete the given code so that it outputs the area of a parallelogram with breadth \boldsymbol{B} and height \boldsymbol{H} . You should read the variables from the standard input.

If $B \leq 0$ or $H \leq 0$, the output should be "java.lang.Exception: Breadth and height must be positive" without quotes.

Input Format

There are two lines of input. The first line contains \boldsymbol{B} : the breadth of the parallelogram. The next line contains \boldsymbol{H} : the height of the parallelogram.

Constraints

- $-100 \le B \le 100$
- $-100 \le H \le 100$

Output Format

If both values are greater than zero, then the main method must output the area of the parallelogram. Otherwise, print "java.lang.Exception: Breadth and height must be positive" without quotes.

Sample input 1

1

Sample output 1

3


Sample input 2

-1

Sample output 2

java.lang.Exception: Breadth and height must be positive





Congratulations

You solved this challenge. Would you like to challenge your friends?



Next Challenge

			Inpu	Input (stdin)		
8	Test case 2	<u></u>	1	1		
8	Test case 3	А	2	3		
8	Test case 4	8	Expe	acted Output	Download	
8	Test case 5	8				
8	Test case 6	Δ				

Blog | Scoring | Environment | FAQ | About Us | Support | Careers | Terms Of Service | Privacy Policy