

# OPERATING SYSTEM - CS23431

## EXP 6(C)

### PRIORITY SCHEDULING

**NAME: KEERTHIVARMAN.A.B**

**ROLL NO: 230701151**

#### PROGRAM:

```
#include <stdio.h>

int main() {

int n; printf("Enter Number of Processes: "); scanf("%d", &n);

int pid[n], b[n], p[n];
for (int i = 0; i < n; i++) {
    printf("Enter processid  Burst Time and Priority Value for Process %d: ", i + 1);
    scanf("%d %d %d", &pid[i], &b[i], &p[i]);
}

for (int i = 0; i < n; i++) {
    int max_priority = p[i];
    int max_index = i;
    int swapped = 0;

    for (int j = i + 1; j < n; j++) {
        if (p[j] < max_priority) {
            max_priority = p[j];
            max_index = j;
            swapped = 1;
        }
    }

    if (swapped) {
        int temp = p[i];
        p[i] = p[max_index];
        p[max_index] = temp;

        temp = b[i];
        b[i] = b[max_index];
```

```

        b[max_index] = temp;

        temp = pid[i];
        pid[i] = pid[max_index];
        pid[max_index] = temp;
    }
}

int wait_time = 0, totalwt = 0, totalturn = 0;
printf("P_ID\tBT\tWT\tTAT\n");
for (int i = 0; i < n; i++) {
    int tat = wait_time + b[i];
    printf("%d\t%d\t%d\t%d\n", pid[i], b[i], wait_time, tat);
    totalwt += wait_time;
    totalturn += tat;
    wait_time += b[i];
}

printf("Average waiting time is %d\n", totalwt / n);
printf("Average turn around time is %d\n", totalturn / n);

return 0;

}

```

**OUTPUT:**

```
[cse164@fedora ~]$ vi priority.c
[cse164@fedora ~]$ gcc priority.c
[cse164@fedora ~]$ ./a.out
Enter Number of Processes: 4
Enter processid Burst Time and Priority Value for Process 1: 1 6 3
Enter processid Burst Time and Priority Value for Process 2: 2 2 2
Enter processid Burst Time and Priority Value for Process 3: 3 14 1
Enter processid Burst Time and Priority Value for Process 4: 4 6 4
P_ID    BT    WT    TAT
3       14    0    14
2        2   14   16
1        6   16   22
4        6   22   28
Average waiting time is 13
Average turn around time is 20
```