

#### **Exp. No: 4**

# User Defined Function (UDF) in PIG


#### 1. Create sample.txt




### 2. Create demo\_pig.pig file



#### 3. Execute demo\_pig.pig





4. Create uppercase\_udf.py

```
GNU nano 7.2
                                 uppercase_udf.py
def uppercase(text):
       return text.upper()
if __name__ == "__main__":
       import sys
       for line in sys.stdin:
               line = line.strip()
               result = uppercase(line)
               print(result)
                              [ Read 10 lines ]
                              ^W Where Is
               ^O Write Out
                                                            ^T Execute
^G Help
                                             ^K Cut
^X Exit
               ^R Read File
```

5.Create udf\_example.pig

```
GNU nano 7.2
                                   udf_example.pig
                                                                       Modified
 - Register the Python UDF script
REGISTER 'hdfs:///exp4/uppercase_udf.py' USING jython AS udf;

    Load some data

data = LOAD 'hdfs:///exp4/sample.txt' AS (text:chararray);
 – Use the Python UDF
uppercased_data = FOREACH data GENERATE udf.uppercase(text) AS uppercase_text;
 - Store the result
STORE uppercased_data INTO 'hdfs:///exp4/output';
^G Help
               ^O Write Out
                               ^W Where Is
                                               ^K Cut
                                                                Execute
                  Read File
^X Exit
                                 Replace
                                               'U Paste
                                                                 Justify
```

#### 5. Execute udf example.pig

```
keerthi@fedora:-/exp4$ pig uff exemple pin
2024-10-20 12:39:47,253 INFO keerthi@fedora:~/exp4: Trying ExecType : LOCAL
2024-10-20 12:39:47,255 INFO pig.ExecTypeProvider: Trying ExecType : MAPREDUCE
2024-10-20 12:39:47,255 INFO pig.ExecTypeProvider: Picked MAPREDUCE as the ExecType
2024-10-20 12:39:47,618 [main] INFO org.apache.pig.Main - Apache Pig version 0.16.0 (r1746530) compiled Jun 01 2016, 23:10:49
2024-10-20 12:39:47,640 [main] INFO org.apache.pig.Main - Logging error messages to: /home/keerthi/exp4/pig_1729442387609.log
2024-10-20 12:39:48,533 [main] INFO org.apache.pig.impl.util.Utils - Default bootup file /home/keerthi/.pigbootup not found
2024-10-20 12:39:48,717 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - mapred.job.tracker is deprecated. Instead, use ma
preduce.jobtracker.address
2024-10-20 12:39:48.717 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - fs.default.name is deprecated. Instead, use fs.de
faultFS
2024-10-20 12:39:48,717 [main] INFO org.apache.pig.backend.hadoop.executionengine.HExecutionEngine - Connecting to hadoop file system at
 : hdfs://localhost:9000
2024-10-20 12:39:52,010 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - mapred.job.tracker is deprecated. Instead, use ma
preduce.jobtracker.address
2024-10-20 12:39:52,010 [main] INFO org.apache.pig.backend.hadoop.executionengine.HExecutionEngine - Connecting to map-reduce job tracke
 at: localhost:9001
2024-10-20 12:39:52,012 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - fs.default.name is deprecated. Instead, use fs.de
faultFS
2024-10-20 12:39:52,039 [main] INFO org.apache.pig.PigServer - Pig Script ID for the session: PIG-udf_example.pig-cb93d312-312a-48de-93a
f-eafcc7d9ca0e
2024-10-20 12:39:52,047 [main] WARN org.apache.pig.PigServer - ATS is disabled since yarn.timeline-service.enabled set to false
2024-10-20 12:39:52,183 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - mapred.job.tracker is deprecated. Instead, use ma
preduce.jobtracker.address
 2024-10-20 12:39:52,186 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - fs.default.name is deprecated. Instead, use fs.de
faultFS
2024-10-20 12:39:53,259 [main] INFO org.apache.pig.scripting.jython.JythonScriptEngine - created tmp python.cachedir=/tmp/pig_jython_652
4728859344915343
2024-10-20 12:40:01,795 [main] INFO org.apache.pig.scripting.jython.JythonScriptEngine - Register scripting UDF: udf.uppercase
2024-10-20 12:40:02,154 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - mapred.job.tracker is deprecated. Instead, use ma
preduce.jobtracker.address
 2024-10-20 12:40:02,154 [main] INFO org.apache.hadoop.conf.Configuration.deprecation - fs.default.name is deprecated. Instead, use fs.de
faultFS
```

24		7	$^{1}$	4	24	
21	u	1/1	U I		71	

## Output:

```
keerthi@fedora:~/exp4$ hdfs dfs -cat /exp4/output/part-m-00000
1,JOHN
2,JANE
3,JOE
4,EMMA
```