

Apply SQL JOIN

Project description

The management at my organization has asked me to investigate potential security issues and update employee computers as required. As a Linux administrator, I used SQL with filters to perform security-related tasks. But for this scenario, I applied SQL join to play with the values of the two tables. This task is related to relational database management.

Inner Join

I created a SQL query on MariaDB to join two tables focusing on the intersection of two tables, where we only care about rows that have corresponding values in both.

This is the “employees” table.

```
MariaDB [organization]> SELECT * FROM employees;
```

employee_id	device_id	username	department	office
1000	a320b137c219	elarson	Marketing	East-170
1001	b239c825d303	hmoreno	Marketing	Central-276
1002	c116d593e558	tshah	Human Resources	North-434
1003	d394e816f943	sgilmore	Finance	South-153
1004	e218f877g788	eraab	Human Resources	South-127
1005	f551g340h864	gesparza	Human Resources	South-366
1006	g329h357i597	alevitsk	Information Technology	East-320
1007	h174i497j413	wjaffrey	Finance	North-406
1008	i859j583k571	abernard	Finance	South-170
1009	NULL	lrodrigu	Sales	South-134
1010	k242l212m542	jlensky	Finance	South-109
1011	l748m120n401	drozas	Sales	South-292
1012	m756n668o146	rmason	Information Technology	North-160
1013	n205o559p243	zbernal	Information Technology	South-229
1014	NULL	asundara	Information Technology	West-219
1015	p611q262r945	jsoto	Finance	North-271
1016	q793r736s288	sbaelish	Human Resources	North-229
1017	r550s824t230	jclark	Finance	North-188
1018	s310t540u653	abellmas	Finance	North-403
1019	t815u205v470	mcouliba	Information Technology	North-100
1020	u899v381w363	arutley	Marketing	South-351
1021	v200w121x977	smartell	Information Technology	South-138
1022	w237x430y567	arusao	Finance	West-465
1023	x253y759z103	salonso	Information Technology	West-393
1024	y976z753a267	iuduike	Sales	South-215
1025	z381a365b233	jhill	Sales	North-115
1026	a998b568c863	spatel	Human Resources	West-320
1027	b806c503d354	zrah	Marketing	West-246
1028	c603d749e374	sestrada	Human Resources	West-121
1029	d336e475f676	ivelasco	Finance	East-156
1030	e391f189g913	mabedi	Marketing	West-375
1031	f419g188h578	dkot	Marketing	West-408
1032	g773h303i639	jrafael	Information Technology	Central-309
1033	NULL	yappiah	Information Technology	West-387
1034	i679j565k940	hsand	Human Resources	East-484
1035	j236k303l245	bisles	Sales	South-171

```

MariaDB (organization)> SELECT * FROM machines;
+-----+-----+-----+-----+-----+
| device_id | operating_system | email_client | OS_patch_date | employee_id |
+-----+-----+-----+-----+-----+
| a184b775c707 | OS 1 | Email Client 1 | 2021-09-01 | 1156 |
| a192b174c940 | OS 2 | Email Client 1 | 2021-06-01 | 1052 |
| a305b818c708 | OS 3 | Email Client 2 | 2021-06-01 | 1182 |
| a317b635c465 | OS 1 | Email Client 2 | 2021-03-01 | 1130 |
| a320b137c219 | OS 2 | Email Client 2 | 2021-03-01 | 1000 |
| a398b471c573 | OS 3 | Email Client 2 | 2021-12-01 | 0 |
| a667b270c984 | OS 1 | Email Client 1 | 2021-03-01 | 1078 |
| a821b462c176 | OS 2 | Email Client 2 | 2021-12-01 | 1104 |
| a998b568c863 | OS 3 | Email Client 1 | 2021-12-01 | 1026 |
| b157c491d493 | OS 2 | Email Client 1 | 2021-03-01 | 0 |
| b239c825d303 | OS 1 | Email Client 1 | 2021-03-01 | 1001 |
| b264c773d977 | OS 2 | Email Client 2 | 2021-03-01 | 1157 |
| b265c937d713 | OS 2 | Email Client 1 | 2021-09-01 | 1131 |
| b433c246d868 | OS 1 | Email Client 1 | 2021-06-01 | 1079 |
| b551c837d758 | OS 3 | Email Client 1 | 2021-03-01 | 1105 |
| b566c710d544 | OS 1 | Email Client 1 | 2021-06-01 | 1183 |
| b806c603d354 | OS 2 | Email Client 1 | 2021-12-01 | 1027 |
| b979c871d361 | OS 2 | Email Client 1 | 2021-03-01 | 1053 |
| c116d593e558 | OS 3 | Email Client 1 | 2021-09-01 | 1002 |
| c150d982e144 | OS 2 | Email Client 2 | 2021-06-01 | 1132 |
| c185d679e493 | OS 1 | Email Client 2 | 2021-09-01 | 0 |
| c406d877e950 | OS 2 | Email Client 1 | 2021-06-01 | 1158 |
| c547d140e477 | OS 2 | Email Client 1 | 2021-03-01 | 1054 |
| c568d742e974 | OS 2 | Email Client 2 | 2021-09-01 | 1080 |
| c597d792e215 | OS 2 | Email Client 1 | 2021-09-01 | 1106 |
| c603d749e374 | OS 1 | Email Client 1 | 2021-12-01 | 1028 |
| c986d200e170 | OS 2 | Email Client 2 | 2021-09-01 | 1184 |
| d168e758f876 | OS 2 | Email Client 1 | 2021-09-01 | 1107 |
| d280e557f635 | OS 3 | Email Client 1 | 2021-03-01 | 0 |
| d336e475f676 | OS 2 | Email Client 2 | 2021-06-01 | 1029 |
| d394e816f943 | OS 3 | Email Client 2 | 2021-03-01 | 1003 |
| d647e310f618 | OS 2 | Email Client 2 | 2021-06-01 | 1081 |
| d693e351f221 | OS 2 | Email Client 2 | 2021-09-01 | 1133 |
| d790e839f461 | OS 1 | Email Client 1 | 2021-06-01 | 1185 |
| d831e972f553 | OS 1 | Email Client 1 | 2021-09-01 | 1055 |
| d881e710f732 | OS 3 | Email Client 2 | 2021-03-01 | 1159 |
| e113f288q203 | OS 2 | Email Client 2 | 2021-03-01 | 1108 |

```

This is the query that produces username, operating system, and employee ID from both tables. The username is from one of the tables and so is the operating system. For the table that can be found on both, we use “table.column” format to avoid ambiguity. In this case it is the employee table (employee ID). As the result goes, there are 185 usernames with respective operating systems and device IDs. Other variations can be found in the next pages of Inner Join.

```

MariaDB (organization)> SELECT username, operating_system, employees.device_id
->
->
->
-> FROM employees
->
->
-> INNER JOIN machines ON employees.device_id = machines.device_id;

```

username	operating_system	device_id
elarson	OS 2	a320b137c219
heoreno	OS 1	b239c825d303
tshah	OS 3	c116d593e558
egilmore	OS 3	d394e816f943
eraab	OS 2	e218f877q788
gesparza	OS 3	f551q340h864
alevitsk	OS 1	g329h357i597
wjaffrey	OS 2	h174i497j413
abernard	OS 2	i858j583k571
jlansky	OS 1	k242l212e542
drocas	OS 3	l748m120n401
rmason	OS 1	m756n668o146
zbernal	OS 1	n205o559p243
jecto	OS 1	p411q262r945
sbaelish	OS 2	q793r736s288
jclark	OS 2	r550s824t230
abellias	OS 1	s310t540u653
mcouliba	OS 3	t815u205v470
arutley	OS 3	u899v381w363
smartell	OS 2	v200w121x577
arussoc	OS 2	w237x430y567
aalonesc	OS 1	x253y759z103

iquraim	OS 1	y555z7100a44
ptsosie	OS 2	z986d200e170
revens	OS 1	a790e839f461
secosta	OS 1	e281f433g404
kbode	OS 1	f963g637h851
noshiro	OS 1	g164h566i795
slefkowi	OS 3	h784i120j837
rlaghari	OS 3	k570l183m949
esantiag	OS 1	l186m618n319
zwarren	OS 2	m340n287o441
orainier	OS 1	n516o853p957
sshah2	OS 3	o225p357q829
asbara	OS 2	p791q114r509
jmartine	OS 3	q308r573s459
areyes	OS 2	r520s571t459

185 rows in set (0.001 sec)

This query will produce username, employee ID, operating system, device ID and their respective office.

```

MariaDB [organisation]> SELECT username, employees.employee_id, operating_system, employees.device_id,
ice FROM employees INNER JOIN machines ON employees.device_id = machines.device_id;

```

username	employee_id	operating_system	device_id	email_client	office
elarson	1000	OS 2	a320b137c219	Email Client 2	East-170
emoreno	1001	OS 1	b239c825d302	Email Client 1	Central-276
eshah	1002	OS 3	c116d593e558	Email Client 1	North-434
egilmore	1003	OS 3	d394e816f942	Email Client 2	South-152
eraab	1004	OS 2	e215f877g788	Email Client 1	South-127
gesparza	1005	OS 3	f551g340h864	Email Client 2	South-266
alevitsk	1006	OS 1	g329h357i597	Email Client 2	East-320
wjaffrey	1007	OS 2	h174i497j412	Email Client 1	North-406
abernard	1008	OS 2	i856j583k571	Email Client 2	South-170
jlansky	1010	OS 1	k242l212m542	Email Client 1	South-109
drozas	1011	OS 3	l748m120n401	Email Client 1	South-292
nason	1012	OS 1	m756n668o146	Email Client 2	North-160
shernal	1013	OS 1	n205o559p243	Email Client 2	South-229
jsoto	1015	OS 1	p611q262r945	Email Client 2	North-271
shaelish	1016	OS 2	q793r736s288	Email Client 1	North-229
jelark	1017	OS 2	r550s824t230	Email Client 1	North-188
abellmas	1018	OS 1	s310t540u653	Email Client 2	North-403
mcouliba	1019	OS 3	t815u205v470	Email Client 1	North-108
arutley	1020	OS 3	u899v381w363	Email Client 1	South-351
smartell	1021	OS 2	v200w121x977	Email Client 2	South-138
aruso	1022	OS 2	w237x430y567	Email Client 2	West-465
aalonso	1023	OS 1	x253y759z103	Email Client 2	West-393
judaike	1024	OS 2	y976z753a267	Email Client 2	South-215
jhill	1025	OS 3	z381a365b233	Email Client 2	North-115
apatel	1026	OS 3	a998b568c863	Email Client 1	West-320
mrsh	1027	OS 2	b806c503d354	Email Client 1	West-246
aestrada	1028	OS 1	c603d749e374	Email Client 1	West-121
ivelasco	1029	OS 2	d336e475f676	Email Client 2	East-156
mabadi	1030	OS 3	e391f189g913	Email Client 2	West-375
dkot	1031	OS 1	f419g188h578	Email Client 1	West-408
jrafael	1032	OS 2	g773h303i639	Email Client 2	Central-309
board	1034	OS 1	h679j565k940	Email Client 1	East-484
bisles	1035	OS 1	i326k303l245	Email Client 1	South-171
rjensen	1036	OS 3	j550l533m205	Email Client 2	Central-239
dtanaka	1037	OS 3	k693m585n528	Email Client 1	West-468
btang	1038	OS 1	m873n636o225	Email Client 2	Central-260
cjackson	1039	OS 1	n253o917p623	Email Client 2	East-378
duaric	1040	OS 2	o783p832q294	Email Client 2	East-232
asara	1177	OS 1	v691w183x928	Email Client 2	East-190
nlannist	1178	OS 3	w986x187y885	Email Client 2	North-196
asalas	1179	OS 1	x174y934z376	Email Client 2	North-445
medwards	1180	OS 2	y131z211a578	Email Client 1	Central-340
sessa	1181	OS 1	z803a233b718	Email Client 2	South-207
mmora	1182	OS 3	a305b818c708	Email Client 2	Central-250
lquraish	1183	OS 1	b566c710d544	Email Client 1	East-400
ptsoie	1184	OS 2	c986d200e170	Email Client 2	Central-247
kevens	1185	OS 1	d790e839f461	Email Client 1	North-330
sacosta	1186	OS 1	e281f433g404	Email Client 2	North-460
bbode	1187	OS 1	f963g637h851	Email Client 1	East-351
noshiro	1188	OS 1	g164h566i795	Email Client 1	West-252
lefkwow	1189	OS 3	h784i120j837	Email Client 2	West-342
slaghari	1192	OS 3	i570l183m949	Email Client 1	East-138
esantiag	1193	OS 1	j186n618n319	Email Client 2	Central-300
swarren	1194	OS 2	k340o287o441	Email Client 2	West-212
orainier	1195	OS 1	n516o853p957	Email Client 1	East-346
shah2	1196	OS 3	o225p357q829	Email Client 1	South-385
abara	1197	OS 2	p791q114r509	Email Client 1	North-159
jmartine	1198	OS 3	q308r573s459	Email Client 1	South-117
areyes	1199	OS 2	r320s571t459	Email Client 2	East-100

185 rows in set (0.001 sec)

Return More Data

Left Join. The results will include all records from one or the other table. Here, I have to link these tables using the common `device_id` column. In a left join, all records after `FROM` and

before `LEFT JOIN` are included in the result. In this case, all records from the `machines` table are included, whether they are assigned to the `employees` table or not.

```

MariaDB [organisation]> clear
MariaDB [organisation]> SELECT *
  > FROM machines
  > LEFT JOIN employees ON machines.device_id = employees.device_id;

```

device_id	operating_system	email_client	OS_patch_date	employee_id	employee_id	device_id	username	department	office
a320b137cd19	OS 2	Email Client 2	2021-03-01	1000	1000	a320b137cd19	elaxson	Marketing	East-17
b239cd25d303	OS 1	Email Client 1	2021-03-01	1001	1001	b239cd25d303	leoreno	Marketing	Central
c116d593e338	OS 3	Email Client 1	2021-03-01	1002	1002	c116d593e338	tehab	Human Resources	North-4
d394cd16d943	OS 3	Email Client 2	2021-03-01	1003	1003	d394cd16d943	egilemou	Finance	South-1
e218d877g788	OS 2	Email Client 1	2021-03-01	1004	1004	e218d877g788	erash	Human Resources	South-1
f331g340b664	OS 3	Email Client 2	2021-12-01	1005	1005	f331g340b664	gempere	Human Resources	South-3
g329b3371397	OS 1	Email Client 2	2021-06-01	1006	1006	g329b3371397	alevitch	Information Technology	East-32
h1741497j413	OS 2	Email Client 1	2021-03-01	1007	1007	h1741497j413	wjaffrey	Finance	North-4
i338j383k371	OS 2	Email Client 2	2021-06-01	1008	1008	i338j383k371	abernard	Finance	South-1
k2421212e342	OS 1	Email Client 1	2021-03-01	1010	1010	k2421212e342	jlancky	Finance	South-1

Right Join.

Right Join. The results will include all records from one or the other table. Here, I have to link these tables using the common `device_id` column. In a right join, all records after `RIGHT JOIN` are included in the result. In this case, all records from the `employees` table are

included, whether they have values on the `machine` table or not.

```

MariaDB [organisation]> SELECT *
  > FROM machines
  > RIGHT JOIN employees ON machines.device_id = employees.device_id;

```

device_id	operating_system	email_client	OS_patch_date	employee_id	employee_id	device_id	username	department	office
a320b137cd19	OS 2	Email Client 2	2021-03-01	1000	1000	a320b137cd19	elaxson	Marketing	East-17
b239cd25d303	OS 1	Email Client 1	2021-03-01	1001	1001	b239cd25d303	leoreno	Marketing	Central
c116d593e338	OS 3	Email Client 1	2021-03-01	1002	1002	c116d593e338	tehab	Human Resources	North-4
d394cd16d943	OS 3	Email Client 2	2021-03-01	1003	1003	d394cd16d943	egilemou	Finance	South-1
e218d877g788	OS 2	Email Client 1	2021-03-01	1004	1004	e218d877g788	erash	Human Resources	South-1
f331g340b664	OS 3	Email Client 2	2021-12-01	1005	1005	f331g340b664	gempere	Human Resources	South-3
g329b3371397	OS 1	Email Client 2	2021-06-01	1006	1006	g329b3371397	alevitch	Information Technology	East-32
h1741497j413	OS 2	Email Client 1	2021-03-01	1007	1007	h1741497j413	wjaffrey	Finance	North-4
i338j383k371	OS 2	Email Client 2	2021-06-01	1008	1008	i338j383k371	abernard	Finance	South-1
	NULL	NULL	NULL	1009	1009	NULL	lrodriga	Sales	South-1
k2421212e342	OS 1	Email Client 1	2021-03-01	1010	1010	k2421212e342	jlancky	Finance	South-1

Both produced 200 rows each, however in the process, some data are written `NUL` due to types of `JOIN`.

Summary

I wrote queries to join two tables in three different scenarios: Inner Join, Left Join, and Right Join.