
Lopcombe Corner Borehole — Highest Groundwater Levels

EA station E14150 · Chalk aquifer · borehole depth 54.30 m · datum 126.61 mAOD · records from 23 April 1963 · source: EA Hydrology API (retrieved 7 Sep 2026)

Recreated 20 Oct 2026. This report rebuilds the September 2026 annual-maximum PDF from the project records, with the later truncation correction applied: the all-time record is **102.01 mAOD on 13 Feb 2014** (logger), and the 2019/20, 2020/21 and 2023/24 winter peaks are about 4.5 m higher than first extracted.



Highest credible levels since 1963

Rank	Level (mAOD)	Date	Series
1	**102.01**	**13 Feb 2014**	**Logger (15-min) — record**
2	101.39	17 Dec 2000	Logger
3	101.17	21 Dec 2000	Dipped
4	100.79	9 Jan 2003	Logger
5	98.26	23 Feb 1995	Dipped
6	97.54	12 Jan 2024	Logger (corrected)
7	97.25	24 Feb 2020	Logger (corrected)

- Six winters have reached the 97 m Pitton flood threshold: 1994/95, 2000/01, 2002/03, 2013/14, 2019/20 and 2023/24.
- Manual dips undersample sharp peaks once dipping became sparse (from about 2013); the 2014 dip maximum was only 94.90 m.
- **Data-quality flag:** a dip of 105.08 mAOD on 15 May 2025 is erroneous despite a ‘Good’ flag — neighbouring dips were 84.32 m (25 Nov 2024) and 80.39 m (9 Jun 2025), and the logger read about 82.8 m at that moment. It is excluded.

Annual maxima — manual dip record (cleaned)

Year	mAOD	Date	Year	mAOD	Date
1963	84.19	30 May	1995	98.26	23 Feb
1964	84.76	1 Jan	1996	84.75	19 Mar
1965	80.18	30 Apr	1997	79.84	2 Apr
1966	93.73	5 Mar	1998	84.38	5 Feb
1967	94.44	26 Mar	1999	92.59	3 Feb
1968	87.78	8 Feb	2000	101.17	21 Dec
1969	92.38	5 Feb	2001	98.38	21 Feb
1970	87.01	2 Apr	2002	94.64	9 Dec
1971	89.48	19 Feb	2003	100.07	5 Jan
1972	92.30	26 Mar	2004	82.42	16 Mar
1973	81.97	12 Feb	2005	80.20	21 Feb
1974	90.85	5 Mar	2006	79.30	8 May
1975	95.12	12 Feb	2007	90.53	22 Mar
1976	79.12	24 Dec	2008	85.62	4 Feb
1977	89.05	12 Mar	2009	92.60	26 Feb
1978	89.37	19 Mar	2010	88.06	24 Mar
1979	90.22	23 Apr	2011	81.04	21 Mar
1980	89.69	16 Apr	2012	80.45	14 Aug
1981	87.71	23 Apr	2013	94.39	11 Jan
1982	92.84	31 Mar	2014	94.90	2 Apr
1983	89.07	29 Jan	2015	78.69	3 Nov
1984	83.85	9 Mar	2016	88.14	11 Mar
1985	86.84	26 Feb	2017	78.59	14 Jul
1986	87.11	19 Feb	2018	89.58	18 Apr
1987	89.41	27 Apr	2019	80.71	15 Mar
1988	87.92	4 Mar	2020	92.04	6 Feb
1989	82.78	30 Apr	2021	—	no dip
1990	93.30	28 Feb	2022	78.62	30 Nov
1991	80.06	30 Apr	2023	87.67	9 May
1992	79.24	22 May	2024	92.29	7 Feb
1993	87.02	12 Feb	2025	80.39	9 Jun
1994	94.20	28 Jan			

2021 has no dip reading. 2025 shows the cleaned value (next dip after the erroneous 105.08 m).

Logger era: dips vs 15-minute logger

Dips agree with the logger to within ±0.3 m while dipping was about weekly (2000–2012). From 2013 dips thinned to a few a year and miss the true peak. The corrected column uses a truncation-proof extraction of the maximum over October–May for each winter.

Year / winter end	Dip max	Logger annual max (first pass)	Corrected winter peak	Note
2000	101.17	101.39	—	winter 1999/2000 not available
2001	98.38	98.46	101.39	
2002	94.64	94.90	85.33	
2003	100.07	100.79	100.79	
2004	82.42	82.48	82.72	
2005	80.20	80.05	80.05	
2006	79.30	79.33	79.33	
2007	90.53	90.76	90.76	
2008	85.62	85.76	85.76	
2009	92.60	92.62	92.62	
2010	88.06	88.15	88.15	
2011	81.04	81.05	81.05	
2012	80.45	80.48	78.40	approx.
2013	94.39	94.35	94.42	
2014	94.90	101.89	102.01	13 Feb 2014
2015	78.69	83.00	83.13	
2016	88.14	88.15	88.15	
2017	78.59	78.88	78.86	
2018	89.58	89.98	89.54	
2019	80.71	80.66	80.66	
2020	92.04	92.81	97.25	24 Feb 2020
2021	—	87.24	91.72	13 Feb 2021
2022	78.62	79.96	79.61	
2023	87.67	91.35	92.62	21 Jan 2023
2024	92.29	92.97	97.54	12 Jan 2024
2025	80.39	90.28	90.31	9 Dec 2024

Quality flags on the logger series: 2000–03 ‘Unchecked’, 2005 ‘Suspect’, 2021 and 2023–25 ‘Edited/provisional’.