

Contents

Appendices	1
A Experimental Results	1
A.1 Experiment 1 Data	2
A.2 Experiment 2 Data	18
A.3 Experiment 3 Data	34
A.4 Experiment 4 Data	47
A.5 Experiment 5 Data	63
A.6 Experiment 6 Data	79
A.7 Experiment 7 Data	96
A.8 Experiment 8 Data	112
A.9 Experiment 9 Data	129
A.10 Experiment 10 Data	145
A.11 Experiment 11 Data	160
A.12 Experiment 12 Data	177
A.13 Experiment 13 Data	192
A.14 Experiment 14 Data	208
A.15 Experiment 15 Data	223
A.16 Experiment 16 Data	240
A.17 Experiment 17 Data	260
A.18 Experiment 18 Data	280
A.19 Experiment 19 Data	300
A.20 Experiment 20 Data	320
A.21 Experiment 21 Data	340
A.22 Experiment 22 Data	360
A.23 Experiment 23 Data	380
A.24 Experiment 24 Data	400
A.25 Experiment 25 Data	420
A.26 Experiment 26 Data	439
A.27 Experiment 27 Data	455

Appendices

A Experimental Results

A.1 Experiment 1 Data




Figure A.1: Experiment 1 - 1 Ft Temps




Figure A.2: Experiment 1 - 3 Ft Temps




Figure A.3: Experiment 1 - 5 Ft Temps




Figure A.4: Experiment 1 - 7 Ft Temps




Figure A.5: Experiment 1 - Bed 1 Door




Figure A.6: Experiment 1 - Bed 2 Door




Figure A.7: Experiment 1 - Bed 2 Gas




Figure A.8: Experiment 1 - Bed 2 Press




Figure A.9: Experiment 1 - Bed 2 Temps




Figure A.10: Experiment 1 - Bed 3 Gas




Figure A.11: Experiment 1 - Bed 3 Press




Figure A.12: Experiment 1 - Bed 3 Temps




Figure A.13: Experiment 1 - C O




Figure A.14: Experiment 1 - C O 2




Figure A.15: Experiment 1 - Dining Room Gas




Figure A.16: Experiment 1 - Dining Press




Figure A.17: Experiment 1 - Dining Temps




Figure A.18: Experiment 1 - Front Door




Figure A.19: Experiment 1 - Hall Gas






Figure A.20: Experiment 1 - Hall Temps






Figure A.23: Experiment 1 - Living Temps






Figure A.24: Experiment 1 - Living Window






Figure A.27: Experiment 1 - O 2




Figure A.28: Experiment 1 - Oxygen




Figure A.29: Experiment 1 - Pressure 1 F T




Figure A.30: Experiment 1 - Pressure 4 F T




Figure A.31: Experiment 1 - Pressure 8 F T

A.2 Experiment 2 Data




Figure A.32: Experiment 2 - 1 Ft Temps




Figure A.33: Experiment 2 - 3 Ft Temps




Figure A.34: Experiment 2 - 5 Ft Temps




Figure A.35: Experiment 2 - 7 Ft Temps




Figure A.36: Experiment 2 - Bed 1 Door




Figure A.37: Experiment 2 - Bed 2 Door




Figure A.38: Experiment 2 - Bed 2 Gas




Figure A.39: Experiment 2 - Bed 2 Press




Figure A.40: Experiment 2 - Bed 2 Temps




Figure A.41: Experiment 2 - Bed 3 Gas




Figure A.42: Experiment 2 - Bed 3 Press




Figure A.43: Experiment 2 - Bed 3 Temps




Figure A.44: Experiment 2 - C O




Figure A.45: Experiment 2 - C O 2




Figure A.46: Experiment 2 - Dining Room Gas






Figure A.47: Experiment 2 - Dining Press






Figure A.50: Experiment 2 - Front Door




Figure A.51: Experiment 2 - Hall Gas




Figure A.52: Experiment 2 - Hall Temps




Figure A.53: Experiment 2 - Kitch Temps




Figure A.54: Experiment 2 - Living Press




Figure A.55: Experiment 2 - Living Temps




Figure A.56: Experiment 2 - Living Window




Figure A.57: Experiment 2 - M Bed Press




Figure A.58: Experiment 2 - M Bed Temps




Figure A.59: Experiment 2 - Oxygen




Figure A.60: Experiment 2 - Pressure High




Figure A.61: Experiment 2 - Pressure Low




Figure A.62: Experiment 2 - Pressure Mid

A.3 Experiment 3 Data




Figure A.63: Experiment 3 - 1 Ft Temps




Figure A.64: Experiment 3 - 3 Ft Temps




Figure A.65: Experiment 3 - 5 Ft Temps




Figure A.66: Experiment 3 - 7 Ft Temps




Figure A.67: Experiment 3 - Bed 1 Door




Figure A.68: Experiment 3 - Bed 1 Window




Figure A.69: Experiment 3 - Bed 2 Door




Figure A.70: Experiment 3 - Bed 2 Press




Figure A.71: Experiment 3 - Bed 2 Temps




Figure A.72: Experiment 3 - Bed 2 Window




Figure A.73: Experiment 3 - Bed 3 Press




Figure A.74: Experiment 3 - Bed 3 Temps




Figure A.75: Experiment 3 - Bed 3 Window




Figure A.76: Experiment 3 - Dining Press




Figure A.77: Experiment 3 - Dining Temps




Figure A.78: Experiment 3 - Front Door




Figure A.79: Experiment 3 - Hall Temps




Figure A.80: Experiment 3 - Kitch Temps





Figure A.82: Experiment 3 - Living Temps




Figure A.83: Experiment 3 - Living Window






Figure A.84: Experiment 3 - M Bed Press






Figure A.87: Experiment 3 - Pressure Low






Figure A.88: Experiment 3 - Pressure Mid

A.4 Experiment 4 Data






Figure A.91: Experiment 4 - 5 Ft Temps




Figure A.92: Experiment 4 - 7 Ft Temps




Figure A.93: Experiment 4 - Bed 1 Door






Figure A.94: Experiment 4 - Bed 2 Door






Figure A.97: Experiment 4 - Bed 2 Temps






Figure A.98: Experiment 4 - Bed 2 Window






Figure A.101: Experiment 4 - Bed 3 Temps






Figure A.102: Experiment 4 - C O






Figure A.105: Experiment 4 - Dining Press




Figure A.106: Experiment 4 - Dining Temps





Figure A.108: Experiment 4 - Front Door




Figure A.109: Experiment 4 - Hall Gas




Figure A.110: Experiment 4 - Hall Temps




Figure A.111: Experiment 4 - Kitch Temps




Figure A.112: Experiment 4 - Living Press




Figure A.113: Experiment 4 - Living Temps






Figure A.114: Experiment 4 - M Bed Press






Figure A.117: Experiment 4 - Pressure High




Figure A.118: Experiment 4 - Pressure Low




Figure A.119: Experiment 4 - Pressure Mid

A.5 Experiment 5 Data




Figure A.120: Experiment 5 - 1 Ft Temps




Figure A.121: Experiment 5 - 3 Ft Temps




Figure A.122: Experiment 5 - 5 Ft Temps








Figure A.123: Experiment 5 - 7 Ft Temps








Figure A.128: Experiment 5 - Bed 2 Temps




Figure A.129: Experiment 5 - Bed 2 Window




Figure A.130: Experiment 5 - Bed 3 Gas




Figure A.131: Experiment 5 - Bed 3 Press




Figure A.132: Experiment 5 - Bed 3 Temps




Figure A.133: Experiment 5 - C O




Figure A.134: Experiment 5 - C O 2




Figure A.135: Experiment 5 - Dining Room Gas




Figure A.136: Experiment 5 - Dining Press






Figure A.137: Experiment 5 - Dining Temps






Figure A.140: Experiment 5 - Hall Temps




Figure A.141: Experiment 5 - Kitch Temps




Figure A.142: Experiment 5 - Living Press




Figure A.143: Experiment 5 - Living Temps




Figure A.144: Experiment 5 - Living Window




Figure A.145: Experiment 5 - M Bed Press




Figure A.146: Experiment 5 - M Bed Temps




Figure A.147: Experiment 5 - Oxygen




Figure A.148: Experiment 5 - Pressure High




Figure A.149: Experiment 5 - Pressure Low




Figure A.150: Experiment 5 - Pressure Mid

A.6 Experiment 6 Data




Figure A.151: Experiment 6 - 1 Ft Temps




Figure A.152: Experiment 6 - 3 Ft Temps




Figure A.153: Experiment 6 - 5 Ft Temps




Figure A.154: Experiment 6 - 7 Ft Temps




Figure A.155: Experiment 6 - Bed 1 Door




Figure A.156: Experiment 6 - Bed 2 Door




Figure A.157: Experiment 6 - Bed 2 Gas








Figure A.158: Experiment 6 - Bed 2 Press








Figure A.163: Experiment 6 - Bed 3 Temps




Figure A.164: Experiment 6 - C O




Figure A.165: Experiment 6 - C O 2




Figure A.166: Experiment 6 - Dining Room Gas




Figure A.167: Experiment 6 - Dining Press




Figure A.168: Experiment 6 - Dining Temps




Figure A.169: Experiment 6 - Fractional Effective Dose C O




Figure A.170: Experiment 6 - Front Door




Figure A.171: Experiment 6 - Hall Gas




Figure A.172: Experiment 6 - Hall Temps




Figure A.173: Experiment 6 - Kitch Temps




Figure A.174: Experiment 6 - Living Press




Figure A.175: Experiment 6 - Living Temps






Figure A.176: Experiment 6 - M Bed Press






Figure A.179: Experiment 6 - Pressure High




Figure A.180: Experiment 6 - Pressure Low




Figure A.181: Experiment 6 - Pressure Mid




Figure A.182: Experiment 6 - Wall Cavity 1




Figure A.183: Experiment 6 - Wall Cavity 2




Figure A.184: Experiment 6 - Wall Cavity Press

A.7 Experiment 7 Data




Figure A.185: Experiment 7 - 1 Ft Temps




Figure A.186: Experiment 7 - 3 Ft Temps




Figure A.187: Experiment 7 - 5 Ft Temps








Figure A.188: Experiment 7 - 7 Ft Temps









Figure A.194: Experiment 7 - Bed 3 Door




Figure A.195: Experiment 7 - Bed 3 Gas






Figure A.196: Experiment 7 - Bed 3 Press






Figure A.199: Experiment 7 - C O




Figure A.200: Experiment 7 - C O 2




Figure A.201: Experiment 7 - Dining Room Gas






Figure A.202: Experiment 7 - Dining Press






Figure A.205: Experiment 7 - Hall Gas




Figure A.206: Experiment 7 - Hall Temps




Figure A.207: Experiment 7 - Kitch Temps






Figure A.208: Experiment 7 - Living Press






Figure A.211: Experiment 7 - M Bed Temps




Figure A.212: Experiment 7 - Oxygen




Figure A.213: Experiment 7 - Pressure High




Figure A.214: Experiment 7 - Pressure Low




Figure A.215: Experiment 7 - Pressure Mid

A.8 Experiment 8 Data




Figure A.216: Experiment 8 - 1 Ft Temps




Figure A.217: Experiment 8 - 3 Ft Temps




Figure A.218: Experiment 8 - 5 Ft Temps








Figure A.219: Experiment 8 - 7 Ft Temps








Figure A.224: Experiment 8 - Bed 2 Temps




Figure A.225: Experiment 8 - Bed 2 Window




Figure A.226: Experiment 8 - Bed 3 Gas




Figure A.227: Experiment 8 - Bed 3 Press




Figure A.228: Experiment 8 - Bed 3 Temps




Figure A.229: Experiment 8 - CO




Figure A.230: Experiment 8 - C O 2




Figure A.231: Experiment 8 - Dining Room Gas




Figure A.232: Experiment 8 - Dining Press






Figure A.233: Experiment 8 - Dining Temps






Figure A.236: Experiment 8 - Hall Temps




Figure A.237: Experiment 8 - Kitch Temps




Figure A.238: Experiment 8 - Living Press




Figure A.239: Experiment 8 - Living Temps




Figure A.240: Experiment 8 - M Bed Press




Figure A.241: Experiment 8 - M Bed Temps




Figure A.242: Experiment 8 - Oxygen






Figure A.243: Experiment 8 - Pressure High






Figure A.246: Experiment 8 - Wall Cavity 1




Figure A.247: Experiment 8 - Wall Cavity 2




Figure A.248: Experiment 8 - Wall Cavity Press

A.9 Experiment 9 Data




Figure A.249: Experiment 9 - 1 Ft Temps




Figure A.250: Experiment 9 - 3 Ft Temps




Figure A.251: Experiment 9 - 5 Ft Temps




Figure A.252: Experiment 9 - 7 Ft Temps







Figure A.253: Experiment 9 - Bed 1 Door








Figure A.257: Experiment 9 - Bed 2 Temps




Figure A.258: Experiment 9 - Bed 2 Window




Figure A.259: Experiment 9 - Bed 3 Gas




Figure A.260: Experiment 9 - Bed 3 Press




Figure A.261: Experiment 9 - Bed 3 Temps




Figure A.262: Experiment 9 - Bed 3 Window




Figure A.263: Experiment 9 - C O




Figure A.264: Experiment 9 - C O 2




Figure A.265: Experiment 9 - Dining Room Gas








Figure A.266: Experiment 9 - Dining Press








Figure A.271: Experiment 9 - Hall Temps






Figure A.272: Experiment 9 - Kitch Temps







Figure A.276: Experiment 9 - M Bed Temps




Figure A.277: Experiment 9 - Oxygen




Figure A.278: Experiment 9 - Pressure High




Figure A.279: Experiment 9 - Pressure Low




Figure A.280: Experiment 9 - Pressure Mid

A.10 Experiment 10 Data




Figure A.281: Experiment 10 - 1 Ft Temps




Figure A.282: Experiment 10 - 3 Ft Temps




Figure A.283: Experiment 10 - 5 Ft Temps




Figure A.284: Experiment 10 - 7 Ft Temps




Figure A.285: Experiment 10 - Bed 1 Door




Figure A.286: Experiment 10 - Bed 2 Door




Figure A.287: Experiment 10 - Bed 2 Gas




Figure A.288: Experiment 10 - Bed 2 Press




Figure A.289: Experiment 10 - Bed 2 Temps




Figure A.290: Experiment 10 - Bed 2 Window




Figure A.291: Experiment 10 - Bed 3 Gas




Figure A.292: Experiment 10 - Bed 3 Press




Figure A.293: Experiment 10 - Bed 3 Temps




Figure A.294: Experiment 10 - C O




Figure A.295: Experiment 10 - C O 2




Figure A.296: Experiment 10 - Dining Room Gas




Figure A.297: Experiment 10 - Dining Press




Figure A.298: Experiment 10 - Dining Temps




Figure A.299: Experiment 10 - Front Door




Figure A.300: Experiment 10 - Hall Gas




Figure A.301: Experiment 10 - Hall Temps




Figure A.302: Experiment 10 - Kitch Temps




Figure A.303: Experiment 10 - Living Press






Figure A.304: Experiment 10 - Living Temps






Figure A.307: Experiment 10 - Oxygen




Figure A.308: Experiment 10 - Pressure High




Figure A.309: Experiment 10 - Pressure Low




Figure A.310: Experiment 10 - Pressure Mid

A.11 Experiment 11 Data




Figure A.311: Experiment 11 - 1 Ft Temps




Figure A.312: Experiment 11 - 3 Ft Temps




Figure A.313: Experiment 11 - 5 Ft Temps






Figure A.314: Experiment 11 - 7 Ft Temps






Figure A.317: Experiment 11 - Bed 2 Door




Figure A.318: Experiment 11 - Bed 2 Gas




Figure A.319: Experiment 11 - Bed 2 Press




Figure A.320: Experiment 11 - Bed 2 Temps




Figure A.321: Experiment 11 - Bed 2 Window




Figure A.322: Experiment 11 - Bed 3 Door




Figure A.323: Experiment 11 - Bed 3 Gas




Figure A.324: Experiment 11 - Bed 3 Press





Figure A.326: Experiment 11 - Bed 3 Window




Figure A.327: Experiment 11 - C O




Figure A.328: Experiment 11 - C O 2




Figure A.329: Experiment 11 - Dining Room Gas




Figure A.330: Experiment 11 - Dining Press




Figure A.331: Experiment 11 - Dining Temps




Figure A.332: Experiment 11 - Front Door




Figure A.333: Experiment 11 - Hall Gas




Figure A.334: Experiment 11 - Hall Temps





Figure A.336: Experiment 11 - Living Press




Figure A.337: Experiment 11 - Living Temps




Figure A.338: Experiment 11 - M Bed Press




Figure A.339: Experiment 11 - M Bed Temps






Figure A.340: Experiment 11 - Oxygen






Figure A.343: Experiment 11 - Pressure Mid

A.12 Experiment 12 Data




Figure A.344: Experiment 12 - 1 Ft Temps




Figure A.345: Experiment 12 - 3 Ft Temps




Figure A.346: Experiment 12 - 5 Ft Temps






Figure A.347: Experiment 12 - 7 Ft Temps






Figure A.350: Experiment 12 - Bed 2 Gas




Figure A.351: Experiment 12 - Bed 2 Press




Figure A.352: Experiment 12 - Bed 2 Temps




Figure A.353: Experiment 12 - Bed 2 Window




Figure A.354: Experiment 12 - Bed 3 Gas




Figure A.355: Experiment 12 - Bed 3 Press




Figure A.356: Experiment 12 - Bed 3 Temps




Figure A.357: Experiment 12 - C O




Figure A.358: Experiment 12 - C O 2




Figure A.359: Experiment 12 - Dining Room Gas




Figure A.360: Experiment 12 - Dining Press




Figure A.361: Experiment 12 - Dining Temps




Figure A.362: Experiment 12 - Front Door






Figure A.363: Experiment 12 - Hall Gas







Figure A.367: Experiment 12 - Living Temps





Figure A.369: Experiment 12 - M Bed Temps




Figure A.370: Experiment 12 - Oxygen




Figure A.371: Experiment 12 - Pressure High




Figure A.372: Experiment 12 - Pressure Low






Figure A.373: Experiment 12 - Pressure Mid

A.13 Experiment 13 Data






Figure A.376: Experiment 13 - 5 Ft Temps






Figure A.377: Experiment 13 - 7 Ft Temps






Figure A.380: Experiment 13 - Bed 2 Gas




Figure A.381: Experiment 13 - Bed 2 Press





Figure A.383: Experiment 13 - Bed 3 Door




Figure A.384: Experiment 13 - Bed 3 Gas




Figure A.385: Experiment 13 - Bed 3 Press




Figure A.386: Experiment 13 - Bed 3 Temps




Figure A.387: Experiment 13 - Bed 3 Window




Figure A.388: Experiment 13 - C O




Figure A.389: Experiment 13 - C O 2




Figure A.390: Experiment 13 - Dining Room Gas




Figure A.391: Experiment 13 - Dining Press




Figure A.392: Experiment 13 - Dining Temps






Figure A.393: Experiment 13 - Front Door






Figure A.396: Experiment 13 - Kitch Temps




Figure A.397: Experiment 13 - Living Press




Figure A.398: Experiment 13 - Living Temps




Figure A.399: Experiment 13 - M Bed Press





Figure A.401: Experiment 13 - Oxygen




Figure A.402: Experiment 13 - Pressure High




Figure A.403: Experiment 13 - Pressure Low




Figure A.404: Experiment 13 - Pressure Mid

A.14 Experiment 14 Data




Figure A.405: Experiment 14 - 1 Ft Temps




Figure A.406: Experiment 14 - 3 Ft Temps




Figure A.407: Experiment 14 - 5 Ft Temps




Figure A.408: Experiment 14 - 7 Ft Temps




Figure A.409: Experiment 14 - Bed 1 Door




Figure A.410: Experiment 14 - Bed 2 Door




Figure A.411: Experiment 14 - Bed 2 Gas




Figure A.412: Experiment 14 - Bed 2 Press




Figure A.413: Experiment 14 - Bed 2 Temps




Figure A.414: Experiment 14 - Bed 2 Window




Figure A.415: Experiment 14 - Bed 3 Gas




Figure A.416: Experiment 14 - Bed 3 Press




Figure A.417: Experiment 14 - Bed 3 Temps




Figure A.418: Experiment 14 - CO




Figure A.419: Experiment 14 - C O 2




Figure A.420: Experiment 14 - Dining Room Gas





Figure A.422: Experiment 14 - Dining Temps




Figure A.423: Experiment 14 - Front Door




Figure A.424: Experiment 14 - Hall Gas




Figure A.425: Experiment 14 - Hall Temps




Figure A.426: Experiment 14 - Kitch Temps




Figure A.427: Experiment 14 - Living Press






Figure A.428: Experiment 14 - Living Temps






Figure A.431: Experiment 14 - Oxygen




Figure A.432: Experiment 14 - Pressure High




Figure A.433: Experiment 14 - Pressure Low




Figure A.434: Experiment 14 - Pressure Mid

A.15 Experiment 15 Data




Figure A.435: Experiment 15 - 1 Ft Temps




Figure A.436: Experiment 15 - 3 Ft Temps




Figure A.437: Experiment 15 - 5 Ft Temps






Figure A.438: Experiment 15 - 7 Ft Temps






Figure A.441: Experiment 15 - Bed 2 Door






Figure A.442: Experiment 15 - Bed 2 Gas






Figure A.445: Experiment 15 - Bed 2 Window




Figure A.446: Experiment 15 - Bed 3 Door




Figure A.447: Experiment 15 - Bed 3 Gas






Figure A.448: Experiment 15 - Bed 3 Press






Figure A.451: Experiment 15 - C O




Figure A.452: Experiment 15 - C O₂




Figure A.453: Experiment 15 - Dining Room Gas






Figure A.454: Experiment 15 - Dining Press






Figure A.457: Experiment 15 - Hall Gas






Figure A.458: Experiment 15 - Hall Temps






Figure A.461: Experiment 15 - Living Temps




Figure A.462: Experiment 15 - Living Window





Figure A.464: Experiment 15 - M Bed Temps




Figure A.465: Experiment 15 - Oxygen






Figure A.466: Experiment 15 - Pressure High



A.16 Experiment 16 Data




Figure A.469: Experiment 16 - 1 Ft Temps




Figure A.470: Experiment 16 - 3 Ft Temps




Figure A.471: Experiment 16 - 5 Ft Temps




Figure A.472: Experiment 16 - 7 Ft Temps




Figure A.473: Experiment 16 - Bed 1 Door








Figure A.474: Experiment 16 - Bed 2 Gas













Figure A.480: Experiment 16 - Bedroom 2 Temps











Figure A.486: Experiment 16 - Den Temps







Figure A.490: Experiment 16 - Family Room 1 Window




Figure A.491: Experiment 16 - Family Room Temps




Figure A.492: Experiment 16 - Foyer Pressure




Figure A.493: Experiment 16 - Foyer Temps




Figure A.494: Experiment 16 - Fractional Effective Dose C O





Figure A.496: Experiment 16 - Hall Gas




Figure A.497: Experiment 16 - Hall Temps




Figure A.498: Experiment 16 - Kirchen Pressure




Figure A.499: Experiment 16 - Kitchen Temps




Figure A.500: Experiment 16 - Living Pressure




Figure A.501: Experiment 16 - Living Room Temps








Figure A.502: Experiment 16 - M Bed Pressure










Figure A.507: Experiment 16 - Pressure 8ft

A.17 Experiment 17 Data






Figure A.510: Experiment 17 - 5 Ft Temps




Figure A.511: Experiment 17 - 7 Ft Temps




Figure A.512: Experiment 17 - Bed 1 Door




Figure A.513: Experiment 17 - Bed 2 Gas




Figure A.514: Experiment 17 - Bed 2 Pressure




Figure A.515: Experiment 17 - Bed 3 Door




Figure A.516: Experiment 17 - Bed 3 Gas




Figure A.517: Experiment 17 - Bed 3 Pressure




Figure A.518: Experiment 17 - Bed 4 Pressure




Figure A.519: Experiment 17 - Bedroom 2 Temps




Figure A.520: Experiment 17 - Bedroom 3 Temps




Figure A.521: Experiment 17 - Bedroom 4 Temps




Figure A.522: Experiment 17 - C O




Figure A.523: Experiment 17 - C O 2




Figure A.524: Experiment 17 - Den Pressure




Figure A.525: Experiment 17 - Den Temps




Figure A.526: Experiment 17 - Dining Room Temps




Figure A.527: Experiment 17 - Family Gas




Figure A.528: Experiment 17 - Family Pressure




Figure A.529: Experiment 17 - Family Room 1 Window




Figure A.530: Experiment 17 - Family Room Temps




Figure A.531: Experiment 17 - Foyer Pressure




Figure A.532: Experiment 17 - Foyer Temps




Figure A.533: Experiment 17 - Fractional Effective Dose C O




Figure A.534: Experiment 17 - Front Door




Figure A.535: Experiment 17 - Hall Gas




Figure A.536: Experiment 17 - Hall Temps




Figure A.537: Experiment 17 - Kirchen Pressure




Figure A.538: Experiment 17 - Kitchen Temps




Figure A.539: Experiment 17 - Living Pressure




Figure A.540: Experiment 17 - Living Room Temps








Figure A.541: Experiment 17 - M Bed Pressure








Figure A.546: Experiment 17 - Pressure 8ft

A.18 Experiment 18 Data




Figure A.547: Experiment 18 - 1 Ft Temps




Figure A.548: Experiment 18 - 3 Ft Temps




Figure A.549: Experiment 18 - 5 Ft Temps




Figure A.550: Experiment 18 - 7 Ft Temps




Figure A.551: Experiment 18 - Bed 1 Door




Figure A.552: Experiment 18 - Bed 2 Gas




Figure A.553: Experiment 18 - Bed 2 Pressure




Figure A.554: Experiment 18 - Bed 3 Door




Figure A.555: Experiment 18 - Bed 3 Gas




Figure A.556: Experiment 18 - Bed 3 Pressure




Figure A.557: Experiment 18 - Bed 4 Pressure




Figure A.558: Experiment 18 - Bedroom 2 Temps




Figure A.559: Experiment 18 - Bedroom 3 Temps




Figure A.560: Experiment 18 - Bedroom 4 Temps




Figure A.561: Experiment 18 - C O






Figure A.562: Experiment 18 - C O 2






Figure A.565: Experiment 18 - Dining Room Temps




Figure A.566: Experiment 18 - Family Gas




Figure A.567: Experiment 18 - Family Pressure




Figure A.568: Experiment 18 - Family Room 1 Window




Figure A.569: Experiment 18 - Family Room Temps




Figure A.570: Experiment 18 - Foyer Pressure




Figure A.571: Experiment 18 - Foyer Temps




Figure A.572: Experiment 18 - Fractional Effective Dose C O




Figure A.573: Experiment 18 - Front Door




Figure A.574: Experiment 18 - Hall Gas




Figure A.575: Experiment 18 - Hall Temps




Figure A.576: Experiment 18 - Kirchen Pressure




Figure A.577: Experiment 18 - Kitchen Temps




Figure A.578: Experiment 18 - Living Pressure




Figure A.579: Experiment 18 - Living Room Temps




Figure A.580: Experiment 18 - M Bed Pressure




Figure A.581: Experiment 18 - M Bedroom Temps






Figure A.582: Experiment 18 - Oxygen






Figure A.585: Experiment 18 - Pressure 8ft

A.19 Experiment 19 Data




Figure A.586: Experiment 19 - 1 Ft Temps




Figure A.587: Experiment 19 - 3 Ft Temps




Figure A.588: Experiment 19 - 5 Ft Temps




Figure A.589: Experiment 19 - 7 Ft Temps




Figure A.590: Experiment 19 - Bed 1 Door




Figure A.591: Experiment 19 - Bed 2 Gas




Figure A.592: Experiment 19 - Bed 2 Pressure




Figure A.593: Experiment 19 - Bed 3 Door




Figure A.594: Experiment 19 - Bed 3 Gas




Figure A.595: Experiment 19 - Bed 3 Pressure




Figure A.596: Experiment 19 - Bed 3 Window




Figure A.597: Experiment 19 - Bed 4 Pressure




Figure A.598: Experiment 19 - Bedroom 2 Temps




Figure A.599: Experiment 19 - Bedroom 3 Temps




Figure A.600: Experiment 19 - Bedroom 4 Temps








Figure A.601: Experiment 19 - C O








Figure A.606: Experiment 19 - Family Gas






Figure A.607: Experiment 19 - Family Pressure






Figure A.610: Experiment 19 - Foyer Temps




Figure A.611: Experiment 19 - Fractional Effective Dose C O




Figure A.612: Experiment 19 - Front Door




Figure A.613: Experiment 19 - Hall Gas




Figure A.614: Experiment 19 - Hall Temps






Figure A.615: Experiment 19 - Kirchen Pressure






Figure A.618: Experiment 19 - Living Room Temps




Figure A.619: Experiment 19 - M Bed Pressure




Figure A.620: Experiment 19 - M Bedroom Temps






Figure A.621: Experiment 19 - Oxygen






Figure A.624: Experiment 19 - Pressure 8ft

A.20 Experiment 20 Data




Figure A.625: Experiment 20 - 1 Ft Temps




Figure A.626: Experiment 20 - 3 Ft Temps




Figure A.627: Experiment 20 - 5 Ft Temps




Figure A.628: Experiment 20 - 7 Ft Temps




Figure A.629: Experiment 20 - Bed 1 Door




Figure A.630: Experiment 20 - Bed 2 Gas




Figure A.631: Experiment 20 - Bed 2 Pressure




Figure A.632: Experiment 20 - Bed 3 Door




Figure A.633: Experiment 20 - Bed 3 Gas




Figure A.634: Experiment 20 - Bed 3 Pressure




Figure A.635: Experiment 20 - Bed 3 Window




Figure A.636: Experiment 20 - Bed 4 Pressure




Figure A.637: Experiment 20 - Bedroom 2 Temps




Figure A.638: Experiment 20 - Bedroom 3 Temps




Figure A.639: Experiment 20 - Bedroom 4 Temps






Figure A.640: Experiment 20 - C O






Figure A.643: Experiment 20 - Den Temps




Figure A.644: Experiment 20 - Dining Room Temps




Figure A.645: Experiment 20 - Family Gas




Figure A.646: Experiment 20 - Family Pressure




Figure A.647: Experiment 20 - Family Room 1 Window




Figure A.648: Experiment 20 - Family Room Temps





Figure A.650: Experiment 20 - Foyer Temps




Figure A.651: Experiment 20 - Fractional Effective Dose C O




Figure A.652: Experiment 20 - Front Door




Figure A.653: Experiment 20 - Hall Gas




Figure A.654: Experiment 20 - Hall Temps




Figure A.655: Experiment 20 - Kirchen Pressure




Figure A.656: Experiment 20 - Kitchen Temps




Figure A.657: Experiment 20 - Living Pressure




Figure A.658: Experiment 20 - Living Room Temps




Figure A.659: Experiment 20 - M Bed Pressure




Figure A.660: Experiment 20 - M Bedroom Temps




Figure A.661: Experiment 20 - Oxygen




Figure A.662: Experiment 20 - Pressure 1 Ft




Figure A.663: Experiment 20 - Pressure 4ft




Figure A.664: Experiment 20 - Pressure 8ft

A.21 Experiment 21 Data




Figure A.665: Experiment 21 - 1 Ft Temps




Figure A.666: Experiment 21 - 3 Ft Temps




Figure A.667: Experiment 21 - 5 Ft Temps




Figure A.668: Experiment 21 - 7 Ft Temps




Figure A.669: Experiment 21 - Bed 1 Door




Figure A.670: Experiment 21 - Bed 2 Gas




Figure A.671: Experiment 21 - Bed 2 Pressure




Figure A.672: Experiment 21 - Bed 3 Door




Figure A.673: Experiment 21 - Bed 3 Gas




Figure A.674: Experiment 21 - Bed 3 Pressure




Figure A.675: Experiment 21 - Bed 4 Pressure






Figure A.676: Experiment 21 - Bedroom 2 Temps






Figure A.679: Experiment 21 - C O




Figure A.680: Experiment 21 - C O 2




Figure A.681: Experiment 21 - Den Pressure




Figure A.682: Experiment 21 - Den Temps




Figure A.683: Experiment 21 - Dining Room Temps




Figure A.684: Experiment 21 - Family Gas





Figure A.686: Experiment 21 - Family Room 1 Window




Figure A.687: Experiment 21 - Family Room 2 Window






Figure A.688: Experiment 21 - Family Room Temps






Figure A.691: Experiment 21 - Fractional Effective Dose C O




Figure A.692: Experiment 21 - Front Door




Figure A.693: Experiment 21 - Hall Gas




Figure A.694: Experiment 21 - Hall Temps




Figure A.695: Experiment 21 - Kirchen Pressure




Figure A.696: Experiment 21 - Kitchen Temps





Figure A.698: Experiment 21 - Living Room Temps




Figure A.699: Experiment 21 - M Bed Pressure




Figure A.700: Experiment 21 - M Bedroom Temps




Figure A.701: Experiment 21 - Oxygen




Figure A.702: Experiment 21 - Pressure 1 Ft




Figure A.703: Experiment 21 - Pressure 4ft




Figure A.704: Experiment 21 - Pressure 8ft

A.22 Experiment 22 Data




Figure A.705: Experiment 22 - 1 Ft Temps




Figure A.706: Experiment 22 - 3 Ft Temps




Figure A.707: Experiment 22 - 5 Ft Temps




Figure A.708: Experiment 22 - 7 Ft Temps




Figure A.709: Experiment 22 - Bed 1 Door






Figure A.710: Experiment 22 - Bed 2 Gas






Figure A.713: Experiment 22 - Bed 3 Gas






Figure A.714: Experiment 22 - Bed 3 Pressure






Figure A.717: Experiment 22 - Bedroom 3 Temps




Figure A.718: Experiment 22 - Bedroom 4 Temps




Figure A.719: Experiment 22 - C O




Figure A.720: Experiment 22 - C O₂




Figure A.721: Experiment 22 - Den Pressure




Figure A.722: Experiment 22 - Den Temps




Figure A.723: Experiment 22 - Dining Room Temps






Figure A.724: Experiment 22 - Family Gas






Figure A.727: Experiment 22 - Family Room Temps




Figure A.728: Experiment 22 - Foyer Pressure





Figure A.730: Experiment 22 - Fractional Effective Dose C O




Figure A.731: Experiment 22 - Front Door




Figure A.732: Experiment 22 - Hall Gas




Figure A.733: Experiment 22 - Hall Temps




Figure A.734: Experiment 22 - Kirchen Pressure





Figure A.735: Experiment 22 - Kitchen Temps






Figure A.737: Experiment 22 - Living Room Temps




Figure A.738: Experiment 22 - M Bed Pressure




Figure A.739: Experiment 22 - M Bedroom Temps






Figure A.740: Experiment 22 - Oxygen






Figure A.743: Experiment 22 - Pressure 8ft

A.23 Experiment 23 Data




Figure A.744: Experiment 23 - 1 Ft Temps




Figure A.745: Experiment 23 - 3 Ft Temps




Figure A.746: Experiment 23 - 5 Ft Temps




Figure A.747: Experiment 23 - 7 Ft Temps




Figure A.748: Experiment 23 - Bed 1 Door




Figure A.749: Experiment 23 - Bed 2 Gas




Figure A.750: Experiment 23 - Bed 2 Pressure




Figure A.751: Experiment 23 - Bed 3 Door




Figure A.752: Experiment 23 - Bed 3 Gas




Figure A.753: Experiment 23 - Bed 3 Pressure




Figure A.754: Experiment 23 - Bed 3 Window




Figure A.755: Experiment 23 - Bed 4 Pressure




Figure A.756: Experiment 23 - Bedroom 2 Temps




Figure A.757: Experiment 23 - Bedroom 3 Temps




Figure A.758: Experiment 23 - Bedroom 4 Temps




Figure A.759: Experiment 23 - C O




Figure A.760: Experiment 23 - C O 2




Figure A.761: Experiment 23 - Den Pressure




Figure A.762: Experiment 23 - Den Temps




Figure A.763: Experiment 23 - Dining Room Temps




Figure A.764: Experiment 23 - Family Gas




Figure A.765: Experiment 23 - Family Pressure




Figure A.766: Experiment 23 - Family Room Temps




Figure A.767: Experiment 23 - Foyer Pressure




Figure A.768: Experiment 23 - Foyer Temps




Figure A.769: Experiment 23 - Fractional Effective Dose C O




Figure A.770: Experiment 23 - Front Door




Figure A.771: Experiment 23 - Hall Gas




Figure A.772: Experiment 23 - Hall Temps




Figure A.773: Experiment 23 - Kirchen Pressure




Figure A.774: Experiment 23 - Kitchen Temps




Figure A.775: Experiment 23 - Living Pressure




Figure A.776: Experiment 23 - Living Room Temps




Figure A.777: Experiment 23 - M Bed Pressure




Figure A.778: Experiment 23 - M Bedroom Temps






Figure A.779: Experiment 23 - Oxygen






Figure A.782: Experiment 23 - Pressure 8ft

A.24 Experiment 24 Data




Figure A.783: Experiment 24 - 1 Ft Temps




Figure A.784: Experiment 24 - 3 Ft Temps




Figure A.785: Experiment 24 - 5 Ft Temps




Figure A.786: Experiment 24 - 7 Ft Temps




Figure A.787: Experiment 24 - Bed 1 Door




Figure A.788: Experiment 24 - Bed 2 Gas




Figure A.789: Experiment 24 - Bed 2 Pressure




Figure A.790: Experiment 24 - Bed 3 Door




Figure A.791: Experiment 24 - Bed 3 Gas




Figure A.792: Experiment 24 - Bed 3 Pressure




Figure A.793: Experiment 24 - Bed 3 Window




Figure A.794: Experiment 24 - Bed 4 Pressure




Figure A.795: Experiment 24 - Bedroom 2 Temps




Figure A.796: Experiment 24 - Bedroom 3 Temps




Figure A.797: Experiment 24 - Bedroom 4 Temps




Figure A.798: Experiment 24 - C O




Figure A.799: Experiment 24 - C O 2




Figure A.800: Experiment 24 - Den Pressure




Figure A.801: Experiment 24 - Den Temps




Figure A.802: Experiment 24 - Dining Room Temps




Figure A.803: Experiment 24 - Family Gas




Figure A.804: Experiment 24 - Family Pressure




Figure A.805: Experiment 24 - Family Room Temps




Figure A.806: Experiment 24 - Foyer Pressure




Figure A.807: Experiment 24 - Foyer Temps




Figure A.808: Experiment 24 - Fractional Effective Dose C O




Figure A.809: Experiment 24 - Front Door




Figure A.810: Experiment 24 - Hall Gas




Figure A.811: Experiment 24 - Hall Temps




Figure A.812: Experiment 24 - Kirchen Pressure




Figure A.813: Experiment 24 - Kitchen Door








Figure A.814: Experiment 24 - Kitchen Temps








Figure A.819: Experiment 24 - Oxygen






Figure A.820: Experiment 24 - Pressure 1 Ft



A.25 Experiment 25 Data




Figure A.823: Experiment 25 - 1 Ft Temps




Figure A.824: Experiment 25 - 3 Ft Temps




Figure A.825: Experiment 25 - 5 Ft Temps




Figure A.826: Experiment 25 - 7 Ft Temps




Figure A.827: Experiment 25 - Bed 1 Door




Figure A.828: Experiment 25 - Bed 2 Gas




Figure A.829: Experiment 25 - Bed 2 Pressure




Figure A.830: Experiment 25 - Bed 3 Door




Figure A.831: Experiment 25 - Bed 3 Gas




Figure A.832: Experiment 25 - Bed 3 Pressure




Figure A.833: Experiment 25 - Bed 4 Pressure




Figure A.834: Experiment 25 - Bedroom 2 Temps




Figure A.835: Experiment 25 - Bedroom 3 Temps




Figure A.836: Experiment 25 - Bedroom 4 Temps




Figure A.837: Experiment 25 - C O






Figure A.838: Experiment 25 - C O 2






Figure A.841: Experiment 25 - Dining Room Temps








Figure A.842: Experiment 25 - Family Gas








Figure A.847: Experiment 25 - Front Door




Figure A.848: Experiment 25 - Hall Gas




Figure A.849: Experiment 25 - Hall Temps




Figure A.850: Experiment 25 - Kirchen Pressure




Figure A.851: Experiment 25 - Kitchen Temps




Figure A.852: Experiment 25 - Living Pressure




Figure A.853: Experiment 25 - Living Room Temps




Figure A.854: Experiment 25 - M Bed Pressure




Figure A.855: Experiment 25 - M Bedroom Temps




Figure A.856: Experiment 25 - Oxygen




Figure A.857: Experiment 25 - Pressure 1 Ft




Figure A.858: Experiment 25 - Pressure 4ft




Figure A.859: Experiment 25 - Pressure 8ft

A.26 Experiment 26 Data




Figure A.860: Experiment 26 - 1 Ft Temps




Figure A.861: Experiment 26 - 3 Ft Temps




Figure A.862: Experiment 26 - 5 Ft Temps




Figure A.863: Experiment 26 - 7 Ft Temps




Figure A.864: Experiment 26 - Bed 1 Door




Figure A.865: Experiment 26 - Bed 1 Window




Figure A.866: Experiment 26 - Bed 2 Door




Figure A.867: Experiment 26 - Bed 2 Gas




Figure A.868: Experiment 26 - Bed 2 Press




Figure A.869: Experiment 26 - Bed 2 Temps




Figure A.870: Experiment 26 - Bed 2 Window






Figure A.871: Experiment 26 - Bed 3 Gas






Figure A.874: Experiment 26 - Bed 3 Window








Figure A.875: Experiment 26 - C O








Figure A.880: Experiment 26 - Front Door








Figure A.881: Experiment 26 - Hall Gas








Figure A.886: Experiment 26 - M Bed Press




Figure A.887: Experiment 26 - M Bed Temps




Figure A.888: Experiment 26 - Oxygen




Figure A.889: Experiment 26 - Pressure High




Figure A.890: Experiment 26 - Pressure Low




Figure A.891: Experiment 26 - Pressure Mid

A.27 Experiment 27 Data




Figure A.892: Experiment 27 - 1 Ft Temps




Figure A.893: Experiment 27 - 3 Ft Temps




Figure A.894: Experiment 27 - 5 Ft Temps




Figure A.895: Experiment 27 - 7 Ft Temps




Figure A.896: Experiment 27 - Bed 1 Door




Figure A.897: Experiment 27 - Bed 1 Window




Figure A.898: Experiment 27 - Bed 2 Door




Figure A.899: Experiment 27 - Bed 2 Gas




Figure A.900: Experiment 27 - Bed 2 Press




Figure A.901: Experiment 27 - Bed 2 Temps




Figure A.902: Experiment 27 - Bed 2 Window




Figure A.903: Experiment 27 - Bed 3 Gas




Figure A.904: Experiment 27 - Bed 3 Press




Figure A.905: Experiment 27 - Bed 3 Temps




Figure A.906: Experiment 27 - Bed 3 Window






Figure A.907: Experiment 27 - C O






Figure A.910: Experiment 27 - Dining Press




Figure A.911: Experiment 27 - Dining Temps




Figure A.912: Experiment 27 - Front Door




Figure A.913: Experiment 27 - Hall Gas




Figure A.914: Experiment 27 - Hall Temps




Figure A.915: Experiment 27 - Kitch Temps




Figure A.916: Experiment 27 - Living Press




Figure A.917: Experiment 27 - Living Temps




Figure A.918: Experiment 27 - M Bed Press




Figure A.919: Experiment 27 - M Bed Temps




Figure A.920: Experiment 27 - Oxygen




Figure A.921: Experiment 27 - Pressure High




Figure A.922: Experiment 27 - Pressure Low




Figure A.923: Experiment 27 - Pressure Mid