Signature

@KeithYokoma - Drivemode, Inc.
Shibuya.apk #1

KeithYokoma

Keishin Yokomaku
Drivemode, Inc.
Android Engineer
GitHub: https://github.com/KeithYokoma
Qiita: http://qiita.com/KeithYokoma
e-Book: http://amzn.to/1mZNydv

Keystore

- Containing "Key" and "Certification"

- Every applications are signed with keystore

- The same applications are signed with the same keystore

Keystore

- Valid until ...

- Store password: ...

- Key alias: ...

- Key password: ...

- Owner informations ...

Signing

debug.keystore

app-debug.apk

release.keystore

app-release.apk

# The problem

The problem

Where should we put the keystore?

Shared drive? 📂

- Possibility to lost keystore files

- Who remembers password?

- Manual operation to share keystore files

  - Dull to copy them by hand

Shared drive? 📁

Yuck!

Put keystores in the repository

Repository

- No chance to lost(we have a history!)

- Quick set up build env with just cloning

- Note: Safe to share them in <u>PRIVATE</u> repo

Jake Wharton
@JakeWharton

⚙ フォロー中

Commit a debug keystore to your repo. This way debug builds from anyone can always be installed with zero hassle.

github.com/JakeWharton/Te...

🌐 翻訳を表示

↩ ⇄ ★ •••

GitHub

JakeWharton/Telecine
Telecine - Record full-resolution video on your Android devices.

webで見る

33	65
リツイート	お気に入り

20:43 - 2015年1月11日

Wait, how do we share keystore password?

Keystore password

- Use `echo something_seed_value | md5`

- Set it as ENV value
  'export KSTOREPWD=…'

- Read ENV value from build.gradle

build.gradle

```
android {
  signingConfigs {
    release {
      storePassword System.getenv("KSTOREPWD")
      keyPassword System.getenv("KEYPWD")
    }
  }
}
```

Looks Good To Me

Signature

@KeithYokoma - Drivemode, Inc.
Shibuya.apk #1