Importing some libraries

In [1]:

```
from pynq.overlays.base import BaseOverlay
import pynq.lib.rgbled as rgbled
import time
```

Programming the PL

In [2]:

```
base = BaseOverlay("base.bit")
```

Defining buttons and LEDs

In [3]:

```
btns = base.btns_gpio
led4 = rgbled.RGBLED(4)
led5 = rgbled.RGBLED(5)
```

Using a loop to blink the LEDS and read from buttons

In [4]:

```
while True:
    led4.write(0x1)
    led5.write(0x7)
    if btns.read() != 0:
        break
    time.sleep(0.1)
    led4.write(0x0)
    led5.write(0x0)
    if btns.read() != 0:
        break
    time.sleep(0.05)
    led4.write(0x1)
    led5.write(0x7)
    if btns.read() != 0:
        break
    time.sleep(0.1)
    led4.write(0x0)
    led5.write(0x0)
    if btns.read() != 0:
        break
    time.sleep(0.05)

    led4.write(0x7)
    led5.write(0x4)
    if btns.read() != 0:
        break
    time.sleep(0.1)
    led4.write(0x0)
    led5.write(0x0)
    if btns.read() != 0:
        break
    time.sleep(0.05)
    led4.write(0x7)
    led5.write(0x4)
    if btns.read() != 0:
        break
    time.sleep(0.1)
    led4.write(0x0)
    led5.write(0x0)
    if btns.read() != 0:
        break
    time.sleep(0.05)

led4.write(0x0)
led5.write(0x0)
```

Using asyncio to blink the LEDS and read from buttons

In [5]:

```python
import asyncio
cond = True

async def flash_leds():
    global cond, start
    while cond:
        led4.write(0x1)
        led5.write(0x7)
        await asyncio.sleep(0.1)
        led4.write(0x0)
        led5.write(0x0)
        await asyncio.sleep(0.05)
        led4.write(0x1)
        led5.write(0x7)
        await asyncio.sleep(0.1)
        led4.write(0x0)
        led5.write(0x0)
        await asyncio.sleep(0.05)

        led4.write(0x7)
        led5.write(0x4)
        await asyncio.sleep(0.1)
        led4.write(0x0)
        led5.write(0x0)
        await asyncio.sleep(0.05)
        led4.write(0x7)
        led5.write(0x4)
        await asyncio.sleep(0.1)
        led4.write(0x0)
        led5.write(0x0)
        await asyncio.sleep(0.05)

async def get_btns(_loop):
    global cond, start
    while cond:
        await asyncio.sleep(0.01)
        if btns.read() != 0:
            _loop.stop()
            cond = False

loop = asyncio.new_event_loop()
loop.create_task(flash_leds())
loop.create_task(get_btns(loop))
loop.run_forever()
loop.close()
led4.write(0x0)
led5.write(0x0)
print("Done.")
```

```
Done.
```

Lab work

Using the code from previous cell as a template, write a code to start the blinking when button 0 is pushed and stop the blinking when button 1 is pushed.

In [10]:

```
# write your code here.
import asyncio
cond = True
flag = False

async def flash_leds():
    global cond, flag
    while cond:
        if flag:
            led4.write(0x1)
            led5.write(0x7)
            await asyncio.sleep(0.1)
            led4.write(0x0)
            led5.write(0x0)
            await asyncio.sleep(0.05)
            led4.write(0x1)
            led5.write(0x7)
            await asyncio.sleep(0.1)
            led4.write(0x0)
            led5.write(0x0)
            await asyncio.sleep(0.05)

            led4.write(0x7)
            led5.write(0x4)
            await asyncio.sleep(0.1)
            led4.write(0x0)
            led5.write(0x0)
            await asyncio.sleep(0.05)
            led4.write(0x7)
            led5.write(0x4)
            await asyncio.sleep(0.1)
            led4.write(0x0)
            led5.write(0x0)
            await asyncio.sleep(0.05)
        else:
            led4.write(0x0)
            led5.write(0x0)
            await asyncio.sleep(0.01)

async def get_btns(_loop):
    global cond, flag
    while cond:
        await asyncio.sleep(0.01)
        if btns[1].read() != 0:
            _loop.stop()
            #cond = False
            flag = False
        elif btns[0].read() != 0:
            flag = True

loop = asyncio.new_event_loop()
loop.create_task(flash_leds())
loop.create_task(get_btns(loop))
loop.run_forever()
loop.close()
led4.write(0x0)
led5.write(0x0)
print("Done.")
```

```
Done.
```

In [ ]:

In [ ]: