

SHARE DATA BETWEEN COMPONENTS

- FROM CHILD COMPONENT TO DIRECT PARENT.

Shippio



Most common way to send event or data up.

Can be use to emit an event with or without data.

Parent have to listen to the event.

UP - FROM CHILD COMPONENT TO DIRECT PARENT.

- Emit :
 - Most common way to send event or data up.
 - Can be use to emit an event with or without data.
 - Parent have to listen to the event.



EMIT CODE DEMO

```
<template>
  <div>
    <Tweet v-for="(tweet, index) in tweets"</pre>
    :key="index"
    :msg="tweet"
    @delete="deleteTweet(index)"/>
 </div>
</template>
<script>
import Tweet from '../components/emit/Tweet.vue'
export default {
  name: 'Emit',
  components: {
   Tweet,
  data() {
    return {
      tweets: ['Hello word', 'my second tweet'],
    };
 },
 methods : {
    deleteTweet(index) {
      this.$delete(this.tweets, index);
</script>
```

PARENT

```
CHILD
<template>
 <div>{{ msg }}
    <button @click="deleteTweet()">delete</button>
 </div>
</template>
<script>
export default {
 name: 'Tweet',
 props: {
   msg: String
 methods: {
   deleteTweet() {
      this.$emit('delete');
</script>
```

