Name ______ Period _____

Skill 27.1 Exercise 1

If an array of Integer objects contain the following elements, what would the array look like after the third pass of selectionSort, sorting from high to low?

```
89 42 -3 13 109 70 2
public class Sorter {
    private Integer[] a;
    public Sorter(Integer[] arr){a = arr;}
    /**Swap a[j] and a[j] in array a.*/
    private void swap(int i, int j){
        /*implementation not shown*/
    /**
    * Sort array a from largest to smallest using selection sort
     * Precondition: a is an array of Integer objects
    public void selectionSort(){
        for(int i = 0; i < a.length-1; i++){}
            //find max element in a[i+1] to a[n-1]
            Integer max = a[i];
            int maxPos = i;
            for(int j = i + 1; j < a.length; j++){}
                if(max.compareTo(a[j])<0){//max less than a[j]
                    max = a[j];
                    maxPos = j;
            swap(i, maxPos);
        }
   }
}
```

Skill 27.1 Exercise 1

An array of Integer objects is to be sorted from biggest to smallest using the insertionSort method. If the array originally contains the integers below, what will it look like after the third pass of the for loop?

1 7 9 5 4 12

AP Computer Science A Ticket Out the Door Set 27: Sorting

Name	Period
CL WORD TO A	
Skill 27.3 Exercise 1 Trace the complete execution of the merge sort algorithm	when called on the array below. Show the sub-arrays
that are created by the algorithm and show the merging o	
int[] numbers = {8, 5, -9, 14, 0, -1, -7, 3}; mergeSort(numbers);	
Sub arrays created	Merging of sub arrays
	
Skill 27.4 Exercise 1 Given the following list of numbers [14, 17, 13, 15, 19, 1	0.3.16.9.121 what are the contents of the list after the
second partitioning according to the quicksort algorithm?	
point)	

AP Computer Science A Ticket Out the Door Set 27: Sorting

Name ______Period _____