




6-PPD Quinone
CCTE_Shafer_MEA_acute_spike_number




6-PPD Quinone
CCTE_Shafer_MEA_acute_firing_rate_mean




6-PPD Quinone
CCTE_Shafer_MEA_acute_burst_number




6-PPD Quinone
CCTE_Shafer_MEA_acute_burst_duration_mean




6-PPD Quinone
CCTE_Shafer_MEA_acute_per_burst_spike_number_mean




6-PPD Quinone
CCTE_Shafer_MEA_acute_interburst_interval_mean




6-PPD Quinone
CCTE_Shafer_MEA_acute_burst_percentage_mean




6-PPD Quinone
CCTE_Shafer_MEA_acute_burst_percentage_std




6-PPD Quinone
CCTE_Shafer_MEA_acute_per_network_burst_spike_number_mean




6-PPD Quinone
CCTE_Shafer_MEA_acute_per_network_burst_spike_number_std




6-PPD Quinone
 CCTE_Shafer_MEA_acute_per_network_burst_electrodes_number_mean




6-PPD Quinone
CCTE_Shafer_MEA_acute_network_burst_percentage




6-PPD Quinone
CCTE_Shafer_MEA_acute_cross_correlation_area




6-PPD Quinone
CCTE_Shafer_MEA_acute_cross_correlation_HWHM



6-PPD Quinone CCTE_Shafer_MEA_acute_synchrony_index



6-PPD Quinone
CCTE_Shafer_MEA_acute_LDH



6-PPD Quinone
CCTE_Shafer_MEA_acute_AB

