

Rink Reports

Facility Setup Guide — Configuring a Facility End to End

How to stand up Rink Reports for an individual facility: creating the facility and its people, permissions and roles, shared infrastructure, every report module's configuration, employee scheduling, the Rink Scheduling & Billing module, communications routing, and the system checks to run before go-live.

Contents

1. Before You Begin 4

- 1.1 What this guide covers 4
- 1.2 Who does what 4
- 1.3 The setup sequence 4
- 1.4 Seed buttons: use them 5
- 1.5 A note on timezones 5

2. Create the Facility & First Admin 6

- 2.1 Create the facility (super admin) 6
- 2.2 Verify invites work before anything else 6
- 2.3 Create the first facility admin 6
- 2.4 Decide module visibility 6
- 2.5 Roles and permission defaults 7
- 2.6 Add the staff roster 7
- 2.7 Fine-tune per-user permissions 7

3. Shared Infrastructure 8

- 3.1 Departments 8
- 3.2 Facility Spaces 8
- 3.3 Lists 8
- 3.4 Facility Paperwork 8

4. Configure the Report Modules 9

- 4.1 Daily Reports 9
- 4.2 Incident Reports 9
- 4.3 Accident Reports 9
- 4.4 Ice Depth 9
- 4.5 Ice Operations 10
- 4.6 Refrigeration 10
- 4.7 Air Quality 10
- 4.8 Dasher Boards 11
- 4.9 The pattern to remember 11

5. Employee Scheduling Setup 12

- 5.1 Seed and review Settings 12
- 5.2 Job areas and certifications 12
- 5.3 Compliance rules 12
- 5.4 Templates 12
- 5.5 Know the publish flow before your first schedule 13

6. Rink Scheduling & Billing Setup 14

- 6.1 The mental model 14

- 6.2 Admin console tour 14
- 6.3 Facility Setup tab — do this first 14
- 6.4 Rate Cards tab — enter real rates before go-live 14
- 6.5 Lists tab 15
- 6.6 Displays tab — the lobby TV 15
- 6.7 Settings tab 15
- 6.8 What staff do with it (context for your setup choices) 16
- 6.9 Coverage — connecting ice to staffing 16
- 6.10 Known gaps to plan around 16
- 6.11 Rink Scheduling setup checklist 17

7. Communications & Alert Routing 18

- 7.1 Groups 18
- 7.2 Templates 18
- 7.3 Routing rules — the core of alerting 18
- 7.4 Reminders 18
- 7.5 Verify the pipeline 18

8. System Configuration & Go-Live 19

- 8.1 PDF / Export settings 19
- 8.2 Data retention 19
- 8.3 Health checks (super admin) 19
- 8.4 Go-live checklist 19

1. Before You Begin

1.1 What this guide covers

This guide walks an administrator through standing up Rink Reports for a single facility, from an empty tenant to staff submitting reports — in the order the pieces depend on each other. It covers creating the facility, provisioning people and permissions, the shared infrastructure every module borrows, per-module configuration (including the Rink Scheduling & Billing module), communications routing, and the system settings you should confirm before go-live.

Everything in Rink Reports is **facility-scoped**: each facility gets its own roles, employees, permissions, module configuration, option lists, and data. Setting up a second facility means repeating this process in that facility's context — nothing configured here leaks across tenants.

1.2 Who does what

Two levels of administrator split the setup work:

Task	Who
Create the facility record (name, slug, timezone, address)	Super admin
Activate/deactivate facilities	Super admin
Grant Admin Center access and assign admin-tier roles	Super admin
Everything else — people, permissions, module configuration	Facility admin

A **facility admin** is anyone holding the Admin Center permission (the Admin module's Admin action) for the facility. A **super admin** is a platform-level flag that bypasses module permissions and can work across facilities via the `?facility=` switcher on the admin dashboard.

Module consoles need one more grant: the *module's own* Admin action. Console access alone opens the sidebar but not, say, Refrigeration Admin — if a save fails with *"Your account has admin console access but not the module's admin permission,"* that's the missing grant, fixed in Admin → Permissions.

1.3 The setup sequence

Dependencies dictate the order. Follow it and you'll never configure a screen whose prerequisites don't exist yet:

1. **Facility** — a super admin creates the record; canonical roles are seeded automatically.
2. **First admin** — create the admin employee, invite them, grant Admin Center access.
3. **Module visibility** — decide which modules this facility uses (Admin → Modules).
4. **Shared infrastructure** — departments, facility spaces, option lists.
5. **People** — roles and permission defaults, then the staff roster (bulk add), then invites.
6. **Per-module configuration** — each module's setup tab, seeded where a seed button exists.
7. **Scheduling** — settings, job areas and certifications, compliance rules.
8. **Rink Scheduling & Billing** — surfaces, rate cards, customers, displays.
9. **Communications** — groups, templates, routing rules, reminders.
10. **System** — export branding, retention windows, and the go-live checks.

The **admin dashboard's setup checklist** tracks the first stretch of this automatically — six steps (facility info, roles seeded, role defaults, first admin linked, staff added, invites sent) with a "Ready" badge when complete. Start every

setup session there.

1.4 Seed buttons: use them

Nearly every module ships a **Seed defaults** button on its empty state. Seeding is idempotent — safe to run more than once, and it never overwrites edits you've already made. Always seed first, then adjust, rather than building lists from scratch. This guide notes what each seed creates.

1.5 A note on timezones

Set the facility's timezone correctly on day one and never think about it again: every timestamp staff see, every schedule, every cron-driven digest is rendered in facility-local time from that one setting. The facility form derives the timezone from the zip code automatically — override it only if the rink sits on a timezone boundary.

2. Create the Facility & First Admin

2.1 Create the facility (super admin)

In **Admin** → **Facility**, click **New facility** and fill in:

- **Name** and **Slug** (auto-suggested from the name; lowercase letters, numbers, hyphens; used in URLs and must be unique).
- **Zip code** — typing it auto-selects the **Timezone**; the helper confirms "Set to {zone} from the zip code". Override only on a timezone boundary.
- Address, city, state, phone, email.

Creating a facility automatically seeds the four **canonical roles** in the same transaction: Super Admin (level 0), Administrator (1), Manager (2), Staff (3). If you ever land in a facility without roles, the Employees page offers a **Seed default roles** button.

Facility admins get a **read-only view** of this page — every later change to the facility record (even a phone number) goes through a super admin.

2.2 Verify invites work before anything else

Account provisioning runs on email invites, so confirm the pipeline before creating fifty employees. **Admin** → **Super Admin** → **Invite service health** probes the invite service and reports the exact failure mode (key missing, invalid, or wrong project) if it's broken. Fix that first — otherwise every "Add employee with login" ends in *"Email invitations aren't available right now."*

2.3 Create the first facility admin

1. In **Admin** → **People** (super admin, with the facility selected via the dashboard switcher), **Add employee**: name, the **Administrator** role (assigning an admin-tier role is super-admin-only), email, phone, emergency contact.
2. Leave **"Create a login & apply these permissions"** checked — it sends the invite and seeds the Administrator role's permission defaults.
3. In **Admin** → **Permissions**, open the new user and confirm the **Admin module × Admin action** cell is on. That checkbox is Admin Center access, and only a super admin can grant it.

The invite email lands the person on a set-your-own-password page — admins never see or set passwords. If the email already has an account, no email is sent and the existing login is linked silently.

From here on, the facility admin can do everything else in this guide except the super-admin items flagged along the way.

2.4 Decide module visibility

Admin → **Modules** lists a toggle per staff module. Turn off what this facility doesn't use — disabled modules disappear from staff navigation and the dashboard.

Two things to internalize:

The toggle is a **visibility switch only**. It does not change per-employee permissions, and a disabled module's data stays protected by its own access rules. Use the Permissions matrix to control access; use Modules to control *clutter*.

Missing settings default to **enabled** — a brand-new facility shows everything until you prune. Dashboard and the Admin Center are never toggleable.

2.5 Roles and permission defaults

Open **/admin/roles** (it's not in the sidebar — reach it from the dashboard setup checklist or by URL). Two jobs:

1. **Add custom roles** if the facility needs them (e.g. `rink_lead`, `driver`): display name, an immutable lowercase key, a hierarchy level (lower = higher rank), description. You can't create a role that outranks your own.
2. **Set the defaults matrix** — for each role × module, toggle the default **View** / **Submit** / **Edit** / **Admin** actions. These defaults are what gets stamped onto every employee you create with that role. Get them right *before* bulk-adding staff and you'll rarely touch the per-user matrix.

Rules of the road: flipping a default **immediately re-applies to that role's current staff** (manual per-user overrides survive); the Admin-Center cell is super-admin-only; **Copy permission defaults** bulk-copies one role's defaults onto another.

Resolution order, as the page states it: *explicit override* → *role default* → *no access*. A user with no permission rows has zero access.

2.6 Add the staff roster

Admin → **People** → **Bulk add** for anything beyond a handful:

- Up to 100 rows per batch. **Paste from spreadsheet** (columns: First name, Last name, Email, Hire date, Role, Job areas — pipe-separated, matching existing areas) or use the downloadable CSV template.
- The **"Send login invites & apply role permissions"** switch (on by default) invites everyone in one pass. Uncheck it for schedule-only records — minors, seasonal staff — and invite later from the list.
- Watch the per-row status: **Added** / **Partial** (record created but invite or permission seeding failed — send a manual **Invite** later) / **Failed** (with the reason).
- Bulk add can't set departments, emergency contacts, or employee codes — follow up in each employee's edit sheet.

For individual adds, the single **Add employee** sheet also captures job areas (max 4, with a primary), **max weekly hours** (the scheduling hour cap), **hourly wage** (admin-only; powers labor-cost estimates), the **minor** flag, and emergency contact (required unless a minor).

Certifications live on the employee detail page (Certifications tab): add each cert with its expiry date, and *always pick the name from the suggestions* — scheduling's certification enforcement matches by name, and a typo breaks it.

2.7 Fine-tune per-user permissions

Admin → **Permissions** is the authoritative matrix: 13 module rows × View / Submit / Edit / Admin, per user, saving on every click. Watch two adjacent rows carefully: **Employee Scheduling** (`scheduling`, staff shifts) and **Rink Scheduling** (`rink_scheduling`, ice bookings and billing) are different modules. Use the presets (Full Access, Submitter Only, Viewer Only, No Access) for quick starts. Remember:

- Edits here are stamped as **manual overrides** — role re-seeding never overwrites them. Prefer fixing the role default when the change applies to everyone with the role.
- The matrix shows every module whether or not it's enabled for the facility — permissions and visibility are independent.
- A **Bulk CSV import** exists for migrations; invalid rows are skipped with per-line reasons.

3. Shared Infrastructure

Several lists are shared across modules. Configure them once, early, and the module setup screens that follow will already have their pickers populated.

3.1 Departments

Admin → **Departments** groups shifts for the Employee Schedule's department filter and shift assignment (e.g. Ice Crew, Front Desk, Concessions). Per department: **Name**, **Slug** (auto-generated if blank), **Color**, **Sort order**. Reorder with the arrow buttons.

Deactivating is non-destructive — existing shifts keep their department; it just leaves the pickers for new assignments.

3.2 Facility Spaces

Admin → **Facility Spaces** is the shared list of physical areas feeding the location pickers in **Incident Reports**, **Accident Reports**, and **Air Quality**. Options:

- **Seed defaults** — a generic starter set: Main Rink, Lobby, Locker Room, Pro Shop, Parking Lot, Ice Surface, Bench, Concession, Boardroom, Other. Idempotent; never overwrites your edits.
- **Add space** individually (Name, Slug, Sort order).
- **Bulk import (CSV)** — columns `name[, slug][, sort_order]`; duplicates are skipped, never overwritten.

Once a space is referenced by reports, deletion is blocked ("Cannot delete; in use by N report(s)"). The habit to build: **deactivate, never delete**.

3.3 Lists

Admin → **Lists** holds per-facility option lists for dropdowns. Today that's the **Timezones** list — the IANA zones offered in the Facility settings picker. **Seed defaults** loads the canonical set; add manually only if you need an unusual zone (keys must be real IANA identifiers like `America/New_York`).

3.4 Facility Paperwork

Admin → **Facility Paperwork** (under Module Admin) is where you load the documents staff browse read-only — handbooks, emergency action plans, policies. **Bulk Upload**: pick a **Category** (Emergency Action Plan, Employee Handbook, Staff Manual, Policy Document, Safety Document, Other), select files (PDF, Office formats, text, images; 25 MB each — invalid files are rejected in the browser with a reason), optional shared description, **Upload documents**.

Per document you can later **Hide/Show** (takes it off the staff page without deleting — prefer this over Delete), **Edit**, or **Delete**.

Uploading here requires the explicit Admin Center grant, not just role-based console access — if you hit "...not the facility admin permission required to manage documents", fix it in the Permissions matrix (super admin required).

4. Configure the Report Modules

Each module's admin console lives under **Module Admin** in the sidebar. This chapter covers only what must be configured *before staff can submit* — the day-to-day review workflows are covered in the companion training guide. Every console requires the module's own Admin grant on top of Admin Center access.

4.1 Daily Reports

Staff can't submit until an area, a template, and area access exist.

1. **Areas** — the work areas staff pick from (name, color, sort order). Capped at **30 active areas**; bulk CSV upload available.
2. **Templates** — per area, the shift checklists ("Opening checklist", "Closing checklist"), each with a description and sort order.
3. **Checklist Items** — per template: label, optional description, order. Bulk import supported; items can be moved between templates.
4. **Area Access** — the staff × area checkbox matrix controlling who may submit where. Nothing is granted by default; an employee with no boxes sees "No areas assigned." CSV import/export available.
5. **Form Builder** (optional) — versioned custom forms letting staff file multiple *titled* reports per day. Field types: text, textarea, number, select, multiselect, checkbox, time, date (max 100 fields). Publishing an edit creates a new version; existing reports keep their frozen snapshot.
6. **Assignments** (optional) — enable **area assignment routing** to route areas to specific people each day (resolution: manual override → published schedule → default owners → open), set the pre-close warning window, and per area configure default owners and scheduling job-area mappings.

4.2 Incident Reports

Staff submission is blocked until at least one **severity level** exists ("Not configured yet" otherwise).

- **Severity Levels** — seed defaults from the empty-state card, then adjust (key, display name, color, order).
- **Incident Types** (optional dropdown) and **Activities** — both seedable; activities support bulk import.
- Locations come from **Facility Spaces** (chapter 3) — the "Manage locations" header button jumps there.

4.3 Accident Reports

Staff submission requires severities, medical-attention options, and body parts. On the **Dropdowns** tab, **seed defaults** creates all five vocabularies: **Injury Type**, **Body Part**, **Activity**, **Medical Attention**, **Severity**.

Two setup decisions matter:

- **Medical Attention** → **"Triggers communication alert"** — the checkbox that makes serious injuries notify managers automatically. Seeded on for Medical Office Visit, Emergency Room, and Hospitalization.
- **Workers' Comp tab** — write the instruction text staff must read and acknowledge when filing a comp claim. Until you do, the form shows "No instructions configured."

4.4 Ice Depth

1. **Rinks** — one per sheet of ice; mark one default.

2. **Diagrams** — per rink, a measurement layout; the point editor places each numbered point (label, X/Y position). Staff can't submit until a rink has a diagram with points. A seed card creates starter settings/layouts when everything is empty.
3. **Overlays** (optional) — door markers (door types are seedable) and a center-ice logo (transparent PNG/SVG/WebP, max 2 MB) rendered as a watermark on every report.
4. **Settings** — measurement unit (inches/mm), **low** and **high thresholds** (defaults 1 and 1.5 in), **alert on** (low / high / any — this drives the dashboard status bubble), severity colors, alerts on/off, default severity. Sessions snapshot the unit and thresholds at submit time — later changes never reclassify history.

4.5 Ice Operations

On the **Setup** tab (a seed button creates a starter config):

- **Rinks** (for resurfacing runs) and **Equipment** — name, type (**Ice Resurfacer**, **Edger**, **Hand Edger**, **Other** — don't create "blade set" rows; blade changes are logged against the resurfacer, and old blade-set entries show a "Blade Set (retired)" badge), model, serial, hours count, **tank capacity** (enables the %-of-tank water unit on ice makes), and **fuel type**.
- **Fuel types** and **Circle-check templates** — templates are matched to a machine's fuel type when staff run a circle check (capped at 4 per facility, bulk item import). The legacy flat **circle check items** list (scoped to all equipment or one unit) serves machines without a matching template.
- **Settings** — alerts on/off, default severity, and **Visible operations**: which of the four built-in operations staff can log (**Ice Make**, **Circle Check**, **Edging**, **Blade Change** — at least one must stay on). Propane tank changes are no longer a separate operation: they're a **"Propane Tank Change" toggle on the Ice Make form**.

4.6 Refrigeration

The reading structure is a hierarchy you build on the **Setup** tab: **Sections** → **Equipment** → **Fields** → **Thresholds**.

- **Seed defaults** creates the six standard sections: Compressors, Pumps, Condensers, Supply/Return, Machine Hours, Alarms — plus a settings row.
- Per section, add **Equipment** (the units staff read) and **Fields** (numeric, text, boolean, select, computed — with units; numeric temperature fields participate in the staff °F/°C toggle).
- **Thresholds** per field: scope (all equipment or one unit — the specific wins), min, max, severity (warn / high / critical — critical breaches force staff to enter a corrective-action note before submitting).
- **Settings** — out-of-range alerts on/off (off by default), default alert severity, **readings per shift** (caps the staff Round # field).

One policy note: refrigeration is no longer strictly immutable. A refrigeration admin can **correct a numeric reading** on a submitted report (pencil icon, with a required reason); every correction — and any recalculated computed value — lands in the append-only change log. Corrections require the admin to have an active employee record in the facility. If your setup includes seeded computed-deviation thresholds (± 2 °F, warn), treat them as *starting defaults to tune*, not commissioned values.

4.7 Air Quality

1. Locations come from **Facility Spaces**; per location (or facility-wide) add **Equipment** (monitors: name, model, serial).
2. **Reading types** — label, key, unit, decimals, required flag (e.g. CO in ppm, NO2 in ppm). Reading types carry no thresholds — those live in the compliance profile.

3. **Compliance** — pick the **jurisdiction profile** (badged Binding or Guidance; 1-hour TWA or Single-sample method), choose metrics tracked, and set **threshold overrides** per tier (Corrective / Notification / Evacuation) — you may *tighten but never loosen* below the regulatory floor. Write the **escalation steps** text operators see at each tier. Without a profile, no automated compliance evaluation runs.
4. **Settings** — testing frequency text shown to staff, default jurisdiction, alerts on/off, default alert severity.

4.8 Dasher Boards

A first-run wizard generates the whole perimeter from what you enter — nothing is hardcoded: rink **Name**, **Template**, **Length/Width (ft)**, **Perimeter anchor** (e.g. "Zamboni gate"), **Direction** (clockwise/counterclockwise), **Inspection weekday**.

Then, on the tabs:

- **Perimeter** — tap positions to mark doors (with subtypes), toggle glass, relabel, and enter **replacement specs** (a "No spec on file" badge flags gaps; a bulk glass-spec tool fills ranges). Labels are permanent identity — the editor never rennumbers existing assets.
- **Checklist** — the inspection weekday plus cadenced items (weekly / monthly / yearly; daily is deliberately empty — the tap-the-problem model carries daily coverage).
- **Lists** — a **Seed defaults** card (shown while the lists are empty) fills both vocabularies in one click: door subtypes (Bench, Scoreboard, Public Skate, Zamboni) and per-asset issue categories (boards: Cracked, Loose/rattling, Gouged, Hardware missing; glass: Cracked, Chipped, Loose in frame, Clouded/scratched; doors: Latch faulty, Hinge damaged, Gap at seal, Does not close flush). Only empty lists are filled — **rinks and the perimeter are never seeded**; those you build in the wizard and editor.

4.9 The pattern to remember

Every module follows the same setup rhythm: **seed** → **adjust** → **set thresholds/alerts** → **grant permissions** → **test-submit as a staff user**. The last step matters: use the **Preview** button on an employee row (or a test account) and submit one real report per module before go-live — it verifies area access, thresholds, and routing in one pass.

5. Employee Scheduling Setup

Scheduling administration requires the scheduling module's Admin grant on top of console access. Configure in this order:

5.1 Seed and review Settings

Admin → **Scheduling** → **Settings**. If no settings exist yet, **Seed defaults** creates the settings row *and* three starter compliance rules (minor max weekly hours, overtime threshold, required break). Then review:

Setting	Default	Why it matters
Week start day	Sunday	Drives every week window, staff and admin
Default shift minutes	480	Length of a freshly drawn shift
Minor max weekly hours / Overtime / Break rules	18 / 40 / 30 min after 6 h	Feed the assignment warnings
Swap request expiry (hours)	72	Undecided swaps lapse automatically
Default hourly rate	—	Labor-cost fallback when an employee has no wage
Opens at / Closes at	06:00–23:00	The grid's visible hours (a "closes at midnight" checkbox exists)
Shift-drop notice (hours)	0	How far ahead staff must drop a shift

Toggles with the biggest visible impact: swaps require manager approval · **open shifts first-come-first-served** (off = every claim needs a manager) · notify on publish · notify on overtime · allow staff availability submission · require job-area qualification · **block grid saves that raise warnings** (turns advisory "Confirm & save" into a hard wall) · **shift drops need manager approval** (changes the staff Drop dialog and whether the button appears).

5.2 Job areas and certifications

Admin → **Scheduling** → **Job areas** — the areas employees can be assigned to (Front Desk, Concessions...); each employee holds up to four (assigned on their employee record). Add areas, order them, and — the important part — attach **required certifications** per area. These requirements are exactly what produces the hard certification block when someone unqualified is put on a shift, so they're only as good as the cert records on employee profiles (chapter 2.6).

5.3 Compliance rules

Admin → **Scheduling** → **Compliance** — the facility-level rules driving assignment warnings: Minor max hours, Overtime, Break required, Certification required, Min rest between shifts, plus custom rules. The seeded three cover most facilities; add or adjust as your jurisdiction requires. The bottom of the page keeps the **certification override audit log** — every manager override, with who, what, and the reason.

5.4 Templates

Admin → **Scheduling** → **Templates** — reusable weekly patterns. Build one from scratch (slots by day: job area, times, break minutes, role label, staff count), or capture one later from the grid with **Save as template**. Applying a

template always produces **unassigned draft shifts** — it can never place people, so the rules engine is never bypassed.

5.5 Know the publish flow before your first schedule

Publishing is a deliberate two-admin handshake: one admin files **Request publish** from the grid; a *different* admin approves it under **Publish requests** (the separation is enforced — you can't approve your own). Approval re-validates every assigned draft, publishes, opens claim listings for unassigned shifts, and notifies staff. Plan for two scheduling admins per facility or publishes will stall.

Draft shifts are invisible to staff; only publishing releases them. Reminders go out automatically 24 hours before each published shift.

6. Rink Scheduling & Billing Setup

The newest module books the ice itself: rinks, bookings, rate cards, invoices, payments, locker-room assignments, and lobby TV displays. It is a separate module from Employee Scheduling — the two sit adjacent in the sidebar and permissions grid ("Scheduling Admin" = staff shifts; "Rink Scheduling Admin" = ice bookings and billing), so read labels carefully before granting or configuring.

6.1 The mental model

A facility has **rinks** and **locker rooms**. The building has **operating hours** plus holiday exceptions. Staff drop **bookings** onto a calendar — one slot, one rink, one **customer**, one **booking type**, with a **resurfacing buffer** reserved after it. Bookings can repeat as a **series**. Pricing comes from **rate cards** (prime/non-prime hourly rates plus per-type overrides), and the rate is **snapshotted onto the booking at save time** — editing a card never restates existing bookings or invoices. Later, bookings roll up into **invoices** with payments and aging. A **coverage engine** flags bookings outside operating hours or with no published staff shift covering them. Locker-room assignments feed a public **lobby display** reached by a secret URL.

Two guarantees worth teaching: all times are the facility's own wall clock, and **conflicts are enforced by the database** — the resurfacing buffer counts as occupied ice, so slots can clash even when the visible times don't touch.

6.2 Admin console tour

Admin → **Rink Scheduling Admin** (requires the module's Admin grant). Tabs: **Facility Setup** · **Rate Cards** · **Lists** · **Displays** · **Settings**.

Permissions split inside the console: facility setup, lists, and displays need the module's **edit** grant; **rate cards and settings need admin**. Role defaults seed managers at edit (deliberately: no rate access) and staff at view.

6.3 Facility Setup tab — do this first

1. **Seed defaults.** A "Start with the defaults" card appears on a fresh facility. It creates the standard booking types, customer types, payment methods, a Monday–Sunday 06:00–23:00 hours grid, and a zero-rate default rate card. Idempotent — existing entries are left alone. **Rinks and locker rooms are not seeded** — those are yours to name.
2. **Rinks** — name, **short code** (max 8 characters, unique — it's what the TV display shows), color, order. Maximum **10 active rinks**; nothing is bookable until at least one exists. A rink with bookings can't be deleted — deactivate it.
3. **Locker rooms** — name, short code (kept brief for the display), optional capacity, and an advisory "rink-side" default. Rooms with assignments deactivate rather than delete.
4. **Operating hours** — open/close per weekday in facility-local time, with a **Closed** checkbox per day. A close time earlier than the open time means the day runs past midnight (a 6:00–2:00 rink is entered exactly that way). Bookings outside hours are *allowed* — they're flagged as coverage gaps, not blocked.
5. **Holidays & special days** — date + label, either closed all day or with replacement hours. An exception **replaces** that day's usual hours entirely; one exception per date.

6.4 Rate Cards tab — enter real rates before go-live

The seed creates one open-ended default card, "**Standard Rates**", at **\$0.00** — deliberately zero, so a placeholder rate can't be invoiced by accident. **Until you enter real rates, every booking prices at \$0.00.**

A rate card has three levels:

1. **The card** — name, effective date range, **Prime/hr** and **Non-prime/hr**, and a **Default** flag. Two default cards may never overlap in dates (the app will refuse); non-default cards can.
2. **Prime windows** — per weekday, the hours billed at the prime rate ("17:00–22:00"); everything else is non-prime. A booking straddling the boundary is split and billed at both rates. A window can't wrap midnight — use one ending 23:59 and another starting 00:00.
3. **Per-type overrides** — charge a booking type differently on this card (e.g. **\$0.00 for internal programs** that occupy ice but shouldn't bill cash). Types not listed bill at the card's own rates.

How a rate is chosen: cards covering the booking's date → a customer's own default card wins if it covers → otherwise the facility default → per-type override applied if present. The quote is snapshotted at save.

6.5 Lists tab

- **Booking types** — what a slot is for; the color is the block's color on the grid. Seeded: Ice Rental, Practice, Game, Public Skate, Learn to Skate, Camp/Clinic, and the built-in **Maintenance Block** (non-billable, undeletable — deactivate it if unused). **Billable types require a customer** on every booking; Maintenance Block is how you hold ice with no customer.
- **Customer types** — classification (Internal Program, Team, League, School, Individual...).
- **Payment methods** — how payments get recorded (Check, ACH, Card (recorded), Internal Chargeback, Cash...). "Card (recorded)" logs a card payment taken elsewhere — no card details are ever stored.

Items referenced by existing records refuse deletion — deactivate instead.

6.6 Displays tab — the lobby TV

Each display gets its own web address showing the locker-room schedule. Point any browser at it — a smart TV, a streaming stick, a mini PC; no app, no sign-in on the device.

- Create with a **label**, **hours ahead** (1–48), and **refresh seconds**.
- **Copy the address immediately — it is shown exactly once**. Only a hashed form is stored; if the URL is lost, revoke the display and create another.
- The URL is the credential: anyone holding it sees room names, times, and the booking's display label — never customer contact details, rates, or notes. **Revoke** kills an address instantly.
- The row shows a last-seen status ("active now", "last seen 3h ago", "never checked in") so you can tell whether the TV is actually polling.

The board itself lists each active locker room with its current occupant and the next few slots; idle rooms show "Open".

6.7 Settings tab

Setting	Default	Effect
Resurfacing buffer (min)	15	Reserved after each new booking — the next slot can't start until the flood is done
Calendar slot (min)	30	The grid's snap size (5/10/15/20/30/60)
Coverage check	on	Flags bookings with no staff scheduled or outside hours; turning it off resolves all open gap alerts

Setting	Default	Effect
Payment terms (days)	30	Fallback due-date offset (0 = "Due on receipt")
Invoice prefix	INV-	Invoice numbers: prefix + 4-digit sequence
Tax rate (%)	blank	Blank = no tax line at all (different from 0); snapshotted per invoice
Locker lead / vacate (min)	45 / 30	How early a team gets its room and how long they keep it
Display refresh (s)	60	How often lobby screens re-check

Changing a default never alters bookings or invoices that already exist.

6.8 What staff do with it (context for your setup choices)

- **Calendar** — Day (rinks as columns), Week, Month, and Agenda views; out-of-hours time is shaded, not hidden. Booking blocks show a hatched tail for the resurfacing buffer.
- **Bookings** — click a slot, pick type/customer/times; a live **rate preview** shows the priced segments. Conflicts come back with the exact colliding bookings. Cancelling requires a reason; bookings are never deleted (invoices reference them).
- **Series** — recurring patterns (weekly to every-4-weeks, up to 400 occurrences) with a **preview step**: conflicted dates default to Skip, and nothing is written until the expansion is reviewed. Series edits offer "this occurrence / this and future / cancel series", and past dates are never rewritten.
- **Locker rooms** — assigned from the booking sheet; rooms are held from lead-time before to vacate-time after. Overlapping room assignments are allowed with a warning (fast turnovers are normal).
- **Invoices** (edit tier) — pick a customer and window, select the uninvoiced bookings, create a draft, add manual lines while draft, **Send** (locks the lines), record **payments** (append-only — mistakes are fixed by reversal, overpayment is blocked), **Void** with a reason (releases the bookings for re-billing). The **Aging** tab buckets outstanding balances (Current / 1–30 / 31–60 / 61–90 / 90+), and invoices render to a branded **PDF**.

Permission tiers in practice: view = see the calendar (no rates, no money) · submit = create *tentative* bookings and assign locker rooms · edit = confirm/edit/cancel, series, customers, invoicing, displays · admin = rate cards and settings.

6.9 Coverage — connecting ice to staffing

Every 5 minutes a background sweep checks upcoming bookings (120 days out) on two axes: within **operating hours**, and covered by a single **published Employee-Scheduling shift** spanning the whole window *including the buffer*. Gaps raise an **"Ice booked without cover"** alert in Communications (high severity when both checks fail) and notify everyone holding rink-scheduling edit/admin — one message per sweep, new gaps only. Filled gaps auto-resolve.

Two setup consequences: publish your staff schedules or every booking reads as a staffing gap, and check the **Cron health** card (chapter 8) to confirm the sweep is running.

6.10 Known gaps to plan around

- **Customer records are name-only for now.** Staff create customers from the booking sheet with just a name; billing address, contact info, per-customer payment terms, and per-customer default rate cards exist in the data model but have **no editing UI yet**. Invoice PDFs will show only what exists.
- **Offline is read-only** — the calendar you viewed online is browsable at /offline-rink-schedule, but bookings can't be created or edited offline (conflicts must be checked live against the database).
- Retention: bookings, invoices, and payments carry a **7-year financial floor**; customers, rate cards, and setup are configuration and never age out.

6.11 Rink Scheduling setup checklist

1. Module enabled in Admin → Modules; permissions granted (admin for rate owners, edit for front desk/billing, submit for pencil-in supervisors, view for everyone else).
2. **Seed defaults** pressed on Facility Setup.
3. Every rink added (name, short code, color); locker rooms added.
4. Operating hours saved; known holidays entered.
5. "Standard Rates" renamed and dated, **real prime/non-prime rates entered**, prime windows per weekday, per-type overrides (internal programs at \$0.00).
6. Lists reviewed — booking-type colors and billability, customer types, payment methods.
7. Settings reviewed — buffer, slot size, terms, prefix, tax, lead/vacate.
8. Displays created and each URL copied immediately onto its TV.
9. A test booking made: rate preview correct, conflict test against the buffer, coverage flag behaves, invoice drafted and voided.

7. Communications & Alert Routing

Communications is the hub that turns module submissions into notifications. Without routing rules, alerts still land in the admin inbox — they just don't fan out to people. Set this up after the modules, because rules reference module-specific areas and severities.

7.1 Groups

Admin → **Communications** → **Groups** — named recipient lists (e.g. "Managers", "Ice Crew", "On-call"). Add members per group. The **"Staff can message this group"** toggle controls which groups appear in the *staff* compose screen — leave it off for admin-only distribution lists.

7.2 Templates

Reusable subject/body/acknowledgement presets used by broadcasts, staff compose, and reminders. Create at least the ones your routing and reminders will reference.

7.3 Routing rules — the core of alerting

Each rule fans matching submissions out to people. Per rule:

- **Name** (e.g. "Critical refrigeration alarms → on-call")
- **Source module** and a **severity** filter (info / warn / high / critical, or Any)
- **Area** (optional) — a daily-report area or air-quality location for area-scoped rules
- **Target** — exactly one of: group, role, employee, or department
- **Timing** — Immediate, End-of-day digest, Weekly, or Manual (queued, no auto-send)
- **Attach PDF of the submission** — renders a PDF of the source record, links it in-app, and attaches it to the email
- **Require recipient acknowledgement** — recipients must acknowledge in their inbox; use for critical alerts

Use **Preview Recipients** on every rule before trusting it — it shows exactly who the rule will hit.

A sensible starter set: critical refrigeration → managers (immediate, ack required) · air-quality exceedances → managers (immediate, PDF attached) · accident reports with alert-flagged medical attention → managers (immediate, ack + PDF) · failed circle checks → ice crew lead (end-of-day digest) · severity-A dasher issues → operations manager (immediate).

7.4 Reminders

Recurring scheduled sends: a 5-field cron schedule (e.g. `0 9 1` = 9:00 AM every Monday, evaluated in the facility's timezone), a template, and a group/role target. Good for weekly safety-check nudges.

7.5 Verify the pipeline

Background jobs render PDFs, drain the queue, and send emails every few minutes with automatic retries. After configuring, submit a test report that trips a rule and confirm: the alert appears in the inbox, the recipients got the message and email, and the PDF attached if requested. Anything that fails permanently surfaces under **Deliveries** with a **Retry** button — an empty Deliveries tab is your healthy state.

8. System Configuration & Go-Live

8.1 PDF / Export settings

Admin → **PDF/Export Settings** configures how every exported CSV and PDF looks, once per facility:

- **Branding** — logo URL (about 300 × 80 px), header text (e.g. "Max Ice Center — Confidential"), footer text.
- **Layout & format** — paper size (Letter/A4), date format, CSV delimiter, and the include-on-every-export checkboxes (facility name, export date, submitted-by).
- **Column visibility per module** — untick columns you don't want in exports (they stay in the database). Column pickers now cover Daily Reports, Incidents, Accidents, Refrigeration, Air Quality, Ice Depth, Ice Operations, Communications, **Employee Scheduling**, and **Dasher Boards**. A module never configured exports all its columns.

The same page runs on-demand exports (module + CSV/PDF + date range; limits: 2,000 rows, 366 days), and most consoles carry a quick last-30-days **Export** dropdown.

8.2 Data retention

Admin → **Retention** sets how long each module's submissions are kept, with nightly auto-purge per module.

Regulatory floors are enforced in the database:

Module group	Floor
Daily, Ice Depth, Ice Operations, Communications, Dasher Boards	30 days
Refrigeration, Air Quality	90 days
Incident and Accident Reports	365 days
Rink Scheduling & Billing	7 years (financial floor — raise, never shorten)
Audit Log	7 years (raise, never shorten)

Module-specific notes: dasher-boards purges remove inspection walks, but **unresolved issues are never purged at any age**; rink-scheduling purges cover bookings, invoices, and payments — customers, rate cards, and facility setup are configuration and never age out. Setting any module to Forever disables its auto-purge. Audit-log destruction is staged and needs **two different admins** to approve.

8.3 Health checks (super admin)

Before go-live, a super admin should glance at two cards on **Admin** → **Super Admin**:

- **Invite service health** — probes the invite email service and names the exact failure if it's broken.
- **Cron health** — the last recorded run of each scheduled job (notification drain, email send, reminders, retention purge, scheduling expiry, daily-assignment snapshots, rink coverage sweep) with OK / Overdue / Failed / No-runs badges and the last error text for failures. All background behavior — alert emails, digests, reminders, purges, booking-coverage alerts — depends on these firing.

Note that outbound email delivers to **real recipients in production** — test routing rules with a small target group before pointing them at "whole facility."

8.4 Go-live checklist

Work through this list with a test staff account (or the **Preview** button on an employee row):

1. Facility record correct — name, address, and especially **timezone**.
2. Setup checklist on the admin dashboard shows **Ready** (6/6).
3. Modules page pruned to what the facility actually uses.
4. Roles' permission defaults reviewed; staff bulk-added; every **Partial** row re-invited; certifications entered with expiry dates.
5. Each enabled report module: seeded, configured, and **one test submission filed** — confirming area access, thresholds, and range hints look right.
6. Employee Scheduling: settings saved, job areas with required certs, compliance rules active, at least two scheduling admins (publishing needs a second approver).
7. Rink Scheduling: surfaces, rate cards, customers, and displays configured (chapter 6); a test booking priced correctly by the rate engine.
8. Communications: groups and templates created, routing rules previewed with **Preview Recipients**, a test alert fired end-to-end (inbox + email + PDF), Deliveries tab empty.
9. Export settings branded; retention windows confirmed per your jurisdiction.
10. Cron health and invite service health both green.
11. Staff briefed on offline basics: the sync badge, the Pending Sync Queue, and **Sync now** on iPhones/iPads.