

# Rink Reports

## Complete Training Guide

---

A field guide for staff and administrators covering every module: daily reports, incidents, accidents, ice depth, ice operations, refrigeration, air quality, dasher boards, communications, scheduling, and the full admin console — permissions, employees, exports, retention, audit log, and facility configuration.

# Contents

## 1. Welcome & Getting Started 4

- 1.1 What is Rink Reports? 4
- 1.2 Signing in 4
- 1.3 Finding your way around 4
- 1.4 The Dashboard 4
- 1.5 Your account settings 5
- 1.6 Roles and permissions in one minute 5

## 2. Staff Report Modules 7

- 2.1 Daily Reports 7
- 2.2 Incident Reports 8
- 2.3 Accident Reports 8
- 2.4 Ice Depth 9
- 2.5 Ice Operations 9
- 2.6 Refrigeration 10
- 2.7 Air Quality 10
- 2.8 Dasher Boards 11
- 2.9 Facility Paperwork 12
- 2.10 Communications 12
- 2.11 Working offline 12

## 3. Scheduling — For Staff 14

- 3.1 The one concept to learn first: draft vs. published 14
- 3.2 The scheduling hub 14
- 3.3 My schedule 14
- 3.4 Open shifts: claiming extra work 15
- 3.5 Availability 15
- 3.6 Time off 15
- 3.7 Shift swaps 15
- 3.8 Notifications 16
- 3.9 What works offline 16

## 4. Scheduling — For Admins 17

- 4.1 The rules engine (read this first) 17
- 4.2 Overview 17
- 4.3 The Shifts grid 18
- 4.4 Templates 18
- 4.5 Publishing — always two people 19
- 4.6 Time-off, availability, and swaps queues 19
- 4.7 Compliance and job areas 19
- 4.8 Settings 20
- 4.9 Notifications (admin view) 20

## 5. The Admin Console — Setup & System 21

- 5.1 Getting in, and the console layout 21
- 5.2 Admin Dashboard 21
- 5.3 People (Employees) 21
- 5.4 Permissions (Module Access Control) 22
- 5.5 Roles 23
- 5.6 Departments, Facility Spaces, Modules, and Lists 23
- 5.7 Facility settings 23
- 5.8 Facility Paperwork (admin side) 23
- 5.9 PDF / Export Settings 24
- 5.10 Data Retention 24
- 5.11 Audit Log 24
- 5.12 Super Admin 25

## **6. The Admin Console — Module Administration 26**

- 6.1 Daily Reports Admin 26
- 6.2 Incident Reports Admin 26
- 6.3 Accident Reports Admin 27
- 6.4 Air Quality Admin 27
- 6.5 Ice Depth Admin 28
- 6.6 Ice Operations Admin 28
- 6.7 Refrigeration Admin 28
- 6.8 Dasher Boards Admin 28
- 6.9 Communications Admin 29
- 6.10 How a submission becomes an alert (the pipeline) 30

## **7. Quick Reference 31**

- 7.1 Status lifecycles at a glance 31
- 7.2 Who approves what (scheduling) 31
- 7.3 Edit windows and immutability 31
- 7.4 What works offline 31
- 7.5 Permission actions 32
- 7.6 Super-admin-only operations 32
- 7.7 Training checklists 32

# 1. Welcome & Getting Started

## 1.1 What is Rink Reports?

Rink Reports is your facility's operations platform. It replaces paper logbooks, clipboards, and whiteboards with one app that runs on any phone, tablet, or computer — and keeps working when the rink's Wi-Fi doesn't. Staff use it to submit operational reports (daily checklists, ice depth readings, refrigeration rounds, air-quality logs, incident and accident reports, and more), manage their work schedule, and receive facility communications. Administrators use the Admin Center to configure every module, review submissions, manage employees and permissions, and publish schedules.

Everything in the app is scoped to your **facility**: you only ever see your own rink's data, and every timestamp you see is shown in your facility's local time zone.

## 1.2 Signing in

- There is **no self-signup**. Accounts are created by an administrator in the admin console. If you don't have a login, ask your manager.
- Go to the app's address and sign in with your email and password at the **/login** page. Password resets go through an emailed reset link (the **update-password** flow).
- If you're signed in but see "**Account not ready — Your account is being set up**", your login exists but your employee record hasn't been activated yet. Contact your administrator.
- If a page says "**No permission**" or you land on a **Forbidden** page, your account works but you haven't been granted access to that module. That's a permissions question for your admin, not a bug.

## 1.3 Finding your way around

**Desktop (large screens).** A left sidebar lists every module your facility has enabled, in this order: Dashboard, Daily Reports, Ice Depth, Ice Operations, Dasher Boards, Refrigeration, Air Quality, Incidents, Accidents, Scheduling, Communications, Facility Paperwork. Admins also see an **Admin Center** entry below a divider. The Communications and Scheduling items show a red badge with your unread count.

**Mobile (phones).** A bottom tab bar gives you four tabs: **Home** (the dashboard), **Reports** (jumps to the first report module your facility has enabled), **Menu** (opens the full module list), and **Account**.

**The header (always visible).** Shows your name, your facility, a live date and clock, and the current outdoor temperature for your facility's location (this is the weather outside — not an ice or building temperature). On the right: the **sync status badge** (see chapter 4 on offline work), a **light/dark theme toggle**, and your user menu with **My Account** and **Sign out**.

Modules your facility hasn't enabled simply don't appear — no tile, no sidebar entry. If a module you expect is missing, your facility admin has it turned off or you don't have permission to view it.

## 1.4 The Dashboard

The dashboard is your home screen: a grid of large, color-coded tiles, one per module, under a greeting ("Hi, {your name}").

**Status bubbles.** Tiles carry a small red or green "monitoring light" so you can see at a glance whether a module needs attention. What red means per module:

| Module         | Red bubble means                                                 |
|----------------|------------------------------------------------------------------|
| Refrigeration  | The latest report had a reading out of range                     |
| Air Quality    | The latest report recorded an exceedance                         |
| Ice Operations | The latest submission had a failed circle-check item             |
| Ice Depth      | The latest session tripped the facility's low/high alert setting |
| Incidents      | Reports are waiting for admin review (with a count)              |
| Accidents      | An accident was submitted in the last 2 days                     |
| Communications | You have unread messages or unacknowledged alerts                |
| Scheduling     | You have unread notifications or there are open shifts           |
| Dasher Boards  | Open safety-critical (severity A) issues or failed checks        |

These lights come from thresholds your administrators configured — the app never uses hardcoded limits.

**Personalizing your dashboard.** Every tile has an "x" in its corner: hiding a tile removes it from your dashboard only. It doesn't change your permissions, and the module stays reachable from the sidebar. Hidden tiles collect at the bottom of the page as "+" pills — tap one to restore it.

**My areas today.** If your facility uses daily-report area assignments, a widget at the top shows how many of your assigned areas are complete today and which one is next up.

## 1.5 Your account settings

Open **My Account** from the header menu (or the Account tab on mobile). You can edit:

- **Contact** — email and phone number (phone is required).
- **Mailing address** — street, city, state, postal code, country.
- **Emergency contact** — name and phone.
- **Notifications** — a single master switch: "Receive text message notifications." Turning it off stops all SMS to you.

The **Save Changes** button only lights up once you've changed something.

**Changing your email** is a two-step process: the app sends a confirmation link to your new address, and your old email keeps working until you click it. An amber notice reminds you while the change is pending.

A few things people look for here that live elsewhere: **password changes** go through the emailed reset flow, the **light/dark theme** toggle is in the header, your **calendar sync link** is in Scheduling → My schedule, and **dashboard tile hiding** is done on the dashboard itself.

## 1.6 Roles and permissions in one minute

- Your access is granted **per module and per action** (view, submit, edit, admin) by your facility's administrators. Roles (staff, manager, admin, plus custom roles your facility defines) mainly seed sensible defaults — the actual source of truth is the permission grants.
- Some modules also scope access **per area** (for example, which daily-report work areas you can submit for).
- **Admins** see the Admin Center. Some admin modules additionally require a module-scoped admin grant (for example, scheduling administration) — so an admin can be given the console without every module in it.
- **Super admins** manage facility-level settings that ordinary admins can't touch.

If you can see a module but a button you expect is missing or disabled, that's almost always a permission tier — ask your admin rather than retrying.

## 2. Staff Report Modules

This chapter walks through every report module a staff member uses day to day. Each section covers what the module is for, how to reach it, the submission workflow, and the details worth knowing before your first shift with the app.

### 2.1 Daily Reports

**What it's for.** The shift checklist tool. You pick a work area and a shift type, tick off the checklist items your admins configured, add an optional note, and submit. It also hosts custom "report forms" and a read-only history.

**Getting there.** The Daily Reports tile or sidebar item. Header buttons: **Assignments** (supervisors only), **Report forms** (when your facility uses custom forms), and **View history**.

#### Submitting a daily report:

1. In the **Shift setup** card, choose your **Work area** (you only see areas you're allowed to submit for) and then the **Shift** template — each option shows how many checklist items it has.
2. The **Checklist** card appears with a progress bar ("3 / 12 complete"). Tap each row to check it off; rows tint in the area's color when done.
3. Add a **Note (optional)** — "Anything to flag for managers?"
4. The sticky bar at the bottom shows your live progress and the **Submit** button.

After submitting you get a confirmation screen with the area, template, timestamp, and how many items you checked, plus **Submit another** and **Sign out** buttons — handy at a shared kiosk.

**"My areas today" (assignment routing).** If your facility routes areas to people, the module opens with your assigned areas as cards — each marked **Done** or **Not started** — plus a collapsible **Open areas** section anyone can complete. An area counts as done once any of its templates has a submission for the day. Assignment updates ("Assigned to Zamboni Room for Monday...") appear in a bell banner with a **Mark read** button.

**Assignments board (supervisors).** Staff with the edit or admin tier see every active area for the day, who's assigned (including "(from schedule)" and "(default owner)" sources), and **Done/Incomplete** badges. Buttons: **Assign / Reassign** (a checkbox picker of employees), **Open up** (clears assignees so anyone can complete it), and **Re-sync from schedule**. Near the end of the day, incomplete assigned areas sort to the top under a red "Day closes soon" warning. Assignment changes are online-only — they're never queued offline.

**Report forms.** Admin-built custom forms with titled instances ("e.g. Friday Night Game"). Tap **Add Report**, give it a title, then fill in the form's fields (text, numbers, selects, checkboxes, dates, times) and either **Save draft** or **Submit report**. Drafts are yours alone; submitted reports lock. Each instance keeps a frozen snapshot of the form as it looked when created, so later admin edits don't change reports already in flight. When a day is locked, everything goes read-only with an amber lock notice.

**History and corrections.** **View history** lists recent submissions (read-only, scoped to your facility and areas), with chips for completion counts and **Corrected/Correction** markers. On your own submissions you'll see a **File correction** link: you re-tick the checklist, enter a required reason ("What was wrong?"), and file it. The original stays on record — corrections supersede, they never erase. Daily report history auto-deletes after 14 days.

If you see "No areas assigned," you haven't been granted any submit areas for this module — talk to your supervisor.

## 2.2 Incident Reports

**What it's for.** Reporting a non-injury operational incident — something that happened at the facility that managers need to review. You can edit your report for 24 hours; after that it's read-only.

**Getting there.** The Incidents tile or sidebar item.

**The form — three cards:**

1. **When & where** — when it happened (defaults to now) and the **Facility space(s)**: a searchable multi-select of your facility's spaces, plus an **Other** option with a free-text description.
2. **What happened** — the **Description** (required, 500 characters with a live counter), **Activity at the time**, **Severity** (required), optional **Incident type**, **Immediate actions taken**, an ambulance-called Yes/No toggle, **Number of people involved**, and a **Follow-up required** toggle.
3. **Witnesses (optional)** — up to 3. Each witness needs a name and at least one contact (phone or email).

Before submitting, a dialog confirms: "You can edit this report for 24 hours after submitting; after that it becomes read-only."

**After submitting** you land on a confirmation screen showing status, severity, and timestamps, with **Edit report**, **Submit another**, and **Back to home** buttons. Open the report again within 24 hours to make changes — every edit is recorded in the report's audit trail. After the window closes (or for anyone who isn't the reporter), the report renders read-only.

The module home lists **your recent reports** from the last 30 days with severity pills and status badges (Submitted / In review / Resolved / Archived) so you can see when a manager has picked yours up.

**Offline:** new reports queue on your device; editing is online-only.

## 2.3 Accident Reports

**What it's for.** Reporting a personal injury: who was hurt, how badly, which body parts, where and when, witnesses, and whether it's a workers' comp claim.

**Getting there.** The Accidents tile or sidebar item.

**The form — five numbered sections:**

1. **Person involved** — name, contact (phone or email), and age (all required).
2. **What happened** — **Severity** as colored pill buttons, **Primary injury type**, **Medical attention** (some options warn "Selecting this option will alert managers"), **Body parts affected** on an interactive body diagram, and the required description.
3. **Where & when** — date/time (defaults to now), location (facility spaces), and the activity at the time.
4. **Witnesses** — up to 5, each with a name and optional contact and statement.
5. **Workers' comp** — only needed when the injured person is an employee filing a claim. Ticking the checkbox reveals your facility's workers' comp instructions and a required "I have read and understand" acknowledgement; you can't submit a comp claim without it.



**The body diagram** deserves a minute of practice: tap regions to mark front, back, or both. Midline regions cycle front → back → both; paired regions (arms, legs) are selectable per side. The selections travel with the report.

A sticky bar shows "**Auto-saved · review before submitting**" and the **Submit report** button. The app also warns you before closing the tab with an unfinished report. Like incidents, accident reports are **editable for 24 hours** — after submitting you land directly on the report page with a green "Submitted" banner and, while the window is open, an "Editable for N more hours" notice above the edit form.

## 2.4 Ice Depth

**What it's for.** Walking the rink with a depth gauge and recording ice thickness at each configured point on a rink diagram, then reviewing and submitting the session.

**Getting there.** The Ice Depth tile — it opens straight into your default rink's diagram. If your facility has multiple rinks or diagrams, dropdowns at the top let you switch.

### Phase 1 — Measure.

- The screen shows a USA Hockey rink diagram with numbered point chips at each measurement location (plus door markers and your facility logo). A progress bar tracks "Point 3 of 12 · 2 recorded".
- **Tap a point** to open its entry popover: type the depth, watch the live severity word (**Optimal / Below min / Above target**) and color, then **Save & Next** (or **Skip**). Pressing **Enter** or **Tab** also saves and advances.
- Chips recolor as you go: green = optimal, red = below minimum, amber = above target.

**Using a Bluetooth caliper** (there's a built-in helper for this): pair the caliper once in your device's Bluetooth settings — it shows up as a keyboard. Then tap a point and press the caliper's **DATA** button; the reading types itself in and advances to the next point, hands-free. Set the caliper to the same unit as the form.

**Phase 2 — Review & submit.** Tap **Review & Submit** (enabled once at least one point is recorded). You'll see the average depth in large type, pills counting optimal / thick / below-min / skipped points, the full per-point list, and a notes field. The submit button tells you the truth about coverage — "Submit (10 of 12 recorded)" — so partial sessions are explicit.

**The done screen** shows a SUBMITTED badge, stat pills, and the read-only diagram with your values, plus **Download PDF**, **Print Diagram** (prints just the diagram, no app chrome), **Send Report** (emails the configured recipients), **Submit Another**, and **Back to Dashboard**.

Thresholds (the low/high limits and the unit) come from your facility's ice-depth settings — the defaults are 1 and 1.5 inches.

## 2.5 Ice Operations

**What it's for.** The ice maintenance log: five quick-entry forms in one module. Nothing here can be edited after submitting, so double-check before you tap.

**Getting there.** The Ice Operations tile. Tabs across the top: **Ice Make · Circle Check · Edging · Blade Change · Propane Tank Change** (your facility can disable individual tabs). A **Show Activity Feed** button reveals the last 8 submissions facility-wide.

**The five forms:**

- **Ice Make Activity** — log a resurfacing run: rink, machine, **water used** (with a Gal / L / % Tank unit toggle — % Tank only works when the machine has a tank capacity on file, and switching units converts your number), machine hours, snow taken (%), time on/off, notes.
- **Digital Circle Check** — pick the machine and answer every checklist item with **Pass** or **Fail**. Items start unanswered — nothing is pre-checked, so a recorded "pass" always means someone actually looked. A **Fail** requires a "What's wrong?" note. Submit stays disabled until every item is answered ("Tap Pass or Fail on every item to submit — 4 remaining"). If the machine has no fuel type on file you'll pick one first so the right checklist template loads.
- **Edging** — machine, hours run, notes.
- **Blade Change** — machine, old blade hours, new blade ID (serial), notes.
- **Propane Tank Change** — machine and machine hours; the date is recorded automatically when you submit.

Machine dropdowns show each machine's running hours ("Zamboni 552 — 1,240 hrs") and are filtered to the right equipment type per form. The done screen shows the operation, timestamps, rink/equipment, and — for circle checks — a red "N failed items" chip.

**Offline:** all five forms queue, and the log keeps the time you did the work, not the time it later syncs.

## 2.6 Refrigeration

**What it's for.** The plant-room reading round: every configured reading, per section and per piece of equipment, with out-of-range values flagged as you type.

**Getting there.** The Refrigeration tile. If your facility has enabled alerts, an amber banner reminds you: "Out-of-range readings will trigger an alert to managers."

**The form:**

- **Log Information** card — your name and facility (read-only), the reading time (defaults to now), and optional **Shift** and **Round #** fields (if your facility logs, say, 3 rounds per shift, the form says so).
- **°F / °C toggle** in the card header. Flipping it converts every temperature you've already typed, and re-labels every field and range hint. Values are always stored in °F regardless of what you display.
- **One card per section**, with fields for the section itself and a labeled subgroup for each piece of equipment. Numeric fields show a **normal-range hint** underneath ("Normal: 12 – 18 psi") based on your facility's thresholds.
- **Critical readings require a note.** If a value breaches a critical threshold, a red **Corrective action** box appears inline and the report won't submit until you describe what you did about it.
- **Notes (optional)**, then the full-width **Submit refrigeration report** button.

The done screen shows the timestamp plus chips for "N values recorded" and "N out-of-range". The module home lists your last 30 days of submissions with out-of-range badges.

## 2.7 Air Quality

**What it's for.** Logging CO and NO2 (and any other configured readings) per location, checked live against your facility's jurisdiction-aware compliance thresholds — with the full regulatory monitoring log attached.

**Getting there.** The Air Quality tile. Note in the header: after you submit, the report can't be edited.

**The workflow, top to bottom:**

1. Pick the **Location** (required before anything else).
2. If your facility has a **jurisdiction profile**, a compliance card shows its name, a **Binding** or **Guidance** badge, the measurement method (**1-hr TWA** or **Single sample**), a **frequency tracker** ("On schedule" / "Behind by 2" with your weekly and weekend sample counts), and a **Reading type** dropdown.
3. Pick the monitoring **Equipment** if monitors are configured.
4. Enter each **reading**. Fields bound to a compliance threshold show a tier hint ("Corrective > 25 · Notification > 50 · Evacuation > 100 ppm") and a live badge the moment you type: **Within range**, **Corrective action**, **Notification**, or **Evacuation**.
5. For TWA jurisdictions, a collapsible **1-hour TWA calculator** takes your readings at 5-minute intervals, averages them, and fills the main field via **Use average**.
6. Any over-threshold reading triggers a **compliance banner** with your facility's escalation instructions (for example, Evacuation: "Evacuate the facility now and contact the fire department immediately") and a **required Corrective action taken** note — the submit button stays disabled until you fill it in.
7. The **Monitoring log** — collapsible sections mirroring the regulatory form: equipment and tester info (monitor models, calibration dates — with a warning if calibration is over a year old), general information and equipment status, routine and post-edging measurement tables, and additional recommendations (staff trained, public signage checkboxes).

The submit button labels itself "**Submit readings for {Location}**" once you've picked one. The done screen shows readings recorded and, when applicable, a severity-colored exceedance chip.

**Offline:** submissions queue, and the same exceedance checks run when they sync.

## 2.8 Dasher Boards

**What it's for.** A single-screen field tool for the rink perimeter. Tap any board panel, glass panel, or door on the diagram to report a problem; open issues stay pinned to the asset until they're fixed. A formal **inspection walk** is an optional overlay that ends with a sign-off.

**Getting there.** The Dasher Boards tile — straight to your default rink's condition map, with a rink switcher in the header.

**Reading the diagram.** Legend: **red** = open severity-A issue · **yellow** = open B/C issue · **coral** = flagged fail with no issue yet · **lime** = door. A **Glass** switch toggles the glass layer, and the diagram zooms. The toolbar shows "Last walked {date} by {name}" and — for submitters — a **Start inspection walk** button.

**Reporting an issue (the everyday flow — no walk needed).** Tap an asset to open its sheet. The **Report issue** form is right there: pick **Board** or **Glass** if the position has both, choose severity — **A — Safety critical**, **B — Needs repair** (the default), or **C — Cosmetic** — pick a category, describe the problem, and **Submit issue**. Severity A adds two required extras: an **Action taken** note and a **Supervisor** to notify, stated up front.

**The asset sheet also shows:** open issues on that asset (with **Acknowledge** for severity A — supervisor tier — and **Mark fixed**), a walk-only Pass/Fail **condition check**, the read-only **replacement spec** (dimensions, thickness, material), and a collapsible **issue history**.

**Checklist — due today.** When inspection items are due, a card lists them grouped by cadence (daily / weekly / monthly / yearly) with **Pass** / **Flag** buttons. Flagging an item opens the issue form automatically — a flagged item needs a reported issue behind it.

**Inspection walks.** Start a walk and a sticky bar tracks it: tap problem assets as you circle the rink — **untapped assets are attested OK at sign-off** — and answer any due checklist items. **Sign off** opens walk notes and **Complete walk**. The sign-off is refused while severity-A issues are unacknowledged or due items are unanswered. The done screen shows pass/fail/issue counts, a diagram colored with this walk's results, and **Download PDF / Print / Send Report** buttons.

**Permission tiers:** view = see the map; submit = report issues, run walks, resolve B/C issues; edit = acknowledge and resolve severity A; admin = configure the perimeter (admin console).

**Offline:** everything queues — starting walks, checks, issues, even the sign-off (validated when it syncs). Acknowledge/resolve and history need a connection.

## 2.9 Facility Paperwork

**What it's for.** A read-only library of documents your admins uploaded — policies, handbooks, safety documents, manuals.

**Getting there.** The Facility Paperwork tile.

**Using it.** Filter by category (only categories that actually contain documents are offered), then tap **Download** on any card. Download links are short-lived and generated per request, so always download from the page rather than bookmarking a file URL. Staff can't upload or edit here — that's the admin console's Facility Paperwork module.

## 2.10 Communications

**What it's for.** Your inbox: facility-wide operational **alerts** raised by other modules, **direct messages** to you, and — if you can send — a **Sent** view with read and acknowledgement receipts.

**Getting there.** The Communications tile or sidebar item (with an unread badge).

**Alerts tab.** Every alert for your facility, newest first — alerts are operational safety signals, so everyone with communications access sees all of them. Open one to read the full body; if it **requires acknowledgement**, an **Acknowledge this alert** card appears with an optional notes field. Once acknowledged, the alert shows when you did it.

**Messages tab.** Messages delivered to you. **Opening a message marks it read automatically** — acknowledgement, when required, stays a deliberate button press. Messages can carry a **PDF attachment** (Download PDF attachment button). **Reply** is available when the sender is a real person (not a system-generated message).

**Sent tab** (senders only). Your messages with per-recipient receipts: who read it and when, who acknowledged.

**Composing.** Tap **New message**: optionally start from a **template** (fills subject, body, and the ack flag), write your message, pick one or more **recipient groups** (staff only see groups flagged for staff messaging), optionally toggle **Requires acknowledgement**, and **Send message**. The confirmation screen shows the recipient count and receipts list. Replies lock the recipient to the original sender and prefill "Re: ...".

## 2.11 Working offline

Rink Reports is built for rinks with dead zones. The rule of thumb: **submitting works offline; browsing needs a connection.**

**What happens when you submit offline.** The report is saved on your device ("Saved on this device") and queued. When you're back online it submits automatically — and the server runs the exact same validation and threshold checks it would have run live. The amber offline banner at the top of every reports page tells you how many submissions are waiting.

**The sync badge and queue.** The header badge shows "N pending" (amber) or "N failed" (red); tap it to open the **Pending Sync Queue**. Each queued item shows its module, status ("pending", "retry in 45s", "failed", or "won't retry"), and the last error. Buttons: **Retry failed** and **Sync now** — worth knowing on iPhones and iPads, which don't sync in the background, so open the app and tap **Sync now** after a shift in a dead zone.

**Offline pages.** Three lightweight pages work with no connection at all, using data saved the last time you were online: **/offline-daily** (your daily-report areas), **/offline-forms** (custom report forms — you can create and fill these offline), and **/offline-schedule** (your published shifts). Each shows an amber "Offline — showing last-synced data" banner and refuses to show stale data as if it were today's.

**What can go wrong (and what it means):**

- "You're offline and the offline queue isn't ready yet. Keep this page open and try again." — the device has never synced for your account; the app refuses to fake a save. Your entries are still on screen.
- A queue item marked **"won't retry"** hit a permanent error (for example, the day locked before it synced). It's parked, never silently dropped — contact your administrator if you're unsure why.
- Queued items belong to the account that created them; someone else signing in on the same device can't flush your queue.

## 3. Scheduling — For Staff

### 3.1 The one concept to learn first: draft vs. published

Every shift starts life as a **draft** while managers build the schedule. Staff never see drafts. Only when a schedule window is **published** — a two-person approval among admins — do shifts appear in your app, your calendar feed, and your notifications. A published shift is locked: managers can't quietly edit it; any change re-publishes it and notifies you, and a cancellation notifies you too.

Everything you see in scheduling is shown in your **facility's local time**, and your "week" starts on whatever day your facility configured (usually Sunday).

### 3.2 The scheduling hub

Open **Reports** → **Scheduling** (the tile's badge counts your unread notifications plus open shifts you could pick up). Top to bottom:

1. **NEXT SHIFT hero** — your next shift with a countdown ("NEXT SHIFT · IN 6H"), the time range, and department · role. Buttons: **Request swap** and **Full schedule**.
2. **7-day week strip** — a dot marks each day you work.
3. **Upcoming** — your next shifts over the coming 28 days.
4. **Open · Pick up** — shifts available to claim (hidden when there are none).
5. **Your claims · Awaiting approval** — claims you've made that a manager hasn't decided yet.
6. **Quick links** — My schedule, Time off, Availability, Shift swaps, Notifications.

### 3.3 My schedule

The full personal schedule with a **LIST | WEEK** toggle. List view has From/To date filters and a status filter (Published, or All — which adds cancelled shifts). A header link, **Available offline** →, opens the offline copy of your schedule; bookmark it if you work in a dead zone.

**Dropping a shift.** Each shift you can still drop shows a **Drop** button — it only appears when the shift is published and far enough out to satisfy your facility's drop-notice window. Tapping it opens a confirm dialog whose wording tells you exactly what will happen:

- If your facility requires manager approval (the default): "Your manager will be asked to approve. You're still on the shift until they do." → **Request drop**. The row then shows **Drop pending** with a **Withdraw** button.
- If it doesn't: "This releases the shift immediately — it goes to the open list for a coworker to pick up." → **Drop shift**.

You can add an optional reason for your manager. Dropping is online-only — the server re-checks everything the moment it runs.

**Calendar sync.** At the bottom of My schedule, the **Calendar sync** card gives you a personal subscription link for Google or Apple Calendar. Tap **Turn on calendar sync**, then **Copy link** and subscribe in your calendar app; your published shifts appear automatically and update within a few hours. The feed covers the last week and the next 60 days. Treat the link like a password — anyone with it can see your shifts. If you ever share it by mistake, tap **Reset link** and old links stop working immediately.

## 3.4 Open shifts: claiming extra work

Shifts that need coverage appear under **Open • Pick up** on the hub and My schedule — only shifts starting within the next 14 days, soonest first, up to five per list. Tap **Claim shift**:

- If your facility runs first-come-first-served, the shift is yours immediately.
- Otherwise the card says "• Approval req." and your claim goes to a manager; it appears under **Your claims • Awaiting approval** until decided.
- If a coworker beat you to it: "That shift is no longer available."
- The system re-checks your certifications, overlaps, and hours — a claim can be refused on the rules even if the shift is open.

Open shifts appear when a schedule is published with unassigned shifts, when a drop is approved, or when approved time off frees up a shift.

## 3.5 Availability

**Availability is a recurring weekly pattern**, not a one-off: what you set for a Tuesday applies to every Tuesday. That's the single most common misunderstanding — the day page even says so.

From the hub, open **Availability**, pick a day, and add blocks:

- **Start / End time**, and a **Type**: **Available**, **Preferred**, or **Unavailable**.
- **Area / department you want to work** — only your assigned job areas are offered, plus "No preference".
- **Effective from / to** dates for temporary patterns (a semester, a season).
- Optional notes. Edit or delete blocks any time.

Know what each type actually does: only **Unavailable** blocks affect enforcement (a manager scheduling over one gets warned). Available and Preferred are planning information for whoever builds the schedule. Availability submission can be turned off facility-wide; you'd see a notice if so.

Adding and editing availability works offline and syncs later.

## 3.6 Time off

From the hub, open **Time off** → **New request**. Pick the start and end (interpreted in facility-local time), add an optional reason for your manager, and **Submit request**.

Requests move through statuses: **pending** → **approved**, **denied**, or **cancelled**. You can **Cancel** your own request while it's pending or even after approval — but not once it's denied or cancelled. When a manager decides, you get a notification (and usually an email) including any note they wrote.

Time-off requests can be submitted offline.

## 3.7 Shift swaps

From the hub, open **Shift swaps** → **New swap request**:

- **Your shift to give up** (required) — your published shifts over the next 60 days.
- **Coworker (optional)** — leave it as "Anyone" to post an open request.
- **Their shift to take (optional)** — appears after picking a coworker; leave blank to "just cover mine (no trade)".



- An optional note, then **Send swap request**.

Your **Outgoing** and their **Incoming** lists track every request with a status badge:

| Status             | Meaning                                                               |
|--------------------|-----------------------------------------------------------------------|
| Pending            | Filed, not yet accepted                                               |
| Accepted           | The coworker accepted (or a manager accepted on their behalf)         |
| Approved & applied | A manager approved — the shifts have actually moved                   |
| Denied             | A manager refused                                                     |
| Cancelled          | Withdrawn by the requester or a manager                               |
| Expired            | Nobody decided in time (default 72 hours) and it lapsed automatically |

**Accepting a swap does not move the shift.** A manager must give final approval, and that approval re-checks both people against all the scheduling rules — so a swap can still fail at the last step if, say, it would double-book someone. Until you see **Approved & applied**, plan to work your original shift.

## 3.8 Notifications

The hub's **Notifications** link (red badge = unread) collects everything scheduling tells you: schedule published, shift changed, open shift available, swap request received/approved/denied, time off decided, overtime warnings, and automatic shift reminders 24 hours before each published shift.

Most rows have a **Mark read** button. One is special: a **Schedule published** notification has an **Acknowledge schedule** button instead — pressing it tells your manager you've seen the new schedule, and managers see the roll-up ("acknowledged 7/12") on their side. Make it a habit after every publish.

## 3.9 What works offline

| Action                                    | Offline?               |
|-------------------------------------------|------------------------|
| Viewing your schedule (/offline-schedule) | Yes — last-synced copy |
| Requesting time off                       | Yes — queued           |
| Adding/editing availability               | Yes — queued           |
| Claiming an open shift                    | No — online only       |
| Dropping a shift / withdrawing a drop     | No — online only       |
| Swap requests and accepts                 | No — online only       |
| Notifications / acknowledging             | No — online only       |

The online-only actions all depend on live shift state that could change while you're offline — the app refuses to let you act on a world that may have moved on.



## 4. Scheduling — For Admins

Scheduling administration requires both admin-console access and the scheduling module's admin grant — console access alone lands on the Forbidden page. A sticky tab bar runs across every page:

**Overview · Shifts · Templates · Publish history · Publish requests · Time-Off · Availability · Swaps · Compliance · Job areas · Settings · Notifications.**

### 4.1 The rules engine (read this first)

One shared validation engine checks every path that puts a person on a shift — grid edits, open-shift assignment, swap approvals, publish approvals, and staff self-claims. The checks:

| Check                 | What it flags                                                                    |
|-----------------------|----------------------------------------------------------------------------------|
| Certification missing | The job area requires a cert the employee lacks (or it expires before the shift) |
| Minor overtime        | Exceeds the weekly hour limit for minors                                         |
| Overtime              | Pushes past the overtime threshold                                               |
| Break required        | The shift is long enough to require a break that isn't scheduled                 |
| Min rest              | Doesn't leave the required rest between shifts                                   |
| Double-booked         | Overlaps another shift for the same employee                                     |
| Unavailable           | Falls within a time the employee marked Unavailable                              |
| Time off              | Overlaps approved time off                                                       |
| Not qualified         | The employee isn't assigned to the shift's job area                              |
| Hour cap              | Puts the employee over their personal weekly cap                                 |
| Operating hours       | Falls outside the facility's configured open hours                               |

#### Two tiers of severity:

1. **Certification gaps always hard-block**, regardless of settings. A facility manager can override — the popover shows "Blocked — missing required certification", an override-reason field, and an **Override & assign** button — and every override is written to the audit log on the Compliance page.
2. **Everything else is advisory**: an amber "Heads up — this assignment:" box and a **Confirm & save** button. If the facility turns on **block on violations**, the same box becomes "Blocked by facility policy" and the save is disabled.

Unassigned (open) slots never gate — there's nobody to validate.

### 4.2 Overview

The scheduling command center: four stat cards (**Scheduled hours** with published/draft split, **Shifts this week**, **Open shifts** — with a red "N unassigned (no listing)" warning when shifts exist that nobody can see or claim — and **Pending requests** split by swap/time-off/drop), plus the three approval queues inline and a module card grid with live counts.

**The approval panels** (also available in the grid's right rail):

- **Pending drops** — Approve or Deny with an optional note. The approve copy is blunt on purpose: "Approving unassigns the shift and opens it for claims. Nobody is covering it until a coworker picks it up."
- **Pending swaps** — Approve or Deny with a note visible to the requester.
- **Pending time-off** — Approve or Deny. **The conflict branch matters:** if approval would overlap shifts the employee already holds, the app stops and lists them, then offers **Approve & unassign shifts** (drafts are cleared; published shifts go through the governed edit path, return to the open-claim pool, and the employee is notified), **Approve anyway**, or **Cancel**.
- **Open shifts** — **Assign** (pick an employee; the rules engine hard-blocks unqualified fills) or, for claimed listings, **Approve claim** / **Decline**.

## 4.3 The Shifts grid

The main canvas. Drag in a day column to create a shift; drag a block to move it or its edges to resize; click a shift to assign, duplicate, or delete.

**Toolbar:** week navigation, **DAY | WEEK | MONTH** views (month is read-only — click a day to edit that week), **Add shift**, and **Request publish**. A KPI strip shows scheduled hours, shift count, **labor cost** (hours × each employee's wage, falling back to the facility default rate), and open shifts. A sub-toolbar offers color-by (job area or person), a coverage heatmap, density options, **Apply template...**, **CSV Export**, **Print** (a clean weekly roster), and a job-area filter.

**Creating and editing shifts.** Drawing a block (or **Add shift**) opens the shift popover: start/end times, **Employee** (or "Open / unassigned"; minors are marked), **Job area**, and a **Repeat weekly** toggle with day-of-week chips and an end date — with a live count ("Will create 12 shifts") and caps of 84 days / 62 occurrences. A **Save as template** link saves the block's times and job area as a reusable one-slot template. While the engine checks the assignment, the save button adapts: **Save**, **Confirm & save** (advisory warnings), or **Override & assign** (cert gap, manager-only, audited).

For recurring batches, every occurrence is checked: a cert gap anywhere blocks the batch until overridden; advisory issues aggregate into one confirm; and per-date conflicts skip only that date, with a toast reporting exactly what was skipped and why.

**Published shifts are different.** Editing one carries the notice "This shift is published — saving republishes it and notifies affected staff." Drag-moving is disabled. Deleting a published shift is actually a governed **cancel** (the employee is notified); draft deletes are immediate with an **Undo** toast. Deleting a shift in a recurring series offers **Delete series (drafts)** — published occurrences are left for individual cancellation.

**The right rail** shows either the selected shift's detail (employee/job-area dropdowns that re-validate instantly, duration/break/pay chips, Edit/Duplicate/Delete) or, with nothing selected, the open-shift, swap, time-off, and drop queues plus a per-person hours crew list.

## 4.4 Templates

Reusable weekly patterns. Build one from scratch on the Templates tab (name, slug, description, then slots by day: job area, times, break minutes, role label, and a staff count — one draft shift is created per count), or capture one from the grid with **Save as template**.

**Apply template** (from the grid): pick the template and the week — any date snaps to that week's start. Applying always produces **unassigned draft shifts**; a template can never place people directly, so the rules engine is never bypassed. Archived templates must be reactivated before applying.

## 4.5 Publishing — always two people

Publishing is a deliberate two-admin handshake:

1. **File a request** from the grid (**Request publish · week of ...**), optionally with notes for the approver. Guards: there must be draft shifts in the window, and overlapping pending requests are refused.
2. **A different admin approves** on the **Publish requests** tab. If you filed it, your buttons are replaced with "You filed this request — a different admin must approve or reject it." — the separation is enforced server-side too.
3. **Approve & publish** does everything in one transaction: re-validates every assigned draft, publishes them, opens claim listings for unassigned shifts, notifies staff (in-app and email), and records the event. Rejections require a reason.

**Publish history** is the read-only log: when, range, shift count, who published — and an **Acknowledged** column ("7/12") counting how many staff pressed **Acknowledge schedule** on their notification. That's your read-receipt for the schedule.

## 4.6 Time-off, availability, and swaps queues

**Time-off** — filter by status (default Pending). Approve/Deny with a note the employee sees; the conflict branch from §4.2 applies. Admins can also cancel an approved request, which notifies the employee.

**Availability** — a read-only planning grid: employees down the side, the facility week across the top, blocks colored **Available** (blue) / **Preferred** (green) / **Unavailable** (red) with job-area preferences. A card below lists employees who submitted nothing. Remember the footnote: only Unavailable blocks affect enforcement — the rest is planning information.

**Swaps** — filter by status (default Open = pending + accepted). Actions:

- **Assign target** (pending, no target yet): picking an employee accepts on their behalf — they're notified that it still needs final approval.
- **Approve**: runs the atomic swap — both shifts locked, both directions re-validated, then the trade (or one-way coverage) is applied and both employees notified. Failures are specific about which direction broke which rule.
- **Deny / Cancel** with notes.

Undecided swaps auto-expire after the configured window (default 72 hours, capped at the shift's start).

## 4.7 Compliance and job areas

**Compliance** — the facility rules that drive the warnings: Minor max hours, Overtime, Break required, Certification required, Min rest between shifts, plus custom rules. Add, edit, reorder, enable/disable. At the bottom, the **certification override audit log**: every "Override & assign" ever pressed — when, who, which employee, which missing certs, and the reason typed. Show this in training; it's the accountability half of the override button.

**Job areas** — the assignable areas (Front Desk, Concessions...). Each employee can hold up to four. Add, rename, reorder, deactivate (delete is blocked if assigned — deactivate instead), plus CSV bulk upload. Per area, add **required certifications** — these are exactly what produces the hard cert block at assignment time.

## 4.8 Settings

Seed defaults on first run (also seeds three starter compliance rules). The fields:

| Setting                                        | Effect                                                                     |
|------------------------------------------------|----------------------------------------------------------------------------|
| Week start day                                 | Changes everyone's week window, everywhere                                 |
| Default shift minutes                          | Length of a freshly drawn shift (default 480)                              |
| Minor max hours / Overtime hours / Break rules | Feed the corresponding warnings                                            |
| Swap request expiry (hours)                    | Undecided swaps lapse after this (default 72)                              |
| Default hourly rate                            | Labor-cost fallback when an employee has no wage                           |
| Opens at / Closes at (+ midnight checkbox)     | The grid's visible hours; outside-hours shifts still save with an advisory |
| Shift-drop notice (hours)                      | How far ahead staff must drop; 0 = any time before start                   |

**Toggles:** swaps require manager approval · open shifts first-come-first-served · notify on publish · notify on overtime · allow staff availability submission · require job-area qualification · **block grid saves that raise warnings** · **shift drops need manager approval**.

Four of these deserve their own minute in training because they visibly change what staff see: the week start day; first-come-first-served (off = every claim needs a manager); block-on-violations (turns "Confirm & save" into a wall); and the drop-approval toggle plus notice hours (changes the staff Drop dialog's wording and whether the button appears at all).

## 4.9 Notifications (admin view)

A read-only feed of every scheduling notification sent to staff, filterable by type, recipient, read state, and date. Also a **Send shift reminders** card: reminders go out automatically 24 hours before each published shift; this sends them earlier for a wider window (1–168 hours), de-duplicated so no shift gets two.

## 5. The Admin Console — Setup & System

The Admin Center is where a facility gets built: people, roles, permissions, module visibility, and the system-level tools (exports, retention, audit). This chapter covers everything except the per-module report consoles (chapter 6) and scheduling (chapter 4).

### 5.1 Getting in, and the console layout

Any `/admin` page requires admin access: you're an admin if you're a **super admin**, hold the **Admin Center permission** (the Admin module's Admin action in the permission matrix), or — as a fallback — have an active admin-tier role. Everyone else lands on the **Access denied** page, which shows exactly which account is signed in (useful when someone's in the wrong account) with Go-home and Sign-out buttons.

The sidebar groups the console into:

- **Setup** — Facility, Modules, People, Departments, Facility Spaces, Permissions
- **Module Admin** — one console per report module, plus Facility Paperwork
- **System** — Lists, PDF/Export Settings, Data Retention, Audit Log, Super Admin

Two navigation gotchas to teach on day one:

The sidebar is **not** permission-filtered — every admin sees every link, and clicking one you lack the grant for lands on Access denied. A visible link is not proof of access. And the **Roles** page isn't in the sidebar at all: reach it from the Dashboard setup checklist or directly at `/admin/roles`.

The header always offers a **Dashboard** button back to the staff app, the theme toggle, and your account menu.

### 5.2 Admin Dashboard

The console home: a **setup checklist** (facility info, roles seeded, role defaults set, first admin linked, staff added, invites sent — six steps with a "Ready" badge when complete), **stat cards**, a **recent report activity** grid showing 7-day and 30-day counts per module, and an **offline sync queue** health card (pending / synced / failed counts — failed turns red).

Super admins get a **facility switcher** here that carries a `?facility=` context through to the other facility-scoped pages.

### 5.3 People (Employees)

The roster. Search by name, email, role, or code; filter Active / Inactive / All; and use **Add employee**, **Bulk add**, or the per-row actions: **Edit**, **Invite**, **Preview**, **Deactivate/Reactivate**, and (super admins only) **Delete**.

**How accounts actually get created.** There is no signup page — this is the front door:

1. **Add employee** opens a form: name, **role** (required), a live preview of that role's default permissions, **job areas** (up to 4, with a primary), employee code, hire date, **max weekly hours** (the scheduling hour-cap), **hourly wage** (admin-only; powers labor-cost estimates), email/phone, a **minor** checkbox, and emergency contact (required unless the employee is a minor).

2. The **"Create a login & apply these permissions"** checkbox (on by default) sends an email invite and seeds the role's permission defaults. Uncheck it for schedule-only staff — you can send an **Invite** later from the list.
3. The invite email lands the person on a page where **they set their own password** — admins never see or set passwords. If the email already has an account, no email is sent; the existing login is simply linked ("Existing account linked. No email sent.").

**Bulk add** (up to 100 at once) is a spreadsheet-style grid with **Paste from spreadsheet** (column order: First name, Last name, Email, Hire date, Role, Job areas — pipe-separated), a downloadable CSV template, and a **"Send login invites & apply role permissions"** switch. Watch the per-row status: **Added** (green), **Partial** (amber — the record was created but the invite or permission seeding failed; send a manual Invite later), **Failed** (red, with the reason). Bulk add can't set departments, emergency contacts, or employee codes — follow up in the single-edit form.

**Deactivating vs. deleting.** Deactivate removes access immediately and pulls the person out of shift assignment and routing — reversible from the same list. Delete is super-admin-only and permanent.

**Preview.** The **Preview** button impersonates an employee's view for one hour, with an amber banner ("Previewing as {name}") and a **Stop preview** button. Important caveat, printed right in the banner: preview narrows what the app renders, not what the database returns — it's a navigation sanity check, not a security test. Starting and stopping preview are both audited.

**Employee detail page** (click a name): read-only profile, **Certifications** (add with expiry dates; badges show "Expired 3d ago" / "Expires in 12d" — always pick cert names from the suggestions, since a typo breaks scheduling cert enforcement), **Module Access** (a quick per-module view with a legacy 9-level override picker — prefer the Permissions matrix for precision), **Communication Groups** membership, and recent **Activity**.

## 5.4 Permissions (Module Access Control)

The authoritative answer to "what can this person do." Pick a user, and you get a matrix: 11 modules down the side (the nine report modules, Scheduling/Communications, and **Admin**), four actions across — **View** / **Submit** / **Edit** / **Admin**. Each checkbox saves instantly. A user with no rows has **zero access**.

- **View** — can see the module. **Submit** — can create entries. **Edit** — can modify submissions. **Admin** — can configure the module and use its admin console.
- **Presets** (Full Access, Submitter Only, Viewer Only, No Access) fill the whole matrix in one click.
- **The one checkbox to treat with respect:** the **Admin module's Admin action** is the Admin Center key — it makes someone a facility admin. Only super admins can grant it; presets applied by a facility admin silently leave it off.
- Facility admins manage only their own facility's users; the target must be an active member of the facility.
- A **Bulk CSV import** (user, facility, module, action, enabled) exists for migrations; invalid rows are skipped with per-line reasons.

**Overrides are sticky.** Every edit made in this grid is stamped as a manual override, and role re-seeding never overwrites it. If you hand-tune here and later expect a role change to fix things — it won't.

Also note: the matrix shows all modules whether or not the facility has them enabled. Permissions and module visibility are independent systems.

## 5.5 Roles

Roles bundle permission defaults so you don't hand-toggle 44 checkboxes per hire. The resolution rule, stated on the page: explicit override → role default → no access.

**Canonical roles** (seeded automatically, undeletable): Super Admin (level 0), Administrator (1), Manager (2), Staff (3). You can add **custom roles** (e.g. "rink\_lead", "driver") with a display name, an immutable lowercase key, a hierarchy level (lower = higher rank), and a description.

**The defaults matrix:** roles × modules, four checkboxes per cell (V · S · E · A). Flipping a box **immediately re-applies to that role's current staff** — manual overrides are preserved, but this is a many-people-at-once screen; change it deliberately. A **Copy permission defaults** panel bulk-copies one role's defaults to another.

Safety rails: you can't create or edit a role that outranks your own; the Admin-Center cell is super-admin-only (and copying skips it); deactivating a role that people still hold warns you — those employees fall back to only their explicit overrides until reassigned.

## 5.6 Departments, Facility Spaces, Modules, and Lists

**Departments** — group shifts for the schedule's department filter and shift assignment (e.g. Ice Crew, Front Desk). Name, slug, color, sort order; reorder with arrows; deactivate rather than delete (existing shifts keep their department; it just leaves new-assignment pickers).

**Facility Spaces** — the shared list of physical areas feeding the location pickers in **Incident Reports, Accident Reports, and Air Quality**. Seed a starter set (Main Rink, Lobby, Locker Room...), add manually, or CSV bulk-import (duplicates are skipped, never overwritten). Deleting a space referenced by reports is blocked — "Cannot delete; in use by N report(s). Deactivate instead." Teach "deactivate, never delete" here.

**Modules** — per-facility on/off switches controlling which modules appear in **staff navigation**. The page says it plainly: this is a **visibility switch only** — it does not change per-employee permissions, and disabled modules stay protected by their own access rules. Missing settings default to enabled, and Dashboard/Admin Center are never toggleable. The #1 misconception to head off: turning a module off is not a security control; the permission matrix is.

**Lists** — per-facility option lists for dropdowns. Today that's one list: **Timezones** (the IANA zones offered in the Facility settings picker). Seed the canonical set (idempotent — safe to re-run, never overwrites your edits), add/edit/deactivate. Keys must be real IANA zone names; deleting anything in use is blocked.

## 5.7 Facility settings

What you see depends on who you are:

- **Facility admins get a read-only view.** The card says it outright: "Only super admins can edit facility settings." If the rink's phone number changes, route it to a super admin.
- **Super admins** manage every facility: create (which also seeds the canonical roles automatically), edit name/slug/timezone/address/contact, and set active status. A nice touch worth demoing: typing a **zip code auto-selects the timezone**, with a note to override only if the rink sits on a boundary.

## 5.8 Facility Paperwork (admin side)



Upload the documents staff browse in the Facility Paperwork module. **Bulk Upload:** pick a **Category** (Emergency Action Plan, Employee Handbook, Staff Manual, Policy Document, Safety Document, Other), select multiple files (PDF, Word, Excel, PowerPoint, text, or images — 25 MB each; invalid files are rejected in the browser before upload with the reason), add an optional shared description, and **Upload documents**.

Manage the list per document: **Hide/Show** (takes it off the staff page without deleting — prefer this over Delete), **Edit** (title, category, description), and **Delete** (permanent, confirmed).

One error message worth knowing by heart: "Your account has admin console access but not the facility admin permission required to manage documents." That's not a bug — the account got into the console via a role fallback but lacks the explicit Admin/Admin grant. Fix it in the Permissions matrix (super admin required).

## 5.9 PDF / Export Settings

Two tools on one page:

**Run an export.** Pick a module, format (**CSV** or **PDF**), and a date range, then download. Exportable modules: Daily Reports, Incident Reports, Accident Reports, Refrigeration, Air Quality, Ice Depth, Ice Operations, Communications. Limits: 2,000 rows and a 366-day window per export. The download re-checks permissions independently — you need the module's View action, so an admin who can open this page may still be refused a specific module.

**Export settings** (one set per facility): **Branding** (logo URL, header text like "Max Ice Center — Confidential", footer text), **Layout & format** (Letter/A4, date format, CSV delimiter, and include-on-every-export checkboxes for facility name, export date, and submitted-by), and **Column visibility per module** — unchecked columns are hidden from exports but remain in the database. A module never configured exports all its columns.

Most report consoles also carry a quick **Export** dropdown in their header (Download CSV / Download PDF for the last 30 days, plus a link here for custom ranges).

## 5.10 Data Retention

Per-module rules for how long submitted data is kept, measured from submission date. Each module row shows its window, whether **nightly auto-purge** is on, and when it last ran; expand to edit ("Keep for (days)" with preset chips from 30 days to 10 years, or **Forever**) and to run a **Manual purge** immediately (double-confirmed; cannot be undone; runs regardless of the auto-purge flag).

**Regulatory floors are enforced in the database**, not just the form: 30 days for daily/ice modules and communications, 90 for refrigeration and air quality, **365 for incident and accident reports**, and **7 years for the audit log** — the audit window can be raised, never shortened. Setting a module to Forever turns auto-purge off automatically and hides the purge button. Scheduling has no retention row on purpose — it can't be purged from here.

**Audit-log destruction is the product's one two-person operation.** Expired audit rows are staged into a batch, not deleted. The pending-destruction card shows "Awaiting first approval" / "1 of 2 approvals"; the second approval must come from a different admin, and **Cancel & restore** puts every row back untouched. Every retention change and purge is itself audited.

## 5.11 Audit Log



An immutable record of create, update, delete, and authentication events across the facility. Filters (all URL-driven, so a filtered view is shareable): action, entity type, actor, date range (From defaults to 30 days back), and an IP/entity-ID search. The table shows up to 300 rows — narrow with filters rather than scrolling.

Click a row for the detail: actor (or "System" for automated changes), IP address, user agent, and collapsible **Before / After** JSON showing exactly what changed. App-level events like preview start/stop and retention changes are recorded alongside row-level changes.

## 5.12 Super Admin

Cross-facility platform management — the link is visible to all admins, but the page itself is super-admins only. Panels:

- **Facilities** — every tenant, with Activate/Deactivate per facility.
- **Super admins & users** — every platform user. **Promote/Revoke** super-admin status (you cannot revoke your own), and **Reset password** — generates a one-time recovery link to hand to the user.
- **Invite service health** — a diagnostic that probes the email-invite service and reports the exact failure mode (key missing, invalid, or wrong project) so broken invites can be diagnosed without a developer.

**Consolidated: what only super admins can do.** Create/edit facilities; delete employees; grant Admin Center access (by any path — matrix, preset, CSV, role default, or copy); assign admin-tier roles; promote/revoke super admins; generate password resets; switch facility context; and delete individual ice-depth sessions, refrigeration reports, and air-quality reports.

## 6. The Admin Console — Module Administration

Each report module has its own admin console under **Module Admin** in the sidebar. Two rules apply to all of them:

**Console access is not module access.** Every module console requires the module's **Admin** action in the permission matrix on top of Admin Center access. Without it, the standard error is: "Your account has admin console access but not the {module}'s admin permission. Ask an administrator to grant it under Admin → Permissions."

**Original submissions are immutable.** Admins never edit what staff submitted. You append follow-up notes (which can't be edited or deleted), change statuses where a lifecycle exists, or — in Daily Reports only — file a supersession-style correction that leaves the original on record.

Most consoles carry an **Export** dropdown in the header (last-30-days CSV/PDF, plus a link to custom ranges in PDF/Export Settings).

### 6.1 Daily Reports Admin

Configure the daily checklist program and review submissions. Tabs: **Areas** · **Templates** · **Checklist Items** · **Form Builder** · **Area Access** · **Assignments** · **Submissions**.

- **Areas** — the tabs staff pick from: name, slug, color, order, active. Capped at **30 active areas**; bulk CSV upload available.
- **Templates** — per area, the shift checklists ("Opening checklist"), each with its **Checklist Items** (label, description, order — with bulk import and the ability to move items between templates).
- **Form Builder** — versioned custom forms letting staff file multiple titled reports per day ("one 'Event Set Up' report per event"). Field types: text, textarea, number, select, multiselect, checkbox, time, date (max 100 fields). Publishing an edit creates a **new version** — existing report instances keep their frozen snapshot, so history never mutates. This tab also hosts the **End-of-day lock**: locking a day makes every report instance for that day read-only, enforced at the database; you can unlock later.
- **Area Access** — a staff × area checkbox matrix controlling who may submit where (CSV import/export supported). Admins always have access.
- **Assignments** — turn on **area assignment routing** and set the pre-close warning window. When on, assignment resolves: manual override → published schedule → default owners → open. Per area, set default owners and map scheduling job areas.
- **Submissions** — filter by area/employee/date (default last 14 days). Open one to toggle checklist items, add notes, **Delete submission**, or **File correction**: adjust the items, give a required reason, and the correction supersedes the original — which stays on record with a "Corrected" banner linking to the correction.

Note the number staff see: the module advertises that daily reports auto-delete after **14 days** (the retention page's configurable floor is 30 — verify your deployed retention row before quoting a number in training).

### 6.2 Incident Reports Admin

Review incidents, drive them through a lifecycle, and maintain the dropdowns. Tabs: **History** · **Incident Types** · **Severity Levels** · **Activities**. Locations come from the shared **Facility Spaces** list (a "Manage locations" header button jumps there).

- **History** — filter by status, type, severity, employee, location, and dates. The detail view shows the full original report (read-only) — including the ambulance flag, people involved, witnesses — plus:
  - **Change status**: Submitted → In review → Resolved → Archived.
  - **Follow-up notes** (append-only).
  - **Change log** — the audit trail of every edit, including the reporter's own 24-hour-window edits.
- **Incident Types / Severity Levels / Activities** — the dropdown vocabularies, each with colors and sort order. Seed-defaults buttons appear when a list is empty; activities support bulk import.

## 6.3 Accident Reports Admin

Tabs: **History** · **Dropdowns** · **Workers' Comp**.

- **History** — filters include severity, body part, medical attention, and a Workers' Comp Yes/No. The detail is fully read-only (there is deliberately no status lifecycle for accidents) with append-only follow-up notes and a change log.
- **Dropdowns** — five vocabularies: **Injury Type**, **Body Part**, **Activity**, **Medical Attention**, **Severity** (location comes from Facility Spaces). The important one: medical-attention values have a **"Triggers communication alert"** checkbox — the seeded defaults fire alerts for Medical Office Visit, Emergency Room, and Hospitalization. This is how a serious injury automatically notifies managers.
- **Workers' Comp** — the instruction text staff must read and acknowledge when filing a comp claim. One textarea, newlines preserved, **Save**.

## 6.4 Air Quality Admin

Tabs: **Setup** · **Compliance** · **History** · **Settings**, plus the printable **Monitoring Log**.

- **Setup** — locations come from Facility Spaces; per location (or facility-wide) manage **Equipment** (monitors: name, model, serial) and the **Reading types** (label, key, unit, decimals, required). Reading types carry no thresholds themselves — thresholds live in the compliance profile.
- **Compliance** — pick a **jurisdiction profile** (badged Binding or Guidance, 1-hour TWA or Single-sample method), choose the metrics tracked, and set **threshold overrides** per tier — **Corrective**, **Notification**, **Evacuation** — which you may tighten but never loosen below the regulatory floor. Write the **escalation steps** text operators see at each tier. A separate panel keeps a free-text library of compliance rules by jurisdiction.
- **History** — filter by employee, location, equipment, reading type, exceedance, dates, and notes text. Exceedance flags are computed at submit time and frozen. Append-only follow-up notes; deleting a report is super-admin-only.
- **Settings** — testing frequency text shown to staff, default jurisdiction, the alerts on/off switch, and the default alert severity.
- **Monitoring Log** (Printable monitoring log → from History) — an inspector-ready table (date, equipment, time, resurfacer count, CO, NO2, alert level, maintenance, recorded by) over any date range, with **Download PDF**, **Print**, and **Send...** — which emails the PDF straight to recipients you type (e.g. an inspector). Bold red values exceeded a threshold at submit time.

## 6.5 Ice Depth Admin

Tabs: **Rinks** · **Diagrams** · **Overlays** · **History** · **Analytics** · **Settings**.

- **Rinks** — each sheet of ice, with a default flag.
- **Diagrams** — per rink, the measurement layouts. The point editor places each numbered point by label and X/Y position, with renumbering support.
- **Overlays** — per rink: place **door markers** (typed and colored — door types are seedable) on the diagram, and upload a **center-ice logo** (transparent PNG/SVG/WebP, max 2 MB) rendered as a watermark on every report.
- **History** — sessions filtered by layout, employee, low/high flags, dates. Sessions are immutable; notes are append-only; deleting a session is super-admin-only.
- **Analytics** — average depth, below-min and above-target counts, a **problem-spots heat map** (each point colored by its most common condition, showing its average depth), a per-point breakdown sorted by how often each point reads below minimum, and a daily activity trend.
- **Settings** — measurement unit (inches/mm), low and high thresholds, **alert on** (low / high / any), the three severity colors, alerts on/off, and default severity. Existing sessions snapshot the unit and thresholds at submit time — changing settings never reclassifies history.

## 6.6 Ice Operations Admin

Tabs: **Setup** · **History** · **Settings**.

- **Setup** — **Rinks**; **Equipment** (name, type — Ice Resurfacer, Edger, Blade Set, Hand Edger, Other — model, serial, hours count, **tank capacity** which enables the %-of-tank water unit, and fuel type); **Circle check items** (scoped to all equipment or one unit); **Fuel types**; and **Circle-check templates** (fuel-type-matched checklists, capped at 4 per facility, with bulk item import). A seed button creates a starter configuration.
- **History** — filter by operation type, employee, rink, equipment, failed-check, dates, and notes search. Detail views are read-only with append-only notes.
- **Settings** — alerts on/off, default severity, and **Visible operations**: which of the five built-in operations staff can log (the types themselves are fixed; at least one must stay on).

## 6.7 Refrigeration Admin

Tabs: **Setup** · **History** · **Settings**.

- **Setup** — the reading structure: **Sections** (a seed button creates the six standard ones: Compressors, Pumps, Condensers, Supply/Return, Machine Hours, Alarms) → per-section **Equipment** → **Fields** (numeric, text, boolean, select, computed; with units and select options) → **Thresholds** per field: scope (all equipment or one unit), min, max, and severity (warn / high / critical). An equipment-specific threshold overrides the section-level one — the same precedence staff see in their range hints.
- **History** — filter by employee, dates, out-of-range (Any/Yes/No), notes. Detail shows every value with **Out of range** badges; notes are append-only; deletion is super-admin-only.
- **Settings** — out-of-range alerts on/off (off by default), default alert severity, and **readings per shift** (caps the staff Round # field and shows "of N" in their form).

## 6.8 Dasher Boards Admin

The spatial module. **Labels are permanent identity — the editor never renumbers existing assets.** Tabs: **Perimeter** · **Checklist** · **Lists** · **Walks**, with a first-run wizard (rink name, template, dimensions, perimeter anchor, direction, inspection weekday) generating the whole perimeter from what you enter.

- **Perimeter** — tap a position to edit it: relabel, convert board↔door, set the door subtype, toggle glass, and enter **replacement specs** (dimensions, thickness, material — a "No spec on file" badge flags gaps, and a bulk glass-spec tool fills ranges at once). You can move the start point and change the glass numbering scheme — the numbers printed on the diagram change, but nothing is relabeled.
- **Checklist** — the inspection weekday plus cadenced items (weekly / monthly / yearly; daily ships empty by design — the tap-the-problem model carries daily coverage). Due items must be answered before a walk can sign off, and flagged items create issues in the same pipeline as spatial reports.
- **Lists** — door subtypes (Bench, Scoreboard, Zamboni...) and per-asset-type issue categories (boards, glass, doors).
- **Walks** — read-only inspection history with fail counts, rendered in the rink's glass numbering so it matches what the crew used on the floor.

One permission nuance: entering glass **specs** is available to the edit tier (managers), while structural perimeter changes stay admin-only.

## 6.9 Communications Admin

The hub that ties every module's alerts together. Tabs: **Inbox** · **Broadcast** · **Templates** · **Groups** · **Routing** · **Reminders** · **Deliveries** · **Audit Log**.

- **Inbox** — two views. **Alerts**: every alert from every module, filterable by source module, severity (info/warn/high/critical), open/resolved, and dates; drill in to **Resolve**, **Re-open**, or Delete (resolving is usually the better close-out), and see the per-person **acknowledgements** list. **Messages**: all staff messages with read/ack rollups.
- **Broadcast** — send to **groups**, **everyone with a role**, or the **whole facility**; start from a template; optionally **Send later** (scheduled broadcasts queue and can be cancelled until they go out); optionally require acknowledgement.
- **Templates** — reusable subject/body/ack presets, used by broadcasts, staff compose, and reminders.
- **Groups** — named recipient lists with members; the **"Staff can message this group"** toggle controls which groups staff see in their compose screen.
- **Routing** — the heart of the alerting story. Each rule: name, **source module**, severity filter, optional area (daily-report area or air-quality location), a single **target** (group, role, employee, or department), a **timing** (Immediate, End-of-day digest, Weekly, or Manual), and two checkboxes — **Attach PDF of the submission** (renders a PDF of the source record onto the email and message) and **Require recipient acknowledgement**. A **Preview Recipients** action shows who a rule will actually hit before it fires. With no rules, alerts still land in this inbox — they just don't fan out to people.
- **Reminders** — recurring scheduled sends: a 5-field cron schedule (e.g. `0 9 * * 1` = 9:00 AM every Monday, evaluated in the facility's timezone), a template, and a group/role target.
- **Deliveries** — failed email and notification sends that exhausted their automatic retries, each with a **Retry** button that re-queues it.
- **Audit Log** — the communications-scoped audit trail.

## 6.10 How a submission becomes an alert (the pipeline)

Worth a whiteboard minute in any admin training:

1. A staff member submits a report. If it trips a configured trigger — an out-of-range refrigeration value, an air-quality exceedance, a failed circle check, an alert-flagged medical-attention level, a severity-A dasher issue — the module raises an **alert**.
2. **Routing rules** match it (module, severity, area) and fan it out to their targets on their timing — immediately, in an end-of-day digest, or weekly.
3. Recipients get an **in-app message** and an **email**; if the rule attaches a PDF, a rendered PDF of the submission is linked in-app and attached to the email.
4. If the rule requires acknowledgement, recipients must acknowledge in their inbox — and admins can watch the ack list on the alert.
5. Background jobs run every few minutes to render PDFs, drain the queue, and send emails, with automatic retries; anything that fails permanently surfaces in **Deliveries** for a manual retry.

Individual accident/incident PDFs reach people exactly two ways: as a routing-rule attachment, or inside a date-range export. There's no per-report download button on those admin detail pages.

## 7. Quick Reference

### 7.1 Status lifecycles at a glance

| Object             | Statuses                                                                         |
|--------------------|----------------------------------------------------------------------------------|
| Schedule shift     | draft → published → cancelled                                                    |
| Time-off request   | pending → approved / denied / cancelled                                          |
| Swap request       | pending → accepted → manager approved (applied); or denied / cancelled / expired |
| Shift drop request | pending → approved / denied / withdrawn                                          |
| Publish request    | pending → published / rejected                                                   |
| Incident report    | Submitted → In review → Resolved → Archived                                      |
| Offline queue item | pending → synced / failed / won't retry                                          |

### 7.2 Who approves what (scheduling)

| Request                | Approver                                                           |
|------------------------|--------------------------------------------------------------------|
| Time off               | Any scheduling admin                                               |
| Swap                   | Scheduling admin, after the target accepts                         |
| Shift drop             | Scheduling admin (unless approval is turned off — then instant)    |
| Open-shift claim       | Automatic if first-come-first-served; otherwise a scheduling admin |
| Publishing a schedule  | A different admin than the requester — always two people           |
| Certification override | A facility manager only — always audit-logged                      |

### 7.3 Edit windows and immutability

| Report type                                              | After submitting                               |
|----------------------------------------------------------|------------------------------------------------|
| Incident report                                          | Reporter can edit for 24 hours, then read-only |
| Accident report                                          | Reporter can edit for 24 hours, then read-only |
| Daily report                                             | Corrections only (original stays on record)    |
| Ice depth / Ice operations / Refrigeration / Air quality | Immutable immediately                          |
| Admin follow-up notes (all modules)                      | Append-only — can never be edited or deleted   |

### 7.4 What works offline

| Works offline (queued)                                                                                                      | Online only                             |
|-----------------------------------------------------------------------------------------------------------------------------|-----------------------------------------|
| All report submissions (daily, incidents, accidents, ice depth, ice ops, refrigeration, air quality, dasher issues & walks) | Editing an existing report              |
| Time-off requests, availability changes                                                                                     | Claiming, dropping, and swapping shifts |
| Composing messages                                                                                                          | Acknowledging alerts, marking read      |
| Viewing /offline-daily, /offline-forms, /offline-schedule                                                                   | All admin console work                  |

On iPhone/iPad, open the app and tap **Sync now** in the Pending Sync Queue after working offline — iOS doesn't sync in the background.

## 7.5 Permission actions

| Action | Means                                                                                                |
|--------|------------------------------------------------------------------------------------------------------|
| View   | Can see the module                                                                                   |
| Submit | Can create and submit entries                                                                        |
| Edit   | Can modify own or facility submissions (e.g. acknowledge severity-A dasher issues, supervisor tiers) |
| Admin  | Can configure the module and use its admin console                                                   |

Special cells: **Admin module × Admin action** = the Admin Center key (super-admin-only to grant). Module consoles need the module's Admin action on top of console access.

## 7.6 Super-admin-only operations

Create/edit facilities · delete employees · grant Admin Center access · assign admin-tier roles · promote/revoke super admins · generate password-reset links · switch facility context · delete ice-depth sessions, refrigeration reports, and air-quality reports.

## 7.7 Training checklists

### New staff member — first session (30 minutes):

1. Sign in from the invite email and set a password.
2. Tour the dashboard tiles and status bubbles; hide unused tiles.
3. Fill in Account settings (phone, address, emergency contact).
4. Submit a practice report in your primary module.
5. Scheduling: set availability for each weekday, set up calendar sync, find the Drop and Swap buttons.
6. Turn on airplane mode and submit a report — watch it queue and sync.
7. Find the Pending Sync Queue and the offline schedule page.

### New admin — first session (60 minutes):

1. Tour the console: Setup vs. Module Admin vs. System groups; know that the sidebar isn't permission-filtered and Roles isn't in it.
2. Walk the setup checklist on the admin dashboard.



3. Create a test employee with an invite; watch the role defaults apply.
4. Open the Permissions matrix; find the Admin Center cell and understand why it's special.
5. Configure one module end-to-end (e.g. refrigeration sections → fields → thresholds → submit a test report → see the out-of-range flag → watch the routing rule fire).
6. Scheduling: draw shifts, hit a cert block, file a publish request, approve it as a second admin.
7. Review retention floors and the audit log.