TOT Return Filing

By KRA

https://sbx.kra.go.ke/filing/v1/tot/p…

Simulate API

Documentation

📌 Overview

To successfully invoke this API, you must first generate an **access token** via the Authorization API. This token must be included as a Bearer token in the Authorization header of your API request.

This guide includes:

- How to generate the access token
- How to use the token in the API request
- Request/response examples
- Error handling

- Sample data section for testing

🔐 Step 1: Generate Access Token (Authorization API)

Request Details

Use your `Consumer Key` and `Consumer Secret` as **Basic Auth** credentials (`username` and `password`) to generate an access token.

Endpoint:

```
GET https://sbx.kra.go.ke/v1/token/generate?grant_type=client_credentials
GET https://api.kra.go.ke/v1/token/generate?grant_type=client_credentials
```

Headers:

`Authorization: Basic <Base64Encoded(Consumer_Key:Consumer_Secret)>`

Success Response

```
{
  "access_token": "qblts2rRqMKBG7mvP7AkLZfnWjER",
  "expires_in": "3599"
}
```

Field	Description
access_token	Token to be used as Bearer token in API requests
expires_in	Time in seconds before the token expires (e.g. 3600)

Error Response

```
{
    "requestId": "83f2-4b48-bdf5-4c7e1a67dbcb39076",
    "errorCode": "401",
    "errorMessage": "Client credentials are invalid"
}
```

errorCode	errorMessage
401	Client credentials are invalid

⚠️ **Note:** No need to create a separate app for Authorization. Use the same app created for this API.

✅ Step 2: Invoke TOT Return Filing API

Endpoint:

```
POST https://sbx.kra.go.ke/filing/v1/tot/paymentregistration - Sandbox End
POST https://api.kra.go.ke/filing/v1/tot/paymentregistration - Production
```

Request Example

`POST https://sbx.kra.go.ke/filing/v1/tot/paymentregistration`

Headers:

```
{
  "Content-Type": "application/json",
  "Authorization": "Bearer qblts2rRqMKBG7mvP7AkLZfnWjER"
}
```

Body:

```
{
    "TAXPAYERDETAILS": {

        "TaxpayerPIN": "A000052560A",
        "Month": "09",
        "Year": "2024",
        "GrossTurnover": 1000
    }
}
```

Request Parameters

Field	Remark
TaxPayerPin	KRA PIN number for whom the pending return details need to be retrieved.
Month	Month of the respective monthly return for which the taxpayer wants to file TOT return.
Year	Year of the respective monthly return for which the taxpayer wants to file TOT return.
GrossTurnover	The amount of tax to be paid.

Possible Responses

- Successful Response


```
{
  "ResponseCode": "87000",
  "Message": "Successfully Filled TOT Return",
  "Status": "OK",
  "AckNumber": "KRA202659037337",
  "PRN": "1002",
  "ComputedTax": "15.0",
  "UtilizedCredit": "0.0",
  "TaxPayable": "15.0"
}
```


Below table describes the above json.

Field/Attribute	Description
ResponseCode	It represents the code for different messages.
Message	It represents the description of the Response Code
Status	List of Values: 1) OK 2) NOK
AckNumber	Acknowledgement Number as received from iTax when status is OK.
PRN	iTax passes PRN number when status is OK.
ComputedTax	This amount should be 3% of gross turnover declared.
UtilizedCredit	This amount is computed from self-assessment and/or presumptive tax as computed by iTax.
TaxPayable	Calculated TOT payable after deducting available credits as received from iTax

EXCEPTIONS

- Data Validation errors


```
{
    "ErrorCode": "87002",
    "ErrorMessage": "Data Validation Error",
    "RequestId": "c07d7bea-6b80-434b-86d7-9f330ee1ea141145"
}
```

🧪 Sample Data (For Testing)

Below are Taxpayer PINs for use. Month and Year fields are dynamic based on last filing for the sample TaxpayerPIN.

TaxpayerPIN

```
A000052560A
```

```
A005000401P
```

```
A500001303Q
```

```
A506005001X
```

```
A060400550C
```

```
A073301924Q
```

```
A008058002A
```

```
A300105210N
```

```
A358000330D
```

📎 **Tip:** Use the My Apps section to get your app credentials.

Use case

For validating taxpayer information in the iTax system using KRA PIN

Government of Kenya 2026 Copyright. All rights reserved.

Back To Top