GavaConnect Search APIs K

Documentation
Errors
Use-cases

Home / Discover APIs / Income Tax Withholding PRN Generation

Income Tax Withholding PRN Generation

By KRA

https://sbx.kra.go.ke/generate/v1/prn…

Simulate API

Documentation

Overview

This API endpoint submits withholding tax transaction data to the Kenya Revenue Authority and generates a Payment Reference Number (PRN) to facilitate payment of the withheld tax. The payload contains header information summarizing the entire transaction and detailed breakdowns of individual withholding transactions.

For an Income Tax Withholding Certificate to be issued to the withholdee, the generated PRN needs to be paid for. The withholding certificate generation is automated from the iTax system.

Content

1. Authentication is required to access this API as documented in Auth
2. Income Tax Withholding endpoint doc click Here

🔐 Step 1: Generate Access Token (Authorization API)

Request Details

Use your `Consumer Key` and `Consumer Secret` as **Basic Auth** credentials (`username` and `password`) to generate an access token.

Endpoint:

```
GET https://sbx.kra.go.ke/v1/token/generate?grant_type=client_credentials
GET https://api.kra.go.ke/v1/token/generate?grant_type=client_credentials
```

Headers:

`Authorization: Basic <Base64Encoded(Consumer_Key:Consumer_Secret)>`

Success Response

```
{
  "access_token": "qblts2rRqMKBG7mvP7AkLZfnWjER",
  "expires_in": "3599"
}
```

Field	Description
access_token	Token to be used as Bearer token in API requests
expires_in	Time in seconds before the token expires (e.g. 3600)

Error Response

```
{
    "requestId": "83f2-4b48-bdf5-4c7e1a67dbcb39076",
    "errorCode": "401",
    "errorMessage": "Client credentials are invalid"
}
```

errorCode	errorMessage
401	Client credentials are invalid

⚠️ **Note:** No need to create a separate app for Authorization. Use the same app created for this API.

✅ Step 2: Invoke Withholding IT API Endpoint

Endpoint:

```
POST https://sbx.kra.go.ke/generate/v1/prn/whtit - Sandbox Endpoint
POST https://api.kra.go.ke/generate/v1/prn/whtit - Production Endpoint
```

Root Object

- **Content-Type**: `application/json`
- **Method**: `POST`

JSON Schema

```
{
  "transactionHeader": {
    "withholderPin": "string",
    "transactionUniqueNo": "string",
    "noOfTransactions": "integer",
    "taxObligation": "string",
    "taxPeriodFrom": "string",
    "taxPeriodTo": "string",
    "totalGrossAmount": "number",
    "totalTaxAmount": "number"
  },
  "transactionDetails": [
    {
      "natureOfTransaction": "string",
      "residentialStatus": "string",
      "country": "string",
      "paymentDate": "string",
      "withholdeePin": "string",
      "invoiceNo": "string",
      "invoiceDate": "string",
      "grossAmount": "string",
      "taxRate": "number",
      "taxAmount": "number",
      "withholdeeName": "string",
      "withholdeeEmail": "string",
      "withholdeeAddress": "string"
    }
  ]
}
```

Field Specifications

Transaction Header Object

Field	Type	Required	Description	Format/Example
`withholderPin`	string	Yes	PIN of the entity withholding tax	Format: `A000000000M`
`transactionUniqueNo`	string	Yes	Unique identifier for the transaction batch	Alphanumeric, e.g., `20220129786799`
`noOfTransactions`	integer	Yes	Number of transactions in the details array	Must match actual count of `transactionDetails`
`taxObligation`	string	Yes	Type of tax obligation code	Example: `WHTIT` (Withholding Tax - Income Tax)
`taxPeriodFrom`	string	Yes	Start date of tax period	ISO 8601: `YYYY-MM-DDTHH:MM:SS`
`taxPeriodTo`	string	Yes	End date of tax period	ISO 8601: `YYYY-MM-DDTHH:MM:SS`
`totalGrossAmount`	number	Yes	Total gross amount for all transactions	Numeric: `30000`
`totalTaxAmount`	number	Yes	Total tax withheld for all transactions	Numeric: `150`

Transaction Details Array

Field	Type	Required	Description	Format/Example
`natureOfTransaction`	string	Yes	Code for type of transaction	Possible Values: 1) `WHT_3000` for Supply of Goods, 2) `WHT_0900` for Contractual Fees, 3)`WHT_0401` for Management and Professional Fees
`residentialStatus`	string	Yes	Residential status of withholdee	`R` (Resident) or `NR` (Non-Resident)
`country`	string	Yes	Country code of withholdee	ISO 3166-1 alpha-2: Example `US` for (United States of America)
`paymentDate`	string	Yes	Date payment was made	ISO 8601: `YYYY-MM-DDTHH:MM:SS`
`withholdeePin`	string	Yes	PIN of the recipient being withheld from	Format: `P000000000L`
`invoiceNo`	string	Yes	Invoice number reference	Alphanumeric: `KRACU0000001`
`invoiceDate`	string	Yes	Date of invoice	ISO 8601: `YYYY-MM-DDTHH:MM:SS`
`grossAmount`	string	Yes	Gross amount for this transaction	Numeric: `30000`

Field	Type	Required	Description	Format/Example
`taxRate`	number	Yes	Tax rate applied (percentage)	Possible Values: 1) `0.5` for Supply of Goods, 2) `3` for Contractual Fees, 3) `5` for Management and Professional Fees
`taxAmount`	number	Yes	Tax amount calculated	Numeric: `150`
`withholdeeName`	string	Yes	Name of the recipient	Full legal name: `Malcom X`
`withholdeeEmail`	string	Yes	Email address of recipient	Valid email format: `name@name.com`
`withholdeeAddress`	string	Yes	Physical address of recipient	Street address: `Nairobi`

Request Example

`POST https://sbx.kra.go.ke/generate/v1/prn/whtit`

Headers:

```
{
  "Content-Type": "application/json",
  "Authorization": "Bearer qblts2rRqMKBG7mvP7AkLZfnWjER"
}
```

Body:

```
{
  "transactionHeader": {
    "withholderPin": "A000000000M",
    "transactionUniqueNo": "20220129786799",
    "noOfTransactions": 1,
    "taxObligation": "WHTIT",
    "taxPeriodFrom": "2025-09-01T00:00:00",
    "taxPeriodTo": "2025-09-30T00:00:00",
    "totalGrossAmount": "30000.00",
    "totalTaxAmount": "150.00"
  },
  "transactionDetails": [
    {
      "natureOfTransaction": "WHT_3000",
      "residentialStatus": "R",
      "country": "KE",
      "paymentDate": "2025-09-22T00:00:00",
      "withholdeePin": "P000000000L",
      "invoiceNo": "2639202",
      "invoiceDate": "2025-09-18T00:00:00",
      "grossAmount": "30000.00",
      "taxRate": 0.5,
      "taxAmount": 150,
      "withholdeeName": "Malcom X",
      "withholdeeEmail": "name@name.com",
```

```
        "withholdeeAddress": "Nairobi"
      }
    ]
}
```

##Success Response

```
{
    "responseCode": "70000",
    "responseDesc": "Successful",
    "status": "OK",
    "responseData": {
        "prnNumber": "2020250002597584",
        "prnDate": "2025-09-23T12:51:25",
        "prnAmount": 150.0
    }
}
```

##Error Responses

```
{
    "ErrorCode": "70001",
    "ErrorMessage": "Data Validation Error",
    "RequestId": "af5f11cf-b864-4368-a936-02b645f806f913140"
}
```

Validation Rules

1. **Consistency Checks**:
    - `noOfTransactions` must equal the length of `transactionDetails` array
    - Sum of all `grossAmount` in details must equal `totalGrossAmount` in header
    - Sum of all `taxAmount` in details must equal `totalTaxAmount` in header
    - `taxPeriodFrom` must be before or equal to `taxPeriodTo`
2. **Date Validations**:
    - `paymentDate` must fall within `taxPeriodFrom` and `taxPeriodTo`
    - `invoiceDate` should be on or before `paymentDate`
3. **Calculations**:
    - `taxAmount` should equal `grossAmount` × `taxRate` / 100

Notes

- The API may support multiple transactions in the details array for batch processing
- Ensure PIN formats comply with the KRA's PIN format

🧪 Sample Data (For Testing)

withholderPin	withholdeePin
P531107121Z	P150434159V
P915347031J	P304377571Q
A553210740V	A634004075Z

Join our newsletter mailing list

Enter your email he Subscribe

Location

Times Tower, Haile Selassie Avenue,
P.O. Box 48240 - 00100 GPO
Nairobi Email: apisupport@kra.go.ke

Government of Kenya 2026 Copyright. All rights reserved.

Back To Top