PIN Checker BY ID

By KRA

https://sbx.kra.go.ke/checker/v1/pin

Simulate API

Documentation

PIN Checker By ID API

📌 Overview

To successfully invoke the PIN Checker API, you must first generate an **access token** via the Authorization API. This token must be included as a Bearer token in the Authorization header of your PIN Checker request.

This guide includes:

- How to generate the access token
- How to use the token in the PIN Checker request
- Request/response examples
- Error handling
- Sample data section for testing

🔐 Step 1: Generate Access Token (Authorization API)

Request Details

Use your `Consumer Key` and `Consumer Secret` as **Basic Auth** credentials (`username` and `password`) to generate an access token.

Endpoint:

```
GET https://sbx.kra.go.ke/v1/token/generate?grant_type=client_credentials
```

Headers:

`Authorization: Basic <Base64Encoded(Consumer_Key:Consumer_Secret)>`

Success Response

```
{
  "access_token": "qblts2rRqMKBG7mvP7AkLZfnWjER",
  "expires_in": "3599"
}
```

Field	Description
access_token	Token to be used as Bearer token in API requests
expires_in	Time in seconds before the token expires (e.g. 3600)

Error Response

```
{
    "requestId": "83f2-4b48-bdf5-4c7e1a67dbcb39076",
    "errorCode": "401",
    "errorMessage": "Client credentials are invalid"
}
```

errorCode	errorMessage
401	Client credentials are invalid

⚠️ **Note:** No need to create a separate app for Authorization. Use the same app created for the PIN Checker or any other API.

✅ Step 2: Invoke PIN Checker by ID API

Request Example

`POST https://sbx.kra.go.ke/checker/v1/pin`

Headers:

```
{
  "Content-Type": "application/json",
  "Authorization": "Bearer qblts2rRqMKBG7mvP7AkLZfnWjER"
}
```

Body:

```
{
  "TaxpayerType": "KE",
  "TaxpayerID": "100000000"
}
```

Request Parameters

Name	Type	Description	Sample Value
TaxpayerType	String	Country or taxpayer classification	KE
TaxpayerID	String	Unique taxpayer identification number	100000000

Success Response

```
{
  "TaxpayerPIN": "A000000000I",
  "TaxpayerName": "YAMAS12 TEST OMINI01"
}
```

Error Responses

Invalid ID

```
{
  "RequestId": "526e10fa-3db9-4a3b-96f1-7c04b2e2252b1302",
  "ErrorCode": "30002",
  "ErrorMessage": "Invalid ID"
}
```


Missing Parameter


```
{
  "requestId": "526e10fa-3db9-4a3b-96f1-7c04b2e2252b1303",
  "errorCode": "400",
  "errorMessage": "Missing mandatory parameter: TaxpayerID."
}
```

Error Codes Reference

Code	Description	Probable Cause	Mitigation
400	Missing parameter: `TaxpayerID`	Request body is incomplete	Ensure `TaxpayerID` is provided
30002	Invalid ID	Non-existent TaxpayerID	Verify that the ID exists and is valid

---

🧪 Sample Data (For Testing)

TaxpayerType	TaxpayerID	Notes
`KE`	`41789723`	Kenyan Resident Sample Data
`NKE`	`787528`	Non Kenyan Resident Sample Data
`NKENR`	`B3962C4A5718`	Non-Kenyan Non-Resident Sample Data
`COMP`	`000020OS4304`	Non-Individual (Company) Sample Data

📎 **Tip:** Use the My Apps section to get your app credentials and test in Postman.

🧭 Use Cases

- Verify and validate taxpayer identities
- Ensure compliance with Kenya Revenue Authority (KRA) regulations
- Improve accuracy of tax-related systems and reporting

PRODUCT

APIs
Documentation
Developer Market
My Apps

SUPPORT

Contact Support
FAQs

LEGAL

Privacy Policy
Terms & Conditions

Join our newsletter mailing list

Enter your email he

Subscribe

Location

Times Tower, Haile Selassie Avenue,
P.O. Box 48240 - 00100 GPO
Nairobi Email: apisupport@kra.go.ke

Government of Kenya 2026 Copyright. All rights reserved.

Back To Top