



Compress attention. Never compress evidence.

A role-aware longitudinal care note where every high-priority statement carries its reason, trust state, and exact immutable source.

PRODUCT THESIS

The glance is an attention budget, not a second timeline.

Three bounded lanes - Act now, Watch, Awaiting - expose the next action while one click restores the full evidence trail.

1.277 ms

MEASURED WARM-PATH P95


159 tests

BACKEND TESTS; 900 PROPERTY EXAMPLES

100%

BACKEND STATEMENT + BRANCH COVERAGE

ARCHITECTURE



TRUST CONTRACT

- Exact-source highlights bind an entry, immutable version, offsets, quote, source URI, and SHA-256 hash.
- AI content starts as proposed; human-authored, staff-verified, clinician-confirmed, and superseded are visible states.
- Citation-first review returns only authorized claims, exact quotes, actions, and conflicts; unsupported questions receive an explicit abstention.
- Server-side clinic and role policies protect every object. Patient responses are built from an allow-list projection.
- Revert appends a version. Same-section stale writes return 409; independent role-owned sections do not overwrite.
- The Delta Lens reports temporal change and uncertainty, but refuses a causal claim without an estimand and design.

VERIFICATION CONTRACT

4 x 100%

FRONTEND COVERAGE; 45 TESTS

7 / 7

DESKTOP + MOBILE E2E

1,840 / 1,840

GENERATED MUTANTS KILLED

0 known


ADVISORIES AT SCAN TIME



A shared narrative with immutable ownership.

Full snapshots favor auditability, deterministic revert, and stable provenance in the prototype. Production can add delta compression behind the same logical model.

COMPREHENSIVE DATA SCHEMA



AUTHORIZATION MATRIX

Object/action	Patient	Staff	Clinician	Admin
Patient-safe summary	Read	Read	Read/write	Read
Staff section	No access	Read/write	Read only	Read only
Clinician section	No access	Read only	Read/write	Read only
Raw AI + comments	No access	Read/review	Read/review	Read
Audit + retention	No access	No access	No access	Operate

ATOMIC INTEGRITY PATH

- 1. Authenticate the server actor; ignore client-supplied role claims.
- 2. Resolve the object inside clinic scope; enforce ownership and visibility.
- 3. Validate expected version; a stale same-section write returns a 409 receipt.
- 4. Append snapshot, metadata-only audit, and glance projection in one transaction.
- 5. Serialize an actor allow-list; provenance rechecks scope, offsets, quote, and hash.

ASSUMPTIONS AND PRODUCTION BOUNDARY

ASSUMPTIONS
Synthetic data, local deterministic provider, and loopback benchmarks.

TRADE-OFF
Full snapshots + SQLite favor auditability and reproduction over storage efficiency and scale.

PRODUCTION GATE - NOT CLAIMED
OIDC/MFA, PostgreSQL RLS, TLS, managed encryption, centralized audit, and independent clinical/security review.



Learning earns influence under safety constraints.

The adaptive system changes ranking, not clinical facts. New policies stay in shadow mode until support, uncertainty, and governance are credible.

TRANSPARENT IMPORTANCE

base = risk + action + safety + recency + pin
adaptive = clip(pooled posterior shift, -0.75, +0.75)
rank = hard safety band, then base + adaptive

- Role and clinic Beta posteriors shrink sparse feedback.
- Critical, allergy, medication, and urgent work are protected.
- Accept, reject, and pin remain one-action human controls.

SHADOW OFF-POLICY EVALUATION

No estimate yet


The seeded build correctly reports insufficient interaction data instead of manufacturing uplift.

REQUIRED DIAGNOSTICS

Propensity overlap - effective sample size - DR uncertainty - assumptions - policy version

Ranking proxy only - never a patient-outcome claim

PRIVACY AND RETENTION



Decay applies to recomputable derived caches. Immutable versions, audit metadata, open tasks, conflicts, pins, allergies, medication safety, and active critical evidence remain protected.

MEASURED EVIDENCE AND TRADE-OFFS

600 / 600

WARM READS SUCCEEDED

1.136 ms

LOCAL MEDIAN

1.277 ms

LOCAL P95

P95 <= 300 ms

BRIEF CONSTRAINT PASSED

50 warm-ups; loopback Uvicorn; seeded precomputed projection; no LLM on read path.
159 backend + 45 frontend tests; 7/7 browser; 1,840/1,840 mutants; 0 known advisories at scan time.

SELECTED PRIMARY SOURCES - HYPERLINKED

[1] HL7 FHIR R5 Provenance
hl7.org/fhir/provenance

[2] W3C PROV-O
w3.org/TR/prov-o

[3] OWASP API1:2023 BOLA
owasp.org/API-Security/2023/API1

[4] PostgreSQL Row Security
postgresql.org/docs/current/ddl-rowsecurity

[5] NIST AI 600-1 Generative AI Profile
doi.org/10.6028/NIST.AI.600-1

[6] PDPC Healthcare Sector Guidelines
pdpc.gov.sg/healthcare-sector

[7] Dai et al., AI-scribe safety signals, 2025
arxiv.org/abs/2512.04118

[8] Brunner et al., JAMA ambient scribe, 2026
doi.org/10.1001/jamanetworkopen.2025.52870

[9] Mandyam et al., CANDOR (CHIL 2026)
proceedings.mlr.press/v333/mandyam26a

[10] W3C WCAG 2.2
w3.org/TR/WCAG22