THE UNITED REPUBLIC OF TANZANIA MINISTRY OF EDUCATION AND CULTURE FORM TWO SECONDARY EDUCATION EXAMINATIONS, 2001

0031 PHYSICS

TIN		 2 F	\sim		R٥	3
1111	ળ⊏	 2 г	ıu	U	Гü	2

INSTRUCTIONS

- 1. This paper consists of sections A, B and C.
- 2. Answer ALL questions in ALL sections.
- 3. Section C should be answered on separate sheets of paper provided.
- 4. In your calculations you are required to show clearly all the steps of your work in a systematic manner.
- 5. Whenever necessary use the following constants:

Density of water = 1 g/cm³ or 1000 kg/m³

Acceleration due to gravity $g = 10 \text{ m/s}^2$

S.T.P. means T = 273 K, P = 760 mmHg.

Density of mercury = $13.6 \text{ g/cm}^3 = 13600 \text{ kg/m}^3$

The specific heat capacity of water = 4200 J/kgK

FOR EXAMINERS USE ONLY				
QUESTION NUMBER	SCORE	INITIALS OF EXAMINER		
1				
2				
3				
<u>4</u> 5				
6 7				
E .				
8 9				
9				
10				
11 12				
12				
13				
14				
15				
16				
17				
18				
19				
20				
21				
22				
23				
24				
25				
26				
27				
28				
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28				
TOTAL				

This paper consists of 7 printed pages.

andidate's No	
---------------	--

SECTION A (40 MARKS)

This section consists of twenty (20) multiple choice questions. Answer ALL questions in this section by writing the letter of the correct answer in the box provided:

1.	480	centimeters is equivalent to metres:	
	(a)	0.48 m	
	(b)	4800 m	
	(c)	4.8 m	
	(d)	0.048 m	
2.	The	turning effect of a force about a point is:	
	(a)	Moment of the force	
	(b)	Centre of gravity	
	(c)	Principle of moments	
	(d)	Gravitational force.	
3.	-	id A has a density of 1.03 g/cm³ and liquid B has a density of 0.97	g/cm³. A
	•	ometer sinks:	
	(a)	More in B than in A	
	(b)	More in A than in B	
	(c)	Equally in both liquids A and B	
	(d)	None of the above.	
4.		pressure of air inside a car tyre increases if the car stands for soright. According to kinetic theory this is due to an increase in the t	
	(a)	The size of air molecules	
	(b)	The number of air molecules	
	(c)	The speed of air molecules	
	(d)	The average distance between the air molecules	
5.	Whe	en charging an object by friction, the particles which are transferre	d are:
	(a)	Electrons	
	(b)	Protons	
	(c)	Electrons and protons	
	(d)	Nuclei	
6.		t of Christmas tree lights consists of 20 identical lamps connected	
		V mains supply. What is the potential difference across each lam	p?
	(a)	12 V	
	(b)	20 V	
	(c)	240 V	
	(d)	4800V	

7.	In a h	block and tackle of pulleys system, the velocity ratio (V.R.) is given by:
	(a)	Effort arm divided by Load arm
	(b)	Number of strings in the pulley
	(c)	Distance moved by load divided by Distance moved by effort
	(d)	Number of pulleys in the string
	()	1 7
8.	New	ton is a force which has the following units:
	(a)	kg m/s
	(b)	kg M ⁻² S ⁻²
	(c)	KG M ⁻² S
	(d)	Kg M S ⁻²
9.	Who.	n boiling water is poured into a thick glass tumbler, the tumbler is likely to break
J.	beca	
	(a)	The lower part of the tumbler is very hot while the upper part is
	(4)	relatively cold.
	(b)	The inside of the tumbler gets too hot while the outside is at room
	()	temperature.
	(c)	The thick tumbler absorbs heat and spreads it over its surface rapidly.
	(d)	Boiling water generally causes uneven expansion in the tumbler
10.		angle of incidence is equal to the corresponding angle of reflection in::
	(a)	Diffuse reflection of light only.
	(b)	Regular reflection of light only
	(c)	Both regular and diffuse reflection of light
	(d)	Certain types of diffuse and regular reflection of light only.
11.	A sto	one of mass 5 kg is pulled to a height of 2 m above the ground. The work done
		nst the pull of gravity is:
	(a)	10 Joules
	(b)	1000 Joules
	(c)	100 Joules
	(d)	0.1 Joules
	. ,	
12.		rce of 10 Newtons causes a body to accelerate at 5 m/s². The mass of the body is
	(a)	50 kg
	(b)	5 kg
	(c)	2 kg
	(d)	20 kg
13.	A rela	ative density bottle has a mass of 18.50 g when empty, 54.50 g when filled with
		r and 38.3 g when filled with a second liquid. The density of the second liquid is:
	(a)	1.8 g/cm ³
	(b)	0.18 g/cm ³
	(c)	0.055 g/cm ³
	(d)	0.56 g/cm ³
	` '	

Candidate's No.

14.		unit for impulse is:	
	(a)	Newton metre	
	(b)	Kilogram metre/second squared	
	(c)	Newton per second	
	(d)	Newton second	
15.		ain machine is designed in such a way that a force of 150 N is used	d to lift a load of
		What is the mechanical advantage of the machine?	
	(a)	4.00	
	(b)	0.40	
	(c)	0.04	
	(d)	0.25	
16.	The pr	ocess of removing magnetism from a given material is known as: Magnetic field	
	(a) (b)	Demagnetization	
	(c)	Magnetism	
	(d)	Induction method	
	(u)	madelion method	
17.	-	on standing on a bus which starts to move forward suddenly tends	to fall
		ards because he/she is obeying:	
	(a)	Newton's second law of motion	
	(b)	Newton's first law of motion	
	(c)	Newton's third law of motion	
	(d)	The principle of equilibrium	
18.	A bime	etallic strip bends when heated because metals:	
	(a)	have different temperature	
	(b)	expand in opposite directions	
	(c)	expand by different amounts	
	(d)	becomes softer when heated	
19.	Knowle	edge about conduction, convection and radiation is important in the	e construction of
	a:		
	(a)	Thermometer	
	(b)	Radiation thermometer	
	(c)	Thermos flask	
	(d)	Thermostat	
20.		inuous path formed by connecting electrical devices along which e	lectrons can
	flow is	called:	
	(a)	Electric circuit	
	(b)	Electric current	
	(c)	Electric component	
	(d)	Series arrangement	
		-	

Candidate's No.

SECTION B (30 MARKS)

21. Match the following items by writing the letter of the correct meaning from list B against the number of the item in list A. (i) is done for you as an example table below:


Number of list A	(i)	(ii)	(iii)	(iv)	(v)	(vi)
Letter of list B	d					

LIST A	LIST B
(i) Beam balance (ii) Calorimeter (iii) Angle of dip (iv) Hygrometer (v) Thermostat (vi) Angle of declination	 (a) Controls temperature (b) Measures relative humidity at a given place. (c) Measures temperature (d) Measures mass (e) Used in measurement of heat (f) Angle made with horizontal by Earth's magnetic field (g) Detects electric changes. (h) Angles between magnetic north and geographical north.

Answer questions 22 - 25 by filling in the correct answers in the spaces provided.

- 22. (i) A curved surface of the liquid in a tube is called .
 - (ii) _____ is the SI unit of weight while is the SI unit of energy.
 - (iii) The magnetic lines of force of a magnet collectively form what is known as

 and a band of rays of light forms what we call
 of light.
 - (iv) Total or partial blocking of the sun rays or of the reflected light of the moon is called
- 23. (i) The loss of weight of a body when it is partially or totally immersed in water is called _____ and the weight of a body when in water is called
 - (ii) If a body changes its velocity uniformly from 10 m/s to 25 m/s in one minute, then its acceleration during this time is ______.
 - (iii) The three states of matter are _______, and ______.



The diagram above shows a ray of light PQ that is reflected from a plane mirror AB. The size of angle PQR is equal to _____.

- 24. (i) The centre of gravity of an object is the point through which the whole _____ of the body seems to act.
 - (ii) A stable object should have _____ centre of gravity and a base.
- 25. Identify the following electrical symbols.
 - (i) _____

 - (iii) _____
 - _____
 - (v) —****—

SECTION C (30 MARKS)

Answer all questions in this section.

- 26. (a) Define the term "efficiency of machine".
 - (b) The handle of a screw jack is 35 cm long and the pitch of the screw is 0.5 cm. What force must be applied at the end of the handle when lifting a load of 2200N if the efficiency of the jack is 4%.

- 27. (a) What is atmospheric pressure?
 - (b) In a certain day, the atmospheric pressure as read on a mercury barometer was 750 mm Hg. Express this in N/m².
- 28. (a) Define specific heat capacity of a substance.
 - (b) The temperature of 500 g of a certain metal is raised to 100°C and it is then placed in 200 g of water at 15°C. If the final steady temperature rises to 21°C, calculate the specific heat capacity of the metal.
- 29. (a) Mention two conditions for an object to remain in equilibrium when subjected to a number of parallel forces.
 - (b) Given the figure below, calculate the reactions R_1 and R_2 due to wires.

