THE UNITED REPUBLIC OF TANZANIA NATIONAL EXAMINATIONS COUNCIL ADVANCED CERTIFICATE OF SECONDARY EDUCATION EXAMINATION

142/1

ADVANCED MATHEMATICS 1

(For Both School and Private Candidates)

Time: 3 Hours

Tuesday 04 May 2004 a.m.

Instructions

- 1. This paper consists of sections A and B.
- 2. Answer all questions in section A and four (4) questions from section B.
- 3. All work done in answering each question must be clearly shown.
- 4. Mathematical tables, mathematical formulae, slide rules and unprogrammable scientific pocket calculators may be used.
- 5. Cellular phones are not allowed in the examination room.
- 6. Write your Examination Number on every page of your answer booklet(s).

This paper consists of 4 printed pages.

Find more free educational resources at:

SECTION A (60 marks)

Answer all questions in this section showing all necessary steps and answers.

1. (a) Use the appropriate laws of set algebra to simplify $(A \cup B)' \cap A$.

(02 mark

(b) An investigator was promised to be paid shs. 100 per person she interviewed about their likes and dislikes on a drink for lunch. She reported that 252 responded positively to coffee, 210 liked tea, 300 liked soda, 80 liked tea and soda, 60 liked tea and coffee, 110 liked coffee and soda, 50 liked all three while 120 people said they did not like any drink. How much should the investigator be paid?

(04 marks)

- (a) A point moves in such a way that its distance from the x-axis is always 1/8 its distance from the origin.
 Find the equation of its path.

 (02 marks)
 - (b) The perpendicular line from point A (-1, 2) to the straight line 2y + 3x 14 = 0 intersect the line at point B. If the perpendicular is extended to C in such a way that AB = $\frac{1}{2}$ BC determine the coordinates of C. (04 marks)
- 3. (a) Find the range of the function $f:x \to |x-1|$ whose domain is given by $|x| \le 3$. (02 marks)
 - (b) The function $f: x \to \frac{a}{x} + b$ is such that f(2) = 2 and f(-1) = -1;
 - (i) find the value of a and b;
 - (ii) sketch the graph of f.

(04 marks)

- 4. (a) Using the standard results for $\sum_{r=1}^{n} r^2$ and $\sum_{r=1}^{n} r$ obtain an expression for $\sum_{r=1}^{n} r(r+1)$ and simplify your answer as far as possible. (02 marks)
 - (b) The sum of the first t terms of a geometric progression is 9 and the sum of the first four terms is 45.

 Calculate the two possible values of the fifth term. (04 marks)
- 5. (a) Prove the following identities:

(i)
$$\frac{\cos 2x}{\cos x + \sin x} = \cos x - \sin x$$

(ii) $\frac{\cos x}{\cos x} - \frac{\sin x}{\cos x} = \frac{2\cos(x+x)}{\cos(x+x)}$

(02 marks)

- (b) Find the values of x, for $0 \le x \le 180^{\circ}$ which will satisfy the equation.
 - (i) $\tan 4x = 1$
 - (ii) $\sin 3x = 0$

(04 marks)

6. (a) If $\sin(x + \alpha) = \cos(x - \beta)$, find $\tan x$ in terms of cosines and sines of α and β . Hence find $\tan x$ if $\sin(x + 60^\circ) = \cos(x - 45^\circ)$. Leave your answer in surd forms but with a rational denominator.


(b) Prove that $\frac{\sec \theta - \csc \theta}{\tan \theta - \cot \theta} = \frac{\tan \theta + \cot \theta}{\sec \theta + \csc \theta}$

(03 marks)

1 (2n+1)(n-1) 3 2 (03 marks)

(1 (2n+1)(n-1) 3 2 (2n+1)(n+1) 2 =

+ (of c = Cosecre 2 / Jim 20 = 1 / X X X



(03 marks)

(b) The pressure p and the volume v of an expanding gas are related by $pv^{1.4} = k$. If the volume increases by 0.3 %, what is the corresponding percentage change in the pressure? (03 marks)



8. (a) Find a unit vector in the direction of $\underline{a} = 6\underline{i} + 3\underline{j} + \underline{k}$ and hence state its length.

(02 marks)

(b) Find the constant P such that the vectors $\underline{\mathbf{a}} = 2\underline{\mathbf{i}} - \underline{\mathbf{j}} + \underline{\mathbf{k}}$, $\underline{\mathbf{b}} = \underline{\mathbf{i}} + 2\underline{\mathbf{j}} - 3\underline{\mathbf{k}}$ and $\underline{\mathbf{c}} = 3\underline{\mathbf{i}} + P\underline{\mathbf{j}} + 5\underline{\mathbf{k}}$ are

(04 marks)

9. (a) Evaluate $\int_{-1}^{1} \frac{dx}{1-\sin x \cos x}$

(02 marks)

(b) Find $\int \frac{4x^2 - 2x + 3}{(x^2 + 2)(x - 2)} dx$

(04 marks)

- 10. Given a set of numbers {18, 16, 13, 14, 12, 10, 11, 15, 17, 19}
 - (a) the median and the mode.

(11/2 marks)

(b) the mean and the standard deviation

(02 marks)

(c) quartile one and quartile three.

(d) the range.

(001/2 mark)

SECTION B (40 marks)

Answer four (4) questions from this section, showing all necessary steps and answers.

A cement dealer has two depots D₁ and D₂ holding 120 and 40 tons respectively. He has two customers C₁ and C2 who have ordered 80 and 50 tons of cement respectively. C1 is 20 km from D1 and 40 km from D2. C2 is 15 km from D1 and 30 km from D2. Delivery costs are proportional to the distance travelled. How should he supply his customers to minimize the total transport costs?



12. (a) Express $(\sqrt{3} + i)^5$ in the form $r(\cos \theta + i \sin \theta)$.

(02 marks)

(b) Given that z_1 and z_2 are the roots of the quadratic equation $((1+2i)z^2+(1-5i)z+7i-6=0$, find the values of z_1 z_2 and z_1 + z_2 in the forms a + bi.

(c) Use De Moivres theorem to prove that $\tan 3\theta = \frac{3 \tan \theta - \tan^3 \theta}{1 + 3 \cot^2 \theta}$


(03 marks)




(a) Verify that the equation $x^2 - 2x - 1 = 0$ has a root lying between x = 2 and x = 3. Apply the method of bisection in four iterations to obtain an approximation of the root.

(b) Starting with $x_0 = 2$, calculate the approximation to the root of the equation in 13 (a) above correct to three decimal places with only two iterations.

(b) Apply Simpson's rule with n = 4 to obtain an approximation for the integral $I = \int_0^1 \frac{dx}{1+x}$





(i)
$$\frac{dy}{dx} - y \cot x = 0$$
.

(ii)
$$\frac{dy}{dx} = \frac{2x + 6y + 3}{x + 3y - 2}$$
 (05 marks)

(b) Form a D.E. whose solution is the function $y = Ae^{2x} + Be^{-3x}$ where A and B are constants. (05 marks)

15. (a) Show that
$$\sum_{x=0}^{N} \times p(x) = \text{np given that } p(x) = {}^{N}C_{x}p^{x}q^{N-x}$$
. (03 marks)

- (b) A fair coin is tossed 500 times. Find the probability that the number of heads will not differ from 250
 - (i) More than 10.
 - (ii) More than 30.

(07 marks)

- 16. A particle of mass M_2 kg rests on the surface of a smooth plane inclined at an angle α to the horizontal and is connected by alight inextensible string passing over a pulley at the top of the plane to a mass M₁ kg
 - (a) The acceleration of the system is given by $\frac{g(M_1 M_2 \sin \alpha)}{M_1 + M_2}$ (06 marks)
 - (b) The tension in the string is given by $\frac{M_1M_2 g(1+\sin\alpha)}{M_1+M_2}$. (04 marks)